

LI5 1481 EUI EXP غسالة ملابس مدمجهّجهم

المرجع	REF. 114000009 EAN. 8434778018592
<section-header></section-header>	 Supplier's name or trade mark : TEKA Supplier's address : C/Cajo, 17, Santander , Spain Model identifier : LIS 1481 EU EXP General product parameters Rated capacity for the eco 40-60 programme (Kg) : 8 Dimensions (cm) Height : 82 Width : 60 Depth: 53 Consumption and efficiency Energy Efficiency Index (a): 51,9 Energy efficiency index (a): 1,04 Rinsing effectiveness (g/kg) (a): 4,9 Energy consumption in kWh per cycle, based on the eco 40-60 programme. Actual energy consumption will depend on how the appliance is used.: 0,472 Water consumption in litre per cycle, based on the eco 40-60 programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.: 44 Maximum temperature inside the treated textile (a) (°C) Rated capacity: N/A Quarter capacity: N/A Haif capacity: N/A Haif capacity: N/A Haif capacity: N/A Haif: N/A Quarter: N/A Spin speed (a) (rpm) Rated capacity: 1351 Haif: 1351 Quarter: 1351 Haif: 1351 Caurter: 1351
	Spin-drying efficiency class (a): 53

Eco 40-60 programme duration (a) (h:min)

Rated capacity: N/A Half: N/A Quarter: N/A

Other

Type: Built-in Airborne acoustical noise emissions in the spinning phase (a) (dB(A) re 1 pW): 75 Airborne acoustical noise emission class (a) (spinning phase): B Off-mode (W): 0,5 Standby mode (W): 1 Delay start (W) (if applicable): 4 Networked standby (W) (if applicable): N/A Minimum duration of the guarantee offered by the supplier (b): 24 This product has been designed to release silver ions during the washing cycle YES/NO: 0

Additional information:

Weblink to the supplier's website, where the information in point 9 of Annex II to Commission Regulation (EU) 2019/2023 (1) (b) is found: www.teka.com

(a) for the eco 40-60 programme.

(b) changes to these items shall not be considered relevant for the purposes of paragraph 4 of Article 4 of Regulation (EU) 2017/1369.

(c) if the product database automatically generates the definitive content of this cell the supplier shall not enter these data.