

HOME APPLIANCES

Our company	02
Cook your way to life	04
Brand values	06
Design	10
Product Editions	12
Our Range	
Ovens	14
Microwaves	46
Coffee machine	64
Hobs	70
Free Standing Cookers	110
Hoods	116
Cold Line	148
Dishwashers	164
Laundry	174





Cook your way to life


The kitchen is the heart of your home. In Teka, we design appliances to be the soul of your kitchen. Because it is here where life happens, where some of the best moments of our lives take place.


The kitchen is more for us than just a place where meals are made. It is a place to laugh, to dream, to contribute, to talk, to make decisions, to share news, to make life plans and, in the end, a place to live unforgettable moments. For all these reasons, we design and manufacture appliances to bring solutions and real innovation to the kitchen, solutions that fit your lifestyle and are in harmony with your home. Every day we work to better understand your needs and bring new solutions to help you out by finding new possibilities in the kitchen. Our trademark, born in Germany, relies on quality, technology and innovation. Teka products are known worldwide for their reliability, efficiency and precision. Today, after almost 100 years of history, Teka keeps working exhaustively to give all of its products the best functionalities and design to reach excellence in every step. Our values, deeply rooted in our company, are clear: Honesty, Generosity and Originality.


This means we work for you and we are always by your side, helping you to solve your everyday problems with world class quality solutions. Customer satisfaction is our main concern. We have strived from our very beginning towards best quality products, the most modern and original designs, and the best innovations at a fair price.











We work to make your life easier, and to design products to be the perfect complement for your kitchen.

As we truly believe that the kitchen is the heart of our homes and our lives, we create products to be in harmony with your lifestyle. To help you choose the products that better suit you, we have created three different lifestyle product categories, to facilitate the search and comparison of products, and so that you can find the one that is right for you.

MAESTRO

The **MAESTRO** range products are designed for the most demanding ones. For those in love with the kitchen, who want the latest innovations, and who enjoy high-quality cuisine at home. With this range, you will get the most out of your gastronomic skills, and you will have at your disposal the best options for your appliances.

TOTAL

The **TOTAL** range is made for those who love to cook and do not want to give up having the best options at their fingertips.

An option designed for those who want the best results with the minimum consumption.

EASY

The **EASY** range is designed for those looking for convenient, functional appliances, with good performance and at a fair price. Simple but smart solutions affordable for everyone.

Enter the Infinity Design

Infinity is the way we understand design and how we apply it to our product range.

In Teka we integrate our Infinity Design concepts at every step along the way to create our range of products and kitchen solutions.


Infinity Design was born based on one core idea: "everybody deserves great design." Teka takes the concept to reality and turns everyday actions in the kitchen into unique experiences.

Teka Infinity design is based on the following principles:



DARINGTO BE UNIQUE

As we dare to be different and set ourselves apart from the mainstream.



INTUITIVE WITH SIMPLICITY

Easy-to-use and intuitive displays are a must for our kitchen articles, where plainness and handiness work together with style. This is Teka INFINITY DESIGN.

MINIMALISM WITH PERFORMANCE

We use pure, clean shapes and lines to show off the best of our products.



The use of outstanding accent colours, new materials and high-quality finishing reveals the attitude behind our products.









STEA

0

Ovens

The best moments are born in the kitchen



WORLDWIDE NOVELTY

Infinity G1 Edition

THE PUBLICATION OF

VELVET FEELING, A TOUCH LIKE NO OTHER

Feel the difference and get an exclusive composition out of your kitchen.

With its unique black matt finishing, copper details, and advanced cooking functions, our new Infinity | G1 Edition 60cm Oven promises an experience at the next level.



Black matt finishing

And a velvet touch that won't stop surprising you time after time.



Temperature

Ideal temperature for the perfect homemade pizza with its MaestroPizza function.



Discover the complete edition

Get the most out of your Infinity | G1 Edition 60cm oven, by matching it with the rest of the products of the edition.







SCAN AND DISCOVER

WORLDWIDE **NOVELTY**

SteakMaster oven

WELCOME MEAT LOVERS



The first and only oven capable of cooking a perfect steak at home is here.

High temperatures that reach up to 700°C, along with the cast iron grid will give your meat cuts a unique grill flavour in just a few minutes.

Choose to cook manually to manage every step and how you would like your steak cooked, or simply select one of its 20 automatic programs: SteakMaster is designed to temper the meat, keep it juicy, and seal the cut, recreating the heat process of a professional grill.

Additionally, the SteakMaster is a pyrolytic multifunction oven capable of cooking all the recipes you want.



Temperature

Grill that reaches up to 700°C for a perfect finish.



Automatic Programs

20 automatic programs, special for each meat cut.



Cast Iron Grid

The perfect grill for meat at its best.



Pyrolytic Oven

Hygiene with the power of heat.



WORLDWIDE **NOVELTY**

MaestroPizza oven

BECOME A PIZZA LEGEND



The perfect oven to cook an authentic Neapolitan pizza at home has arrived, and it reaches up to 340°C in the cavity for an epic result.

The combination of high temperature and cooking speed, along with the pizza stone, results on a crunchy crust and savouring ingredients. With MaestroPizza you'll be able to prepare 10 pizzas in only 30 minutes, getting always the same result: perfect.

Besides, MaestroPizza is a last generation multifunction oven, with dual cleaning system: Pyrolysis and HydroClean.



Temperature

The perfect temperature to cook pizza with epic results.



Pizza Stone

For a crunchy finish, as in a wood oven.



Speed

Your pizza ready in only 3 minutes.



Pizza Peel

Everything you need to cook like a real chef.



NOVELTY

AirFry oven

CRUNCHY. HEALTHY. OIL FREE!



This multifunction oven's special AirFry function gets an oil-free crunchy finish, offering pleasure without guilt.

The AirFry function, along with the oven's FryMaster Box and its SurroundTemp technology, which distributes the heat evenly through the cavity, will give you the crunchy finish that you love, without the need to turn the food over, or using oil.

All of this in a multifunction oven, capable of preparing any recipes you want, with a 70 net litres capacity, more than +30% compared to other ovens*.



AirFry function

Special AirFry function for oil-free crunchy finish.



FryMaster Box

Die cut tray that allows an even heat circulation, without turning over the food.




Surroundtemp

An additional rear electrical resistance distributes the heat evenly through the cavity.



Oil-free

Ideal for French fries, nuggets and chicken wings.





Safety first

In Teka we know that, even with the comfort and convenience that our products bring into your life, safety comes first for you and your family.

For us, safety is non-negotiable as well, and we provide with several options to take care of you and your loved ones.



Door lock

Block the door for as long as you need, for maximum safety. This safety system is available in all pyrolytic ovens.



Child lock

Block the control panel to keep the oven functioning on check.





SoftClose

Say goodbye to annoying noises thanks to the soft open and close door of the oven. An extra of durability and security (your fingers will be happy about it too).



Cool front



Ovens

The kitchen is where life happens



MAESTRO

Domestic appliances for those who like going one one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum efectiveness in any situation.

EASY

For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.

	TOTAL	EASY
TOUCH CONTROL DISPLAY LED	MECHANICAL	MECHANICAL



HSB 646 SS AIRFRY







HBB 535



HBB 435









HGS 740



Ref. 111000057



MAESTRO INFINITY | G1 EDITION









- Infinity G1 special edition
- Designed in Italy by Giugiaro Italdesign
- Multifunction SurroundTemp oven
- Up to 340°C in cavity for perfect pizza finish
- Temprature range for traditional recipes: 50-
- Exclusive matte black finishing
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable quadruple glazed door
- Automatic disconnection security system
- SoftClose system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray, baking tray and reinforced grid
- Special pizza stone included
- Capacity (gross/net): 71 /70 litres



Ref. 111000055



MAESTRO STEAKMASTER



- SteakMaster Oven
- Powerfull SteakGrill (700°C)
- SurroundTemp Multifunction oven
- 12 cooking functions
- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/63 litres
- TFT 4" true color Touch control
- LED illuminated knobs
- 20 automatic programs for meat
- Personal cook assistant: 20 international recipes
- Automatic Express preheating
- SlowCook: low temperature cooking
- Children safety block, timer and door
- Automatic disconnection security system
- 4 removable glazed door
- SoftClose system
- Full glass inner door
- 2 Plus-Extension telescopic guide, 5 cooking levels
- Special cast iron grid for Steaks
- Tangential ventilation Plus with 2 speeds

COLOR



Black Matt

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

COLOR



Black Glass

FRAME Stainless steel

PRODUCT DIMENSIONS



Ref. 111200002



MAESTRO HLB 8550 SC BK STEAMCHEF



- Multifunction SurroundTemp Steam oven
- 12 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer
- Chrome supports with 5 cooking levels
- Easy slide telescopic guides
- Removable triple glazed door
- Automatic disconnection security system
- SoftClose system
- Automatic quick preheating
- Anti-tip deep tray
- · Baking tray and reinforced grid included
- Capacity (gross/net): 71 / 70 litres



Ref. 41560090

MAESTRO HLB 860



- Multifunction SurroundTemp
- 12 Cooking functions
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with TFT 4"
- LED illuminated knobs
- Personal Cook assistant: 20 programmed recipes
- Automatic Express preheating
- SlowCook function: low temperature cooking
- Pizza, ferment, defrosting & ECO functions
- Children safety block
- Automatic disconnection security system
- Tripple removable glazed door
- SoftClose door
- Full glass inner door
- •1 Plus-Extension telescopic guide easy slide
- Tangential ventilation
- Anti-tip deep tray and reinforced grid
- Drop down maxi grill

COLOR



FRAME Infinity glass

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 537+22 mm

COLOR



FRAME Stainless steel

PRODUCT DIMENSIONS



Ref. 111000010



Ref. 111000012

MAESTRO HLB 8600 BK



- Urban Colors Edition
- Multifunction SurroundTemp
- 12 Cooking functions
- Teka HydroClean®PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- True colour TFT 4 display with digital timer
- Personal cooking assistant (20 recipes)
- SlowCook function: low temperature cooking
- Automatic temperature and time suggestion for each function
- Quick heating
- Children safety block
- Automatic disconnection security system
- Triple glazed door
- SoftClose system
- 1 Plus-Extension telescopic guide,5 cooking levels
- Deep enamelled tray and reinforced grid
- Tangential ventilation

MAESTRO HLB 8600 WH



- Urban Colors Edition
- Multifunction SurroundTemp
- 12 Cooking functions
- Teka HydroClean®PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- True colour TFT 4 display with digital timer
- Personal cooking assistant (20 recipes)
- SlowCook function: low temperature cooking
- Automatic temperature and time suggestion for each function
- Quick heating
- Children safety block
- Automatic disconnection security system
- Triple glazed door
- SoftClose system
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Deep enamelled tray and reinforced grid
- Tangential ventilation

COLOR



PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 559mm

COLOR



│ White Glass

FRAME Infinity glass

PRODUCT DIMENSIONS



Ref. 111000011





- Urban Colors Edition
- Multifunction SurroundTemp
- 12 Cooking functions
- Teka HydroClean®PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- True colour TFT 4 display with digital timer
- Personal cooking assistant (20 recipes)
- SlowCook function: low temperature cooking
- Automatic temperature and time suggestion for each function
- Quick heating
- Children safety block
- Automatic disconnection security system
- Triple glazed door
- SoftClose system
- 1 Plus-Extension telescopic guide,5 cooking levels
- · Deep enamelled tray and reinforced grid
- Tangential ventilation



Ref. 111000046



MAESTRO HLB 8510 P BK MAESTRO PIZZA



- MaestroPizza oven
- Urban Colors Edition
- Multifunction SurroundTemp oven
- 8 cooking functions
- Up to 340°C in cavity for perfect pizza finish
- Temprature range for traditional recipes: 50-250º
- Capacity (gross/net): 71/70 litres
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- 1 Plus Extension Telescopic guides
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Manual quick heating
- Anti-tip deep tray, baking tray and reinforced grid
- Special pizza stone included

COLOR

Stone Grey Glass
FRAME Infinity glass

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 559mm

COLOR



FRAME Infinity glass

PRODUCT DIMENSIONS



Ref. 41560290



Ref. 41560060

MAESTRO HLB 850



- Multifunction SurroundTemp
- 9 Cooking funtions
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- ECO & defrosting functions
- Children safety block
- Triple glazed door
- SoftClose door
- Full glass inner door
- •1 Plus Extension telescopic guide easy slide
- Anti-tip deep tray and reinforced grid
- Stainless steel fix knobs with black cover
- Drop down maxi grill
- Cooling fan
- Dynamic ventilation
- Optional Multicook and cast aluminium tray

MAESTRO HLB 830



- Multifunction
- 6 Cooking functions
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block
- Double removable glazed door
- Fully glass inner doors
- 1 telescopic guide easy slide
- Dynamic ventilation
- Optional Multicook and cast aluminium tray
- · Anti-tip deep tray and cooking grid

COLOR



PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 559mm

COLOR



FRAME Stainless steel

PRODUCT DIMENSIONS



Ref. 111010024

NEW

TOTAL HSB 646 SS AIRFRY



- AirFry oven
- Multifunction SurroundTemp oven
- 9 cooking funtions
- Special FryMaster Box to cook without oil
- Automatic HydroClean system
- Capacity (gross/net): 71/70 litres
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- •1 Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- A+ Energy class



Ref. 41560120

TOTAL HSB 615



- Multifunction
- 6 Cooking functions
- HydroClean® ECO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Minute Minder
- Express preheating function
- ECO and defrosting functions
- Double removable glazed door
- Full glass inner door
- 1 plus-extension telescopic guide easy slide
- Dynamic ventilation
- Anti-tip deep & baking trays and cooking grid
- Optional Multicook and cast aluminium tray

COLOR

Stainless Steel

FRAME Stainless steel

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 559mm

COLOR

Stainless Steel

FRAME Stainless steel

PRODUCT DIMENSIONS



Ref. 41560050





- Multifunction
- 6 Cooking functions
- HydroClean® ECO cleaning system
- A Energy class
- Capacity, gross/net: 71/70 litres
- Minute minder
- Express preheating function
- ECO and defrosting functions
- Double removable glazed door
- Full glass inner door
- Dynamic ventilation
- Anti-tip deep & baking tray and cooking grid
- Dynamic ventilation
- Optional Multicook tray



Ref. 41560040

EASY HBB 535



- Conventional
- 3 Cooking functions
- HydroClean® ECO cleaning system
- A Energy class
- Capacity, gross/net: 77/76 litres
- Minute minder
- Double removable glazed door
- Full glass inner door
- Dynamic ventilation
- · Anti-tip deep tray and cooking grid
- Optional Multicook tray





PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 559mm

COLOR



PRODUCT DIMENSIONS



Ref. 41560010

EASY HBB 435



- Conventional
- 3 Cooking functions
- Enamel Slippery
- A Energy class
- Capacity, gross/net: 75/72 litres
- Double removable glazed door
- Full glass inner door
- Dynamic ventilation
- Anti-tip deep tray cooking grid
- Optional Multicook tray



COLOR



PRODUCT DIMENSIONS



Ref. 41592226



Ref. 41592225

MAESTRO HLF 940



- Multifunction SurroundTemp
- 9 Cooking functions
- Hydroclean® PRO cleaning system
- A Energy class
- Capacity, gross/net: 91/77 litres
- 1 Plus + 1 Full Extension telescopic guides
- Children safety block
- Dynamic ventilation
- Anti-tip deep & baking tray and cooking grid
- Touch Control panel
- Tripple glazed door
- Full glass inner door
- Drop down maxi grill
- Automatic disconnection security system

TOTAL HSF 900



- Hydroclean® ECO cleaning system
- 7 Cooking functions
- A Energy class
- Capacity, gross/net: 91/77
- Tangential ventilation
- Triple glazed door
- Anti-tip deep & baking tray and cooking grid
- Minute minder
- Drop down maxi grill
- Full glass inner door

COLOR



FRAME Stainless steel

PRODUCT DIMENSIONS

Height 480mm Width 890mm Depth 560mm

COLOR



Stainless Steel

FRAME Stainless steel

PRODUCT DIMENSIONS

Height 480mm Width 890mm Depth 560mm

9 0 C M



Ref. 41596124

TOTAL HSF 930 G



- Multifunction gas oven with gas grill
- 4 Cooking functions
- B Energy class
- Capacity Gross/Net: 88/64 litres
- Black Knob timer with stop programmer
- Double glazed door
- Full glass inner door
- Chromed guides, 5 cooking levels
- Automatic gas oven ignition
- Deep tray and cooking grid
- Tangential ventilation
- Gas typology: LPG (butane/propane)
- Nozzles to natural gas



Ref. 111110000



TOTAL HSF 930 G BK



- Multifunction gas oven with gas grill
- 4 cooking functions
- B Energy class
- Capacity (gross/net): 88/64 litres
- Mechanical control knobs
- Mechanical timer
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- •1 Anti-tip deep tray

COLOR

Stainless Steel

FRAME Stainless steel

PRODUCT DIMENSIONS

Height 595mm Width 898mm Depth 549mm

COLOR



FRAME Black

PRODUCT DIMENSIONS

Height 595mm Width 898mm Depth 549mm

90CM



Ref. 41596123





- Multifunction gas oven with electric grill
- 5 Cooking functions
- B Energy class
- Capacity Gross/Net: 88/69 litres
- Black Knob timer with stop programmer
- Double glazed door
- Full glass inner door
- Chromed guides, 5 cooking levels
- Automatic gas oven ignition
- Deep tray and cooking grid
- Tangential ventilation
- Gas typology: LPG (butane/propane)
- Nozzles to natural gas



Ref. 41597404



EASY HGS 740 G



- Multifunction gas oven with gas grill
- B Energy class
- Capacity Gross/Net: 56.3/45.6 litres
- 4 cooking functions
- Mechanical timer with stop programmer
- Children safety block
- Double glazed door
- Full glass inner door
- Side catalytic panels
- Deep tray and cooking grid
- Tangential ventilation
- Nozzels to LPG gas

COLOR



PRODUCT DIMENSIONS

Height 595mm Width 898mm Depth 549mm

COLOR



PRODUCT DIMENSIONS

Height 595mm Width 595mmDepth 562mm



Ref. 111600003

MAESTRO CP 150 GS

- Urban Colors Edition
- Plate warmer
- Temperature range: 30º-80º
- 6 plates setting: 6 dinner plates (24 cm), 6 deep plates (10 cm), and 3 serving platters (17, 19 and 32 cm) or 20 dinner plates (28 cm) or 40 tea cups or 80 coffee cups.
- Pull out telescopic drawer
- Push-pull opening system
- Anti-sliding base
- Frontal Glass not included:

Refer to page no 41 for below colors



COLOR

FRAME Infinity Glass

PRODUCT DIMENSIONS

Height 140mm Width 595mm Depth 559mm





A distinguished way to serve your delicious meals

Turn every meal into comfort food, keeping not only the heat, but also the texture and aroma you wanted when you conceived the recipe. Make the whole cooking and eating experience perfect by making sure that the plating is the best possible as well.



Ref. 111890002



Ref. 111890003

MAESTRO KIT VS/CP COLOR BK

- Frontal Panel
- Urban Colors Edition

COLOR



MAESTRO KIT VS/CP COLOR WH

- Frontal Panel
- Urban Colors Edition

COLOR





Ref. 111890004



Ref. 111490016

MAESTRO KIT VS/CP COLOR ST

- Frontal Panel
- Urban Colors Edition

COLOR

Stone Grey Glass

NEW

MAESTRO KIT VS/CP MB INFINITY G1

- Frontal Panel
- Infinity G1 Edition

COLOR



MODEL	MaestroPizza HLB 85, Infinity G1	SteakMaster	HLB 860	HLB 8600	MaestroPizza HLB 8510 P BK
INNER CAVITY DIMENSIONS					
Heigth (mm)	364	364	364	364	364
Width (mm)	475	475	475	475	475
Depth (mm)	402	402	402	402	402
Volume Net (L)	70	63	70	70	70
ELECTRICAL FEATURES					
Maximum Nominal Power (W)	3.552	3.518	3.215	3.215	3.552
Bottom Heating Element (W)	1.050	1.050	1.150	1.150	1.050
Grill (W)	1.400	2.400	1.400	1.400	1.400
Maxigrill (W)	2.450	3.540	2.500	2.500	2.450
Turbo (W)	2.000	2.000	2.000	2.000	2.000
Multifunction motor (W)	25	25	22	22	25
Inner Light	25	2x25	25	25	25
Cooling fan motor (W)	30	30	18	18	30
Cable connection lenght (cm)	150	150	150	150	190
SAFETY SYSTEMS	150	150	150	120	150
Automatic disconnection security system	√	√ 	√	√ 	√
Children safety	√	√	√	√	√
Grill protection	√	√	√	√	√
Full glazed door	4	4	3	3	4
CLEANING SYSTEMS					
Hydroclean ECO	-	-	-	-	-
Hydroclean PRO	√	√	√	√	√
Pyrolytic	√	√	_	_	√
Crystal Clean Enamel	√	√	√	√	√
ENERGY EFFICIENCY					
Energy Efficiency Class	A+	А	A+	A+	A+
MODEL	HLB 850	HLB 830	HSB 646 SS	HSB 615	HLB 8550 SC BK
INNER CAVITY DIMENSIONS					
Heigth (mm)	364	364	364	364	364
Width (mm)	475	475	475	475	475
widii (iiiii)			•		····•
	402	402	402	402	402
Depth (mm)	402 70	402 70	402 70	402 70	402 70
Depth (mm) Volume Net (L)	•				
Depth (mm) Volume Net (L) ELECTRICAL FEATURES	70	70	70	70	70
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W)	70 3.215	70 2.593	70 3.215	70 2.615	
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W)	70 3.215 1.150	70 2.593 1.150	70 3.215 1.150	70 2.615 1.150	70 3215 1150
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W)	3.215 1.150 1.400	70 2.593	70 3.215 1.150 1.400	70 2.615 1.150 1.400	70 3215 1150 1400
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W)	70 3.215 1.150 1.400 2.500	70 2.593 1.150 1.400	3.215 1.150 1.400 2.500	70 2.615 1.150 1.400	70 3215 1150 1400 2500
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W)	3.215 1.150 1.400 2.500 2.000	70 2.593 1.150 1.400 -	3.215 1.150 1.400 2.500 2.000	70 2.615 1.150 1.400 -	70 3215 1150 1400 2500 2000
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W)	70 3.215 1.150 1.400 2.500 2.000	70 2.593 1.150 1.400 - - - 22	3.215 1.150 1.400 2.500 2.000	70 2.615 1.150 1.400 - - 22	70 3215 1150 1400 2500 2000 22
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light	70 3.215 1.150 1.400 2.500 2.000 22 25	70 2.593 1.150 1.400 - - 22 25	70 3.215 1.150 1.400 2.500 2.000 22 25	70 2.615 1.150 1.400 22 25	70 3215 1150 1400 2500 2000 22 25
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W)	70 3.215 1.150 1.400 2.500 2.000 22 25 18	70 2.593 1.150 1.400 - - 22 25 18	70 3.215 1.150 1.400 2.500 2.000 22 25 18	70 2.615 1.150 1.400 22 25 18	70 3215 1150 1400 2500 2000 22 25 18
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm)	70 3.215 1.150 1.400 2.500 2.000 22 25	70 2.593 1.150 1.400 - - 22 25	70 3.215 1.150 1.400 2.500 2.000 22 25	70 2.615 1.150 1.400 22 25	70 3215 1150 1400 2500 2000 22 25
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm) SAFETY SYSTEMS	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150	70 2.593 1.150 1.400 - - 22 25 18	70 3.215 1.150 1.400 2.500 2.000 22 25 18	70 2.615 1.150 1.400 22 25 18 110	70 3215 1150 1400 2500 2000 22 25 18 110
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) SAFETY SYSTEMS Automatic disconnection security system	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150	70 2.593 1.150 1.400 - - 22 25 18 110	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150	70 2.615 1.150 1.400 - - 22 25 18 110	70 3215 1150 1400 2500 2000 22 25 18 110
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm) SAFETY SYSTEMS Automatic disconnection security system Children safety	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150	70 2.593 1.150 1.400 22 25 18 110	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150	70 2.615 1.150 1.400 22 25 18 110	70 3215 1150 1400 2500 2000 22 25 18 110
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm) SAFETY SYSTEMS Automatic disconnection security system Children safety Grill protection	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - √	70 2.593 1.150 1.400 22 25 18 110 - ✓	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - - - -	70 2.615 1.150 1.400 22 25 18 110	70 3215 1150 1400 2500 2000 22 25 18 110 V V
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm) SAFETY SYSTEMS Automatic disconnection security system Children safety Grill protection Full glazed door	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150	70 2.593 1.150 1.400 22 25 18 110	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150	70 2.615 1.150 1.400 22 25 18 110	70 3215 1150 1400 2500 2000 22 25 18 110
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm) SAFETY SYSTEMS Automatic disconnection security system Children safety Grill protection Full glazed door CLEANING SYSTEMS	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - √ √ √ 3	70 2.593 1.150 1.400 22 25 18 110 √ √ √ 2	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - - - - - - - - - - - - -	70 2.615 1.150 1.400 22 25 18 110	70 3215 1150 1400 2500 2000 222 25 18 110 V - V 3
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm) SAFETY SYSTEMS Automatic disconnection security system Children safety Grill protection Full glazed door CLEANING SYSTEMS Hydroclean ECO	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - √ √ 3	70 2.593 1.150 1.400 22 25 18 110 - √ √ √ 2	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - - - √ 2	70 2.615 1.150 1.400 22 25 18 110	70 3215 1150 1400 2500 2000 222 25 18 110 V - V 3
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm) SAFETY SYSTEMS Automatic disconnection security system Children safety Grill protection Full glazed door CLEANING SYSTEMS Hydroclean ECO Hydroclean PRO	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - √ √ √ 3	70 2.593 1.150 1.400 22 25 18 110 √ √ √ 2	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - - - - - - - - - - - - -	70 2.615 1.150 1.400 22 25 18 110	70 3215 1150 1400 2500 2000 222 25 18 110 V - V 3
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm) SAFETY SYSTEMS Automatic disconnection security system Children safety Grill protection Full glazed door CLEANING SYSTEMS Hydroclean ECO Hydroclean PRO Pyrolytic	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - √ √ √ 3	70 2.593 1.150 1.400 22 25 18 110 - √ √ √ 2	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - - - - - - - - - - - - -	70 2.615 1.150 1.400 22 25 18 110 - √ 2	70 3215 1150 1400 2500 2000 22 25 18 110 V - V 3 - V - V
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm) SAFETY SYSTEMS Automatic disconnection security system Children safety Grill protection Full glazed door CLEANING SYSTEMS Hydroclean ECO Hydroclean PRO Pyrolytic	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - √ √ √ 3	70 2.593 1.150 1.400 22 25 18 110 - √ √ 2	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - - - - - - - - - - - - -	70 2.615 1.150 1.400 22 25 18 110	70 3215 1150 1400 2500 2000 22 25 18 110 V - V 3
Depth (mm) Volume Net (L) ELECTRICAL FEATURES Maximum Nominal Power (W) Bottom Heating Element (W) Grill (W) Maxigrill (W) Turbo (W) Multifunction motor (W) Inner Light Cooling fan motor (W) Cable connection lenght (cm) SAFETY SYSTEMS Automatic disconnection security system Children safety Grill protection Full glazed door CLEANING SYSTEMS Hydroclean ECO Hydroclean PRO	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - √ √ √ 3	70 2.593 1.150 1.400 22 25 18 110 - √ √ 2 - √ - - - - - - - - - - -	70 3.215 1.150 1.400 2.500 2.000 22 25 18 150 - - - - - - - - - - - - -	70 2.615 1.150 1.400 22 25 18 110	70 3215 1150 1400 2500 2000 22 25 18 110 V - V 3 - V - V


OVENS

TECHNICAL FEATURES


MODEL	HBB 605	HBB 535	HBB 435	HLF 940	HSF 900
INNER CAVITY DIMENSIONS					
Heigth (mm)	364	364	364	318	318
Width (mm)	475	475	446	639	639
Depth (mm)	402	441	441	380	380
Volume Net (L)	70	76	72	77	77
ELECTRICAL FEATURES					
Maximum Nominal Power (W)	2.615	2.593	2.593	3.553	2.848
Bottom Heating Element (W)	1.150	1.150	1.150	1.055	1.055
Grill (W)	1.400	1.400	1.400	1.700	1.700
Maxigrill (W)	_	_	_	2.750	2.750
Turbo (W)	_	_	-	2.400	_
Multifunction motor (W)	22	_	-	30	30
Inner Light	25	25	25	25	25
Cooling fan motor (W)	18	18	18	18	18
Cable connection lenght (cm)	110	110	110	110	110
SAFETY SYSTEMS					
Automatic disconnection security system	-	-	-	√	-
Children safety	_	_	_	√	_
Grill protection	√	√	√	√	√
Full glazed door	2	2	2	3	2
CLEANING SYSTEMS					•
Hydroclean ECO	√	√	-	-	√
Hydroclean PRO	_	_	_	√	_
Pyrolytic	_	_	_	_	_
Crystal Clean Enamel	√	√	√	√	√
ENERGY EFFICIENCY					
Energy Efficiency Class	А	А	А	А	А

MODEL	HSF 924 G	HSF 930 G	HGS 740
INNER CAVITY DIMENSIONS			
Heigth (mm)	308	280	320
Width (mm)	615	615	419
Depth (mm)	388	388	400
Volume Net (L)	69	64	45.6
ELECTRICAL FEATURES			
Maximum Nominal Power (W)	1.998	1.531	70
Bottom Heating Element (W)	4.000	4.000	2.400
Grill (W)	19	_	1.800
Maxigrill (W)	_	_	_
Turbo (W)	_	_	2.700
Multifunction motor (W)	30	30	30
Inner Light	25	25	25
Cooling fan motor (W)	18	18	18
Cable connection lenght (cm)	110	110	_
SAFETY SYSTEMS			
Automatic disconnection security system	-	-	-
Children safety	_	_	_
Grill protection	√	√	=
Full glazed door	2	2	2
CLEANING SYSTEMS			
Hydroclean ECO	_	_	-
Hydroclean PRO	_	_	_
Pyrolytic	_	_	_
Crystal Clean Enamel	√	√	√
ENERGY EFFICIENCY			
Energy Efficiency Class	В	В	В


INSTALLATION DIAGRAM




INFINITY G1 · STEAKMASTER · HLB 8510 · HLB 860 · HLB 8600 · HLB 850 HLB 8550 SC BK · HLB 830 · HSB 646 SS · HSB 615 · HBB 605 · HBB 535 · HBB 435




HLF 940 · HSF 900



HSF 924 G · HSF 930 G



HGS 740 G



CP 150 GS



Microwaves

The kitchen is where family memories are homemade

WORLDWIDE NOVELTY

Infinity | G1 Edition

THE BEST LOOKING CONVENIENCE

The microwave, reinvented.

Convenience and fast cooking solutions will be only part of the advantages of our new Infinity | G1 Edition Microwave Oven, which will fulfill all of these cooking needs, in such a stylish way, rarely seen in a microwave oven.



Black matt finishing

For an exclusive look. Soft touch and attractive design.



Convenient solution

Your quick cooking needs, solved in the most elegant and convenient way possible.



Discover the complete edition

Get the most out of your Infinity | G1 Edition Microwave Oven, by matching it with the rest of the products of the edition.



INFINITY GI





SCAN AND **DISCOVER**

Cooking meals to share was never so fast and easy

Ceramic base

Don't get another hot-but-cold dish thanks to our homogeneous heat system. Waves distribution comes from the lower ceramic base with no need to use turntable plates.

Our microwaves have wide cooking surfaces to use bigger plates, and a completely flat cavity, easier to clean and to reach any part of it where food stains may remain. Great efficiency comes included too.

Crunch plate

You can do a potato omelette without turning it upside down. Cook a quiche or even do some crunchy French fries. You can even have crispy pizzas thanks to the plate, reaching very high temperatures to turn the borders golden brown and crusty.

Memory

With our microwaves you can select different power memories and heating times so you can repeat your favourite recipes as many times as you wish.

Easy installation


Frontal trim kit is included in the microwave for an easy installation. The frame is already fixed to the microwave oven instead of the cabinet, so the assembly process is faster, and we can get our new microwave ready in just 5 minutes and using only 4 screws.





Microwaves

Cooking is believing.



MAESTRO

Domestic appliances for those who like going one one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum efectiveness in any situation.

EASY

For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.

TOTAL			EASY
TOUCH CONTROL DISPLAY LED	TOUCH CONTROL TFT DISPLAY	MECHANICAL	MECHANICAL







MS 620 BIS



MSC 642



MS 622 BI L



MB 620 BI



Ref. 40587602



Ref. 40584400

MAESTRO HLC 844 C



- Combi Multifunction SurroundTemp + Microwave
- HydroClean® ECO cleaning system
- Enamel Slippery
- Capacity, gross/net: 41/40 litres
- Touch Control panel with LED display
- 11 cooking functions
- Quick start 30"
- 2500 W maxigrill
- Microwave combinations Pizza & ECO functions
- Automatic defrost by time and weight
- Children safety block
- Automatic disconnection security system
- Triple removable glazed door
- Full glass inner door
- Tangential ventilation
- Anti-tip glass tray and reinforced grid
- Optional Muticook and cast aluminium tray

MAESTRO MLC 844



- Microwave + Grill
- 3 Cooking functions
- Capacity, gross/net: 45/44 litres
- 1400 W grill
- 0-90 min. Timer
- Enamel Slippery
- Quick start 30"
- Chromed guide
- 5 Cooking heights
- 1 reinforced grid
- Touch Control panel with LED display
- 5 power levels, 1000 W
- Automatic disconnection security system
- Tangential ventilation
- Defrost by time and weight
- Double Glazed door

COLOR



FRAME Stainless steel

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 559mm

COLOR



FRAME Stainless steel

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 559mm



Ref. 111160003



MAESTRO MLC 8440 BK



- Urban Colors Edition
- Microwave + Grill
- 3 cooking functions
- Capacity (gross/net): 45 / 44 litres
- 5 power levels + 1000 W microwave power
- 1400 W grill
- Defrost by time and weight
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- Reinforced grid



Ref. 111160004

NEW

MAESTRO MLC 8440 ST



- Urban Colors Edition
- Microwave + Grill
- 3 cooking functions
- Capacity (gross/net): 45 / 44 litres
- 5 power levels + 1000 W microwave power
- 1400 W grill
- Defrost by time and weight
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- Reinforced grid





FRAME Infinity Glass

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 559mm

COLOR



PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 559mm



Ref. 40586800

TOTAL MSC 642



- Microwave + grill
- 3 Cooking functions
- Capacity, gross/net: 45/44 litres
- Minute minder
- Electromechanical control panel
- 5 Power levels, 1.000 W
- 1400 W grill
- 0-60 min. Timer
- Defrost by time
- Automatic disconnection security system
- Double Glazed door
- Chromed guides
- 5 Cooking heights
- 1 reinforced grid
- Tangential ventilation



Ref. 112030010

NEW

MAESTRO ML 82 INFINITY G1



- Infinity G1 special edition
- Designed in Italy by Giugiaro Italdesign
- Built-in Microwave + Grill
- Exclusive matte black finishing
- Ceramic base with uniform heating
- 3 cooking functions
- 5 power levels, 850 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs and minute minder
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 /21.56 litres
- Stainless steel cavity
- Crunch plate included

COLOR



PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 559mm

COLOR



PRODUCT DIMENSIONS



Ref. 40584300



Ref. 112030001

MAESTRO ML 822 BIS



- Microwave + Grill
- Ceramic base
- Capacity: 22 litres
- Touch Control panel with LED display
- Electronic door opening
- 5 power levels, 850 W
- 9 direct access menus
- 3 cooking functions
- Quick start 30"
- Drop down grill, 1200 W
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Tangential ventilation
- Left door opening
- Browning plate and reinforced grid

MAESTRO ML 8220 BIS L BK



- Urban Colors Edition
- Ceramic base microwave + grill
- Capacity: 22 litres
- Electronic glass control panel with digital display
- Dropdown grill, 1200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid

COLOR



PRODUCT DIMENSIONS

Height 390mm Width 595mm Depth 334mm

COLOR



PRODUCT DIMENSIONS



Ref. 112030000



Ref. 112030002

MAESTRO ML 8220 BIS L WH



- Urban Colors Edition
- Ceramic base microwave + grill
- Capacity: 22 litres
- Electronic glass control panel with digital display
- Dropdown grill, 1200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid

MAESTRO ML 8220 BIS L ST



- Urban Colors Edition
- Ceramic base microwave + grill
- Capacity: 22 litres
- Electronic glass control panel with digital display
- Dropdown grill, 1200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid

COLOR

White Glass
FRAME Infinity Glass

PRODUCT DIMENSIONS

Height 390mm Width 595mm Depth 334mm

COLOR

Stone Grey Glass
FRAME Infinity glass

PRODUCT DIMENSIONS



Ref. 40584200

MAESTRO ML 820 BIS



- Microwave + Grill
- Capacity: 20 litres
- Touch Control panel with TFT white display
- 5 power levels, 750 W
- 3 direct access menus
- Quick start 30"
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Quartz Grill, 1000 W
- 1 Round grid
- Left door opening
- 0-90 min. Timer
- Stainless steel inner cavity

COLOR

Black Glass

FRAME Stainless steel

PRODUCT DIMENSIONS





Ref. 40584100



Ref. 40584102

TOTAL MS 622 BIS L



- Microwave + Grill
- Ceramic base
- Capacity: 22 litres
- Touch Control panel with LED display
- Electronic door opening
- 5 power levels, 850 W
- 2 direct access menus
- 3 cooking functions
- Quick start 30"
- Drop down grill, 1200 W
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Tangential ventilation
- · Left door opening
- Reinforced grid

TOTAL MS 622 BI L



- Microwave
- Ceramic base
- Capacity: 22 litres
- Electromechanical controls
- Electronic door opening
- 5 power levels, 850 W
- 1 cooking function0-60 min. Timer
- Automatic defrosting by time
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Tangential ventilation
- Reinforced grid

COLOR

Stainless Steel
FRAME Stainless steel

PRODUCT DIMENSIONS

Height 390mm Width 595mm Depth 334mm

COLOR

Stainless Steel
FRAME Stainless steel

PRODUCT DIMENSIONS



Ref. 40584010



Ref. 40584000

TOTAL MS 620 BIS







- Microwave + Grill
- Capacity: 20 litres
- Touch Control panel with TFT white display
- 5 power levels, 750 W
- 3 direct access menus
- 3 cooking functions
- Ouick start 30"
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Quartz Grill, 1000 W
- 1 round grid
- Left door opening

EASY MB 620 BI



- Microwave
- Capacity: 20 litres
- Electromechanical controls
- 5 power levels, 750 W
- 1 cooking function
- 0-60 min. Timer
- Automatic defrosting by time
- Double glazed door
- Stainless steel inner cavity
- Left door opening

COLOR

Stainless Steel

FRAME Stainless steel

PRODUCT DIMENSIONS

Height 390mm Width 595mm Depth 325mm

COLOR



FRAME Stainless steel


PRODUCT DIMENSIONS

MICROWAVES


TECHNICAL FEATURES

Model	HLC 844 C	MLC 844	MLC 8440	MSC 642
INNER CAVITY DIMENSIONS				
Heigth (mm)	232	232	232	232
Width (mm)	475	475	475	475
Depth (mm)	365	365	365	405
Volume Net (L)	40	44	44	44
Volume Gross (L)	41	45	45	-
ELECTRICAL FEATURES				
Maximum Nominal Power (W)	3.400	3.200	3.200	3.200
MWO Power (W)	1.000	1.000	1.000	1.000
Static oven (W)	2.100	_	_	_
Bottom Heating Element (W)	1.000	_	_	_
Grill (W)	_	1.400	1.400	1.400
Maxigrill (W)	2.500	_	_	_
Turbo (W)	1.600	_	_	_
Multifunction motor (W)	30	_	_	_
Inner light (W)	25	25	25	25
Cooling fan motor (W)	18	18	18	18
Cable connection length	110	110	110	110
SAFETY SYSTEMS				
Automatic disconnection security system	\checkmark	√	√	\checkmark
Children safety	√	_	_	_
Grill protection	√	√	√	√
Full glazed door	3	2	√	2


Model	ML 8220 BIS L	ML 822 BIS ML 82 Infinity G1	ML 820 BIS	MS 622 BIS L	MS 622 BI L	MS 620 BIS	MB 620 BI
INNER CAVITY DIMENSIONS							
Heigth (mm)	220	220	210	220	220	210	210
Width (mm)	350	350	305	350	350	305	305
Depth (mm) (mm)	280	280	280	280	280	280	280
Volume (l)	22	22	20	22	22	20	20
ELECTRICAL FEATURES							
Maximum Nominal Power (W)	2.500	2.500	1.200	2.500	1.400	1.200	1.200
Microwave power	850	850	750	850	850	750	750
Grill power (W)	1.200	1.200	1.000	1.200	_	1.000	_
Cable connection length	110	110	110	110	110	110	110
SAFETY SYSTEMS							
Children safety block	-	√	√	√	-	√	-
Safety thermostat	√	√	√	√	√	√	√
Automatic disconnection when opening the door	√	√	√	√	√	√	√
Tangential ventilation	√	√	_	√	√	_	_



HLC 844 C · MLC 844 · MLC 8440 · MSC 642



ML 8220 BIS L \cdot ML 82 INFINITY G1 \cdot ML 822 BIS \cdot ML 820 BIS MS 622 BIS \cdot MS 622BI



MS 620 BIS · MB 620 BI

Delicious coffee, now faster and more flavouring than ever

Share unique moments around a cup of exquisite espresso or cappuccino. Our automatic coffee machine adds an exclusive touch of personality and refinement, while amplifying the aromas and flavours of your favourite blends. Choose among built-in capsule coffee machines or with coffee grinder. Because great conversations start with delicious coffee.



Coffee Machine





YOUR COFFEE EXPERT, ALWAYS ON HAND

Enjoy the best coffee, whenever you want! The new WISH coffee makers will surprise you with the high degree of satisfaction they provide.



COFFEE, STEAM OR JUST HOT WATER?

Featuring an easy and intuitive control panel with easy access to 3 great functions: coffee, steam and hot water.

NOW ALSO FOR COFFEE CAPSULES

You can use different brands of coffee capsules directly in the Teka coffee maker. And if you prefer a cup of tea, that too!



Ref. 40589513

MAESTRO CLC 835 MC



- Multi capsule built-in coffee maker
- Multi capsule (*) and ground coffee machine
- Coffee selector: small, medium, large, extra large and infusions
- Electronic control panel with TFT display
- 5 adapters included
- Automatic LED lights
- Capacity: 1 cup
- Adjustable height cup support
- Temperature selector
- Storage drawer
- 2 side storage compartments
- Drip tray
- 19 bar pump pressure
- 1 litre water tank
- Waste container
- Automatic decalcifier
- Descalling funtion
- *5 capsule adaptors: Nespresso®, Lavazza®, Caffitaly®, E.S.E pod, Coffee powder

COLOR



FRAME Stainless steel

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 330mm



Ref. 111630004



Ref. 111630003

MAESTRO CLC 855 GM BK



- Urban color Edition
- Automatic built-in coffee machine
- Self-cleaning function
- Intensity, temperature and coffee quantity regulation
- Electronic control display
- Telescopic rails for an easy pull out of the coffee maker
- 30 automatic programs
- Automatic LED lights
- Capacity: 2 cups at once
- Easy removable container for coffee grounds
- 15 bar pump pressure
- Adjustable coffee, steam, and hot water pipes
- Integrated steel grinder for natural coffee beans (13 different ground positions)
- Coffee beans container, 200 gr capacity
- Pre-grounded coffee container
- 1,8 litres water tank
- Automatic decalcifier

MAESTRO CLC 855 GM ST



- Urban color Edition
- Automatic built-in coffee machine
- Self-cleaning function
- Intensity, temperature and coffee quantity regulation
- Electronic control display
- Telescopic rails for an easy pull out of the coffee maker
- 30 automatic programs
- Automatic LED lights
- Capacity: 2 cups at once
- Easy removable container for coffee grounds
- 15 bar pump pressure
- Adjustable coffee, steam, and hot water pipes
- Integrated steel grinder for natural coffee beans (13 different ground positions)
- Coffee beans container, 200 gr capacity
- Pre-grounded coffee container
- 1,8 litres water tank
- Automatic decalcifier

COLOR



PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 411mm

COLOR




PRODUCT DIMENSIONS


Height 455mm Width 595mm Depth 411mm

TECHNICAL FEATURES

CLC 835 MC	CLC 855 GM
√	=
450	450
560	560
580	_
2.100	1.350
110	180
	√ 450 560 580 2.100



CLC 835 MC



CLC 855 GM



Hobs

Add some of your own magic to each of your recipes



WORLDWIDE NOVELTY

Infinity | G1 Edition

COOKING WILL **NEVER BE THE SAME**

The new Infinity | G1 Edition Induction and Gas Hobs will be the solution to enjoy cooking like never before.

Their black matt finishing with copper details make them a work of art, with fine lines and tasteful details.

Our Infinity | G1 Edition Induction Hobs, with Flex cooking zones, ceramic glass surface and direct functions, will prove to be the ideal cooking assistant, accompanying you at every step of the cooking process.

In the case of our Infinity | G1 Edition Gas Hobs, their ergonomic knobs will be a pleasure to touch and use. Their glass top, easy to clean, gives an elegant touch to any kitchen.



Designed down to the last detail

Outstanding combination of black glass and copper details. Ergonomic and great-looking control panel, for the most absolute convenience.



Options to choose from

Induction or gas: choose your favorite and enjoy either way.



Discover the complete edition

Get the most out of your Infinity | G1 Edition Hobs, by matching them with the rest of the products of the edition.



VarioPro Series


REINVENT YOUR KITCHEN

Discover our new VarioPro series. A modular range that you can design to suit your kitchen and your lifestyle, with the hood where you need it most, next to your hob.

Choose and combine your hood as you wish with Induction, Gas, Highlight hobs or Teppanyaki.







Cooking without



Full Flex DirectSense induction

Cook with no limits thanks to its FullFlex technology using the whole cooking surface. Use your imagination and cook with recipients of any size, your recipes won't have limits.

DirectSense control the Temperature using sensors avoids oil to reach excessively high temperatures. Use your imagination and cook with recipients of any size at the perfect temperature without limits.

Space induction

Flex area is designed to use every single corner of the cooking area with different shape pans. Perfect for grids, grill, TeppanYaki or rectangular recipients.





ExactFlame

Trying to guess the power of the flame is just part of the past. With ExactFlame you can easily control flame intensity with the highest precision. You can choose a range of power from 1 to 9, ready for any kind of cooking you need at any time.



- Deep FryingQuick Boiling
- Stir Frying

Power 4 to 5:

- Pasta
- Boiled Potatoes

Power 1:

• Keep Warm

Vegetables

Power 6 to 7:

- Pan Frying
- Simmering

Power 2 to 3:

- Melting
- Bain-Marie



Hobs

Teka adds soul to your kitchen.

			MAES	TRO
_	_	MULTISLIDER	TOUCH CONTROL	MULTISLIDER
	06	IZS 97630 IZS 96600		
INDUCTION	09	DIRECTSENSE IZF 68600		IBF 64 - G1 MSP BM IZC 64630 WH MST IZC 64630 ST MST
	MODULAR	IZ5 34700		
C	06		TR 951	
VITROCERAMIC	60		TBC 63632 TTC BK	
LIV	MODULAR			

MAESTRO

Domestic appliances for those who like going one one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum efectiveness in any situation.

EASY

For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.

TO	TAL	EASY				
TOUCH CONTROL	STAINLESS STEEL	MULTISLIDER	TOUCH CONTROL	MECHANICAL		



IZC 64010 BK MSS







TBC 64000 XFL







EFX 30.1 2H

		MAESTRO
	_	GAS ON GLASS STAINLESS STEEL
GAS + INDUCTION	06	JZC 96342 BBB
GAS + I	09	JZC 64322 ABB
	06	GZC 95320 EW 90 5G AI AL TR CI
GAS	70	GBC 75- G1 GBC BM
5	09	GZC 64320 WH GZC 64300 BK GZC 64320 ST
	MODULAR	
ELECTRIC	MODULAR	YZC 32600

	TOTAL	EASY
GAS ON GLASS	STAINLESS STEEL	STAINLESS STEEL







EX 90.1 5G AI AL DR CI

EX 90.1 5G AI AL DR LEFT CI BUT

EFX 90.1 5G AI AL DR LEFT



EFX 60.1 4G AI AL DR CI BTN (ME)



EX 60.1 4G AI AL DR CI BTN (E1)



HLX 640 KB



GZC 32309



EFX 30.1 2G AI AL CI





EFX 30.1 FRYER

EFX 30.1 GRILL

O attack Assaul 2 for from the form the same time.

O the Stands

O the Stands

9 0 C M

Ref. 112500034

NEW

MAESTRO IZS 97630 MST BK



- 90 cm Flex Induction hob
- SlideCooking function
- 9 Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 5 cooking zones

1 zone Ø 320/180 mm

2 zones Ø 228 x 200 mm

1 zone Ø 215 mm

1 zone Ø 150 mm

- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 10.800 W



Ref. 112500033

NEW

MAESTRO IZS 96700 MST



- 90 cm Flex Induction hob
- SlideCooking function
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones

1 zone Ø 280 mm

2 zone Ø 228 x 200 mm

1 zone Ø 185 mm

- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W

COLOR



FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 53mm Width 900mm Depth 510mm


COLOR



FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 53mm Width 900mm Depth 510mm



Ref. 112500037



MAESTRO DIRECTSENSE IZF 68700



- FullFlex 60 cm Induction hob
- Direct functions with temperature sensors: Rice cooking, confit, poaching, grilling, pan frying, deep frying, quick boiling, keep warn, simmering and melting.
- MasterSense Series
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 262,5 X 195 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W



Ref. 112510038



MAESTRO IBF 64 INFINITY G1



- Infinity G1 special edition
- Designed in Italy by Giugiaro Italdesign
- Flex induction hob
- Exclusive matte black finishing
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 4 Flex zones Ø 235 X 188,5 mm
- Ceramic glass surface
- Auto-lock safety disconnection
- Cooking timer
- Power Plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W

COLOR

Black Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 57mm Width 600mm Depth 510mm

COLOR



PRODUCT DIMENSIONS

Height 53mm Width 600mm Depth 510mm



Ref. 112500027

TEKA

Ref. 112500026

MAESTRO IZC 64630 WH MST



- Urban Colors Edition
- Induction hob
- Touch control MultiSlider
- Cooking timer
- 4 cooking zones:

1 induction Ø 215 mm

2 induction Ø 185 mm

1 induction Ø 150 mm

- Special cooking functions with temperature sensors: Grilling, Deep frying, Pan frying, KeepWarm, Boiling, Simmering, Confit & Melting
- Power Plus function
- Stop & Go function
- Residual hear indicators
- Fast-Click easy installation
- Maximum nominal power : 8.800 W

MAESTRO IZC 64630 ST MST



- Urban Colors Edition
- Induction hob
- Touch control MultiSlider
- Cooking timer
- 4 cooking zones:

1 induction Ø 215 mm

2 induction Ø 185 mm

1 induction Ø 150 mm

- Special cooking functions with temperature sensors: Grilling, Deep frying, Pan frying, KeepWarm, Boiling, Simmering, Confit & Melting
- Power Plus function
- Stop & Go function
- Residual hear indicators
- Fast-Click easy installation
- Maximum nominal power : 8.800 W

COLOR

White Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 50mm Width 600mm Depth 510mm


COLOR

Stone Grey Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 50mm Width 600mm Depth 510mm




Ref. 112520015

EASY IZC 64010 BK MSS



- 60 cm Induction hob
- Touch control MultiSlider
- Cooking timer
- 4 cooking zones:
- 2 induction Ø 185 mm
- 2 induction Ø 150 mm
- Power Plus function
- Stop & Go function
- Residual hear indicators
- Fast-Click easy installation
- Maximum nominal power : 7.200 W



Ref. 10210002

MAESTRO TR 951



- 90 cm vitroceramic hob
- Touch control panel
- Burst of cooking function
- Stop and Go function
- Security blocking
- Cooking time programmer
- Independent programmer of each cooking zone
- Residual heat indicator
- 5 cooking zones :
- 1 triple high light Ø 145/210/270 mm
- 1 double high light Ø 120/180 mm
- 1 high light Ø 180 mm
- 1 high light Ø 160 mm
- 1 high light Ø 145 mm
- Total nominal power : 8.900 W



Black Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 50mm Width 600mm Depth 510mm


COLOR



FRAME Full bevelled glass

PRODUCT DIMENSIONS

Height 63mm Width 900mm Depth 510mm



Ref. 40239021



TOTAL TT 6420







- Vitroceramic hob
- Touch Control
- 4 cooking zones1 high lights Ø 180/210 mm1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timerPower plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6200 W



Ref. 112530007



MAESTRO TBC 63632 TTC







- Vitroceramic hob
- Frontal Touch Control
- 3 cooking zones
- 1 high lights Ø 320/260/210 mm
- 1 high lights Ø 160 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety disconnection
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6700 W

COLOR



FRAME Slim metal frame

PRODUCT DIMENSIONS

Height 51mm Width 600mm Depth 515mm

COLOR

Black Glass FRAME C-edged glass

PRODUCT DIMENSIONS

Height 64mm Width 600mm Depth 510mm



Ref. 112550009

EASY TBC 64000 XFL



- 60cm vitroceramic hob
- Black Ergonomic Knob
- 4 cooking zones:
- 2 high light Ø 180 mm
- 2 high light Ø 145 mm
- Fast-Click easy installation
- Maximum nominal power: 6.000 W

COLOR



FRAME C-edged glass

PRODUCT DIMENSIONS

Height 57mm Width 600mm Depth 510mm



9 0 C M

Ref. 112570144

The state of the s

9 0 C M

Ref. 112570069

MAESTRO JZC 96342 BBB



- Gas on glass + Induction hob
- Touch control MultiSlider
- ExactFlame control
- Cooking timer
- 6 cooking zones:
- 1 double ring burner 4.00 kW
- 1 induction 145 Ø (1250-1800 W)
- 1 induction 180 Ø (1700 2100 W)
- 1 gas rapid burner (2.8 kW)
- 1 gas semi-rapid burner (1.75 kW)
- 1 gas auxiliary burner (1.0 kW)
- 9 gas power levels with precise control of the flame
- Large cast iron grids
- Automatic-ignition
- Auto-lock safey device
- Induction Power Plus function
- 3 special cooking functions: Simmering, Melting and KeepWarm
- Maximum nominal power (gas): 6.95 kW
- Maximum nominal power (induction): 3500 W
- Ceramic Glass (4 mm)
- Gas typology: LPG (butan/propane)
- Nozzles to natural gas

MAESTRO GZC 95320





- Gas on Glass with ExactFlame
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame 1 double ring burner, 4,00 kW
- 1 fast burner, 2,80kW
- 1 semi-fast burner, 1,75 kW
- 1 semi-fast burner, 1.4 kW
- 1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Gas typology: LPG (butan/propane)
- Nozzles to natural gas

COLOR



FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 55mm Width 900mm Depth 510mm

COLOR



FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 50mm Width 900mm Depth 510mm



Ref. 112570210

NEW

MAESTRO GBC 75 INFINITY G1







- Infinity | G1 Edition
- Designed in Italy by Giugiaro Italdesign
- Gas on Glass hob
- Exclusive matte black finishing
- Frontal mechanical control panel with ergonomic design
- 5 cooking zones
- 1 double ring burner, 3,50 kW
- 1 fast burner, 2,80 kW
- •1 semi fast burner, 1,75 kW
- •1 semi fast burner, 1,40 kW
- 1 auxiliary burner, 1,00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 10450 W
- Optional: Wok support



Ref. 112570145

MAESTRO JZC 64322 ABB





- Gas on glass + Induction hob • Touch control MultiSlider
- ExactFlame control
- Cooking timer • 4 cooking zones:
- 1 induction 210 Ø (2250-3000 W)
- 1 induction 145 Ø (1250-1800 W)
- 1 gas rapid burner (2.8 kW)
- 1 gas auxiliary burner (1.0 kW)
- 9 gas power levels with precise control of the flame
- · Large cast iron grids
- Automatic-ignition
- Auto-lock safey device
- Induction Power Plus function
- 3 special cooking functions: Simmering, Melting and KeepWarm
- Maximum nominal power (gas): 4.0 kW
- Maximum nominal power (induction): 3500 W
- Ceramic Glass (4 mm)
- Gas typology: LPG (butan/propane)
- Nozzles to natural gas

COLOR



PRODUCT DIMENSIONS

Height 50mm Width 700 mm Depth 510mm

COLOR



Black Glass **FRAME** Front bevelled glass

PRODUCT DIMENSIONS

Height 55mm Width 600mm Depth 510mm



Ref. 112570033

MAESTRO GZC 64300 BK



- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 4 cooking zones:

1 semi-fast burner (1.4 kW)

1 semi-fast burners (1.75 kW)

1 fast burner (2.80 kW)

1 auxiliary burner (1.00 kW)

- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface
- Gas typology: LPG (butan/propane)
- Nozzles to natural gas



Ref. 112570140

MAESTRO GZC 64320 WH



- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 4 cooking zones:

1 double ring burner (4.00 kW)

1 semi-fast burner (1.75 kW)

1 fast burner (2.80 kW)

1 auxiliary burner (1.00 kW)

- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface
- Gas typology: LPG (butan/propane)
- Nozzles to natural gas

COLOR



FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR



Glass White

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 50mm Width 600mm Depth 510mm



Ref. 112570141

MAESTRO GZC 64320 ST







- Urban Colors Edition
- Gas on Glass with ExactFlame
- 9 power levels with precise control of the flame
- Front control knobs with ergonomic design
- 4 cooking zones:
- 1 double ring burner (4.00 kW)
- 1 semi-fast burner (1.75 kW)
- 1 fast burner (2.80 kW)
- 1 auxiliary burner (1.00 kW)
- Large cast iron grids
- Automatic-ignition in every burner, activated through control knobs
- Auto-lock safety device (Thermocouples)
- Optional Wok support
- Easy installation kit
- Ceramic glass surface
- Gas typology: LPG (butan/propane)
- Nozzles to natural gas





FRAME Front bevelled glass


PRODUCT DIMENSIONS

Height 50mm Width 600mm Depth 510mm





Ref. 40219018



90CM

Ref. 40211631

MAESTRO EW 90 5G AI AL TR CI



- 90 cm gas hob
- Triple ring burner
- Cast iron grids
- Metal looking frontal knobs
- Flash-fit surface
- Auto-ignition
- Auto-lock safety device
- 5 cooking zones :

1 triple ring burner (3.1 kw)

1 fast burner (2.8 kW)

1 semi-fast burner (1.75 kW)

1 semi-fast burner (1.4 kW)

1 auxiliary burner (1kW)

- Gas typology: LPG (butan/propane)
- Nozzles to natural gas

TOTAL EFX 90.1 5G AI AL DR LEFT



- 90 cm gas hob
- Double ring burner
- Cast iron grids
- Metallic and glossy black looking frontal knobs
- Auto-ignition
- Auto-lock safety device
- High efficiency burners
- 5 cooking zones :

1 double ring burner (4 kw)

1 fast burner (3 kW)

2 semi-fast burnesr (1.75 kW)

1 auxiliary burner (1kW)

- Gas typology: LPG (butane/propane)
- Nozzles to natural gas

COLOR



PRODUCT DIMENSIONS

Height 70mm Width 870mm Depth 520mm


COLOR



FRAME Brushed stainless steel

PRODUCT DIMENSIONS

Height 45mm Width 860mm Depth 510mm



Ref. 40212503

NEW

TOTAL EX 90.1 5G AI AL DR LEFT CI BUT



- 90 cm gas hob
- Double ring burner
- Cast iron grids with a professional look.
- Metallic and glossy black looking frontal knobs
- Auto-ignition
- Auto-lock safety device
- High Efficiency burners.
- 5 cooking zones:

1 rapid (2.80 kW)


1 auxiliary (1 KW)

1 semirapid (1.75 kW)

1 semirapid (1.75 kW)

1 double ring (4 kW)

- Gas typology: LPG (butane/propane)
- Nozzles to natural gas



Ref. 40212063

TOTAL EX 90.1 5G AI AL DR CI BUT



- 90 cm gas hob
- Double ring burner
- Cast iron grids with a professional look.
- Metallic and glossy black looking frontal knobs
- Auto-ignition
- Auto-lock safety device
- High Efficiency burners.
- 5 cooking zones:

1 double ring burner (4.00 kW)

1 fast burner (2.8 kW)

2 semi-fast burner (1.75 kW)

1 auxiliary burner (1kW)

- Gas typology: LPG (butane/propane)
- Nozzles to natural gas

COLOR

Stainless Steel

FRAME Brushed stainless steel

PRODUCT DIMENSIONS

Height 33mm Width 860mm Depth 500mm

COLOR

Stainless Steel

FRAME Brushed stainless steel

PRODUCT DIMENSIONS

Height 33mm Width 860mm Depth 500mm



Ref. 112610072

TOTAL EFX 60.1 4G AI AL DR CI BTN (ME)



- 60 cm gas hob
- Double ring burner
- Cast iron grids
- Metallic and glossy black looking frontal knobs
- Auto ignition
- Auto-lock safety system
- 4 cooking zones
- 1 double ring burner (4.00 kW)
- 2 semi-fast burners (1.75 kW)
- 1 auxiliary burner (1 kW)
- Gas typology: LPG (butane/propane)
- Nozzles to natural gas



Ref. 112610042

NEW

TOTAL EX 60.1 4G AI AL DR CI BTN (E1)



- 60 cm gas hob
- Double ring burner
- Cast iron grids
- Frontal control knobs
- Auto ignition
- Auto-lock safety system
- 4 cooking zones
- 1 double ring burner (4.00 kW)
- 1 fast burner (2.8 kW)
- 1 semi fast burner (1.7 kW)
- 1 fast burner (1 kW)
- Gas typology: LPG (butane/propane)
- Nozzles to natural gas

COLOR



FRAME Brushed stainless steel

PRODUCT DIMENSIONS

Height 45mm Width 600mm Depth 510mm

COLOR



FRAME Brushed stainless steel

PRODUCT DIMENSIONS

Height 84mm Width 580mm Depth 500mm



Ref. 112620020



EASY HLX 640 KB



- 60 cm gas hob
- Enamelled grids
- Lateral mechanical control panel with ergonomic design
- Auto ignition
- Auto-lock safety system
- 4 cooking zones
- 1 fast burner (3 kW)
- 2 semi fast burners (1.75 kW)
- 1 auxiliary burner (1 kW)
- Stainless steel surface



Ref. 40214555

TOTAL EFX 30.1 2G AI AL CI BUT



- Modular gas hob
- Stainless steel Surface
- Cast iron grid
- Auto-ignition
- Auto-lock safety device
- High Efficiency burners
- Metallic and glossy black looking frontal knob
- 2 cooking zones:
- 1 fast burner (3.00 kW) 1 auxiliary burner (1.00 kW)
- Gas typology: LPG (butane/propane)
- Nozzles to natural gas



Stainless Steel

FRAME Brushed stainless steel

PRODUCT DIMENSIONS

Height 85mm Width 580mm Depth 500mm

COLOR



PRODUCT DIMENSIONS

Height 45mm Width 305mm Depth 510mm



Ref. 112530001



MAESTRO IZS 34700 MST BK



- VarioPro Series
- Modular Flex Induction hob
- SlideCooking function
- Direct functions with temperature sensors:
 Poaching, confit, grilling, pan frying, deep frying, simmering and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 Slide Flex zone 255 x 400 mm
- 2 zones 255 x 200 mm
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W



Ref. 112660000

NEW

MAESTRO YZC 32600 TEPPANYAKI



- VarioPro Series
- Modular teppanyaki hob
- Frontal control knobs with ergonimic design
- 2 cooking zones2 zones Ø 376 X 118 mm
- Ceramic glass surface
- Easy cleaning
- Max.nominal power: 2400 W

COLOR



FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 53mm Width 300mm Depth 510mm

COLOR



FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 79mm Width 300mm Depth 510mm



Ref. 113160000



MAESTRO FIH 16760 TOS BK



- VarioPro Series
- Modular Flow-in hood
- Touch control
- FreshAir function
- Energy Efficiency Class: A+
- Brushless EcoPower Motor
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 630
- Intensive speed exhaust capacity (m3/h): 600
- Max speed exhaust capacity (m3/h): 540
- Min speed exhaust capacity (m3/h): 415
- Intensive speed sound level (dBA): 70
- Max speed sound level (dBA): 67
- Min speed sound level (dBA): 62
- 1 mesh washable filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Optional regenerative charcoal filters

Filter required for installation without outlet:

Recirculation Kit including Regenerative

Charcoal Filter - RFH 36100 FOA

Ref.113290013

Regenerative Charcoal Filter - R1RFB

Ref.113290014

COLOR



PRODUCT DIMENSIONS

Width 110mm Depth 510mm



Ref. 112570180

NEW

TOTAL GZC 32309 XBB ME



- VarioPro Series
- Modular gas on glass hob
- ExactFlame
- Frontal control knobs with ergonomic design
- 2 cooking zones1 semi fast burner, 1.7 kW1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 2750 W
- Includes deflector accessory for VarioPro hood


COLOR



FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 55mm Width 300mm Depth 510mm



Ref. 112540002

TOTAL TZC 32320 BK TTC



- Modular vitroceramic hob
- Touch Control
- 2 cooking zones:1 double high light Ø 120/1801 high light Ø 145 mm
- Keep warm function
- Maximum nominal power: 2.900 W



Ref. 40214406

EASY EFX 30.12H

- Modular vitroceramic hob
- Metallic and glossy black looking frontal knob
- Residual heat indicator
- 2 cooking zones:

1 high light Ø 180 mm 1 high light Ø 145 mm

- Max. nominal power: 3000 W
- Optional: junction kit

COLOR



FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 55mm Width 300mm Depth 510mm

COLOR



PRODUCT DIMENSIONS

Height 40mm Width 305mm Depth 510mm



Ref. 40214451

TOTAL EFX 30.1 FRYER

- Modular hob
- Fryer
- Stainless steel surface
- Overheating cut-off system
- Metallic and glossy black looking frontal knob
- Thermostat for a constant oil temperature control
- 2 electric resistance
- Max.nominal power: 2300 W



Ref. 40214561

TOTAL EFX 30.1 GRILL

- Modular hob
- Barbacue
- Stainless steel surface
- Cast iron grid
- Metallic and glossy black looking frontal knob
- Overheating cut-off system
- 1 electric resistance
- Max.nominal power: 2400 W



Stainless Steel

PRODUCT DIMENSIONS

Height 45mm Width 305mm Depth 510mm

COLOR



PRODUCT DIMENSIONS

Height 45mm Width 305mm Depth 510mm



Model	IZS 97630	IZF 96700	DirectSense IZF 68700	IZC 64010 BK MSS	IBF 64 Infinity G1
BUILT-IN DIMENSIONS					
Width (mm)	860	860	560	560	560
Depth (mm)	490	490	490	490	490
Height (mm)	49	49	53	50	49
COOKING ELEMENTS					
COOKING ZONE -left front , (Type)	Single Zone	-	Flex Zone	Single Zone	FlexZone
COOKING ZONE -left center , (Type)	-	Single Zone	_	-	_
COOKING ZONE -left rear , (Type)	Single Zone	-	Flex Zone	Single Zone	FlexZone
COOKING ZONE - center front , (Type)	-	-	-	-	
COOKING ZONE -center center , (Type)	Double Zone	Single Zone	-	-	
COOKING ZONE -center rear , (Type)	-	-	-	-	_
COOKING ZONE -right front, (Type)	Flex Zone	Flex Zone	Flex Zone	Single Zone	FlexZone
COOKING ZONE -right center, (Type)	_	-	-	-	_
COOKING ZONE -right rear, (Type)	Flex Zone	Flex Zone	Flex Zone	Single Zone	FlexZone
COOKING ZONE -left front , mm	150	_	262.5 x 195	150	235 X 188,5
COOKING ZONE -left center , mm	-	280	-	-	
COOKING ZONE -left rear , mm	215	-	262.5 x 195	185	235 X 188,5
COOKING ZONE -center front , mm	-	-	-	-	_
COOKING ZONE -center center, mm	320 / 180	185	_	-	_
COOKING ZONE -center rear , mm	_	_	_	-	_
COOKING ZONE -right front, mm	228 x 200	228 x 200	262.5 x 195	185	235 X 188,5
COOKING ZONE -right center, mm	_	_	-	-	_
COOKING ZONE -right rear , mm	228 x 200	228 x 200	262.5 x 195	150	235 X 188,5
COOKING ZONE -left front, (W)	1200 - 1600	-	2400 - 3700	1200-1500	1750-2200
COOKING ZONE -left center, (W)	_	2100 - 3000	-	-	_
COOKING ZONE -left rear, (W)	2100 - 3000	_	2400 - 3700	1700-2100	1750-2200
COOKING ZONE -center front, (W)	_	_	-	-	_
COOKING ZONE -center center, (W)	2500 - 3600	1200 - 1600	_	-	_
COOKING ZONE -center rear, (W)	_	_	-	-	_
COOKING ZONE -right front, (W)	1750 - 2000	1750 - 2000	2400 - 3700	1700-2100	1750-2200
COOKING ZONE -right center, (W)	_	_	-	-	_
COOKING ZONE -right rear, (W)	1750 - 2000	1750 - 2000	2400 - 3700	1200-1500	1750-2200
ELECTRICAL FEATURES					
Maximum Nominal Power (W)(Induction or VTC)	10800	7200	7400	7200	7200
Maximum Nominal Power (W) (Gas)	_	-	-	_	_
Wire lenght (cm)	110	110	110	110	110
SAFETY SYSTEMS				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Child lock	√	√	√	√	√
Automatic safety disconnection	√	√	√	√	√
Residual heat indicator	√	√	√	√	√

Model	TR 951	TT 6420	TBC 63632 TTC BK	TBC 64000 XFL	JZC 96342 BBB
BUILT-IN DIMENSIONS					
Width (mm)	860	605	560	580	860
Depth (mm)	490	515	490	492	490
Height (mm)	63	51	60	60	50
COOKING ELEMENTS					
COOKING ZONE -left front , (Type)	Single High Light	Single High Light	Single High Light	Single High Light	DOUBLE RING
COOKING ZONE -left center , (Type)	_	_	-	-	-
COOKING ZONE -left rear , (Type)	Double High Light	Double High Light	Single High Light	Single High Light	SEMIRAPID
COOKING ZONE - center front , (Type)	-	-	-	-	AUXILIARY
COOKING ZONE -center center , (Type)	Triple High Light	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	-	RAPID
COOKING ZONE -right front, (Type)	Single High Light	Single High Light	-	Single High Light	Single Zone
COOKING ZONE -right center, (Type)	-	-	-	-	-
COOKING ZONE -right rear, (Type)	Single High Light	Single High Light	Triple High Light	Single High Light	Single Zone
COOKING ZONE -left front , mm	145	145	160	180	-
COOKING ZONE -left center , mm	-	-	-	-	-
COOKING ZONE -left rear , mm	120 / 180	180 / 210	145	145	-
COOKING ZONE -center front , mm	_	_	-	-	-
COOKING ZONE -center center, mm	145 / 210 / 270	_	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-
COOKING ZONE -right front, mm	180	145	-	145	180
COOKING ZONE -right center, mm	-	-	-	-	-
COOKING ZONE -right rear , mm	160	180	210 / 260 / 320	180	145
COOKING ZONE -left front, (W)	1200	1200	1500	1800	4000
COOKING ZONE -left center, (W)	_	-	-	-	_
COOKING ZONE -left rear, (W)	700 - 1700	1400 - 2000	1200	1200	1750
COOKING ZONE -center front, (W)	_	=	-	-	1000
COOKING ZONE -center center, (W)	1050 - 1950 - 2700	-	-	-	-
COOKING ZONE -center rear, (W)	_	-	-	-	2800
COOKING ZONE -right front, (W)	1800	1200	-	1200	1250-1800
COOKING ZONE -right center, (W)	_	_	-	-	_
COOKING ZONE -right rear, (W)	1500	1800	2000-3000-4000	1800	2250-3000
ELECTRICAL FEATURES					
Maximum Nominal Power (W)(Induction or VTC)	8900	6200	6700	6000	3500
Maximum Nominal Power (W) (Gas)	_	-	-	-	9550
Wire lenght (cm)	110	100	110	110	110
SAFETY SYSTEMS					
Child lock	√	√	√	-	√
Automatic safety disconnection	√	√	√	-	√
Residual heat indicator	√	√	√	√	√

Model	GZC 95320	GBC 75 Infinity G1	JZC 64322 ABB	GZC 64300	GZC 64320	EW 90 5G AI AL TR CI
BUILT-IN DIMENSIONS						
Width (mm)	850	570	560	570	570	845
Depth (mm)	480	480	490	480	480	495
Height (mm)	50	49	55	50	50	70
COOKING ELEMENTS						
COOKING ZONE -left front , (Type)	-	SEMIRAPID	AUXILIARY	SEMIRAPID	DOUBLE RING	SEMIRAPID
COOKING ZONE -left center , (Type)	DOUBLE RING	_	-	-	-	-
COOKING ZONE -left rear , (Type)	-	SEMIRAPID	RAPID	SEMIRAPID	SEMIRAPID	RAPID
COOKING ZONE - center front , (Type)	SEMIRAPID	_	-	-	-	AUXILIARY
COOKING ZONE -center center , (Type)	-	DOUBLE RING	-	-	-	-
COOKING ZONE -center rear , (Type)	SEMIRAPID	_	-	-	_	SEMIRAPID
COOKING ZONE -right front, (Type)	AUXILIARY	AUXILIARY	Single Zone	AUXILIARY	AUXILIARY	
COOKING ZONE -right center, (Type)	-	_	-	-	_	TRIPLE RING
COOKING ZONE -right rear, (Type)	RAPID	RAPID	Single Zone	RAPID	RAPID	-
COOKING ZONE -left front , mm	_	_	_	=	=	=
COOKING ZONE -left center , mm	_	_	_	=	-	-
COOKING ZONE -left rear , mm	_	_	-	-	-	-
COOKING ZONE -center front , mm	_	_	_	_	_	-
COOKING ZONE -center center, mm	_	_	_	-	_	-
COOKING ZONE -center rear , mm	_	_	_	_	_	_
COOKING ZONE -right front, mm	_	_	145	=	=	=
COOKING ZONE -right center, mm	-	_	_	-	-	-
COOKING ZONE -right rear , mm	-	_	210	-	-	-
COOKING ZONE -left front, (W)	-	1400	1000	1400	4000	-
COOKING ZONE -left center, (W)	4000	-	-	-	-	-
COOKING ZONE -left rear, (W)	-	1750	2800	1750	1750	-
COOKING ZONE -center front, (W)	1400	-	-	-	-	-
COOKING ZONE -center center, (W)	-	3500	-	-	-	-
COOKING ZONE -center rear, (W)	1750	_	-	-	-	-
COOKING ZONE -right front, (W)	1000	1000	1250-1800	1000	1000	-
COOKING ZONE -right center, (W)	_	_		_	_	_
COOKING ZONE -right rear, (W)	2800	2800	2250-3000	2800	2800	_
ELECTRICAL FEATURES						
Maximum Nominal Power (W)(Induction or VTC)	-	-	3500	-	-	-
Maximum Nominal Power (W) (Gas)	10950	10450	3800	6950	9550	1100
Wire lenght (cm)	-	100	110	-		-
SAFETY SYSTEMS						
Child lock	-	-	√	-	-	-
Automatic safety disconnection	√	√	√	-	-	√
Residual heat indicator	-	_	-	-	-	-


TECHNICAL FEATURES


Model	EFX 90.1 5G AI AL DR LEFT	X 90.1 5G AI AL DR CI LEFT	EFX 60.1 4G AI AL DR CI	EX 60.1 4G AI AL DR CI LEFT	HLX 640 KB
BUILT-IN DIMENSIONS					
Width (mm)	833	833	553	553	553
Depth (mm)	475	475	473	473	473
Height (mm)	45	33	45	33	38
COOKING ELEMENTS				•	
COOKING ZONE -left front , (Type)	-	=	DOUBLE RING	AUXILIARY	RAPID
COOKING ZONE -left center , (Type)	DOUBLE RING	DOUBLE RING	-	-	-
COOKING ZONE -left rear , (Type)	-	_	SEMIRAPID	SEMIRAPID	SEMIRAPID
COOKING ZONE - center front , (Type)	AUXILIARY	SEMIRAPID	-	-	_
COOKING ZONE -center center , (Type)	-	_	-	-	_
COOKING ZONE -center rear , (Type)	SEMIRAPID	SEMIRAPID	-	-	_
COOKING ZONE -right front, (Type)	SEMIRAPID	AUXILIARY	AUXILIARY	SEMIRAPID	AUXILIARY
COOKING ZONE -right center, (Type)	_	_	_	_	_
COOKING ZONE -right rear, (Type)	RAPID	RAPID	SEMIRAPID	RAPID	SEMIRAPID
COOKING ZONE -left front , mm	_	_		_	_
COOKING ZONE -left center , mm	-	_	_	_	_
COOKING ZONE -left rear , mm	-	_	_	_	_
COOKING ZONE -center front , mm	-	_		_	_
COOKING ZONE -center center, mm	-	-	_	-	_
COOKING ZONE -center rear , mm	-	-	_	-	_
COOKING ZONE -right front, mm	-	-	_	_	_
COOKING ZONE -right center, mm	-	_	_	_	-
COOKING ZONE -right rear , mm	-	_	_	_	_
COOKING ZONE -left front, (W)	_	_	4000	1000	3000
COOKING ZONE -left center, (W)	4000	4000	-	-	-
COOKING ZONE -left rear, (W)	_	_	1750	1750	1750
COOKING ZONE -center front, (W)	1000	1750	-	-	-
COOKING ZONE -center center, (W)	-	_	-	-	_
COOKING ZONE -center rear, (W)	1750	1750	-	-	-
COOKING ZONE -right front, (W)	1750	1000	1000	1750	1000
COOKING ZONE -right center, (W)	_	_	-	-	-
COOKING ZONE -right rear, (W)	3000	2800	1750	2800	1750
ELECTRICAL FEATURES				•	
Maximum Nominal Power (W)(Induction or VTC)	-	-			-
Maximum Nominal Power (W) (Gas)	11500	11300	8500	7300	7500
Wire lenght (cm)	_	_			100
SAFETY SYSTEMS					
Child lock	-	-	-	-	-
Automatic safety disconnection	√	-	√	√	√
Residual heat indicator	-	-	_	-	_


Model	IZS 34700	TZC 32320 BK TTC	EFX 30.1 2H	GZC 32309
BUILT-IN DIMENSIONS				
Width (mm)	280	270	282	280
Depth (mm)	490	500	482	490
Height (mm)	49	55	45	49
COOKING ELEMENTS				
COOKING ZONE -left front , (Type)	-	-	-	-
COOKING ZONE -left center , (Type)	-	-	_	-
COOKING ZONE -left rear , (Type)	-	-	_	-
COOKING ZONE - center front , (Type)	Flex Zone	Single High Light	Single High Light	AUXILIARY
COOKING ZONE -center center , (Type)		_	_	-
COOKING ZONE -center rear , (Type)	Flex Zone	Double High Light	Single High Light	SEMIRAPID
COOKING ZONE -right front, (Type)	-	_	_	_
COOKING ZONE -right center, (Type)	=	=	_	=
COOKING ZONE -right rear, (Type)	-	-	_	-
COOKING ZONE -left front , mm	-	-	_	_
COOKING ZONE -left center , mm	-	_	_	_
COOKING ZONE -left rear , mm	-	-	_	_
COOKING ZONE -center front , mm	225 x 200	145	145	_
COOKING ZONE -center center, mm	-	_	_	_
COOKING ZONE -center rear , mm	225 x 200	120 / 180	180	-
COOKING ZONE -right front, mm	-	_	_	_
COOKING ZONE -right center, mm	-	-	_	_
COOKING ZONE -right rear , mm	-	-	_	_
COOKING ZONE -left front, (W)	-	-	_	_
COOKING ZONE -left center, (W)	-	-	_	_
COOKING ZONE -left rear, (W)	-	-	_	-
COOKING ZONE -center front, (W)	1750 - 2000	1200	1200	1000
COOKING ZONE -center center, (W)	-	-	_	-
COOKING ZONE -center rear, (W)	1750 - 2000	700 - 1700	1800	1750
COOKING ZONE -right front, (W)	-	-	_	-
COOKING ZONE -right center, (W)	-	-	_	_
COOKING ZONE -right rear, (W)	-	-	_	_
ELECTRICAL FEATURES				
Maximum Nominal Power (W)(Induction or VTC)	3600	2900	3000	_
Maximum Nominal Power (W) (Gas)	_	_	_	2750
Wire lenght (cm)	110	110	100	110
SAFETY SYSTEMS				
Child lock	_	√	_	-
Automatic safety disconnection	√	√	√	√
Residual heat indicator	√	√	√	-


TECHNICAL FEATURES


Model	EFX 30.1 2G AI AL CI	YZC 32600	EFX 30.1 FRYER	EFX 30.1 GRILL
BUILT-IN DIMENSIONS				
Width (mm)	280	280	282	282
Depth (mm)	490	490	482	482
Height (mm)	37	75	160	160
COOKING ELEMENTS				
COOKING ZONE -left front , (Type)	-	-	-	-
COOKING ZONE -left center , (Type)	-	-	-	-
COOKING ZONE -left rear , (Type)	-	-	=	-
COOKING ZONE - center front , (Type)	AUXILIARY	-	-	-
COOKING ZONE -center center , (Type)	-	-	-	-
COOKING ZONE -center rear , (Type)	RAPID	-	-	-
COOKING ZONE -right front, (Type)	-	-	-	-
COOKING ZONE -right center, (Type)	-	-	-	-
COOKING ZONE -right rear, (Type)	-	-	-	-
COOKING ZONE -left front , mm	-	-	-	-
COOKING ZONE -left center , mm	-	-	-	-
COOKING ZONE -left rear , mm	-	-	_	-
COOKING ZONE -center front , mm	-	-	-	-
COOKING ZONE -center center, mm	=	-	=	-
COOKING ZONE -center rear , mm	=	-	-	-
COOKING ZONE -right front, mm	=	-	-	-
COOKING ZONE -right center, mm	-	-	_	-
COOKING ZONE -right rear , mm	-	-	_	_
COOKING ZONE -left front, (W)	-	-	-	-
COOKING ZONE -left center, (W)	-	-	-	-
COOKING ZONE -left rear, (W)	-	-	-	-
COOKING ZONE -center front, (W)	1000	-	_	_
COOKING ZONE -center center, (W)		-	-	-
COOKING ZONE -center rear, (W)	3000	-	-	-
COOKING ZONE -right front, (W)	-	-	-	-
COOKING ZONE -right center, (W)	-	=	-	-
COOKING ZONE -right rear, (W)	-	-	-	-
ELECTRICAL FEATURES				
Maximum Nominal Power (W) (Induction or VTC)	-	2400	2300	2400
Maximum Nominal Power (W) (Gas)	1100	-	_	-
Wire lenght (cm)	100	100	135	135
SAFETY SYSTEMS	-			
Child lock	-	-	-	-
Automatic safety disconnection	√	-	√	√
Residual heat indicator	-	-	-	-

















EFX 90.1 5G AI AL DR LEFT EX 90.1 5G AI AL DR CI LEFT EFX 60.1 4G AI AL DR CI







EFX 30.1 2G AI AL CI YZC 32600, EFX 30.1 GRILL EFX 30.1 FRYER



Free Standing Cookers

Turning great cooking experiences into memorables moments





Ref. 40297055

MAESTRO FS3FF L90GG S/S

- Free Standing Cooker 90cm
- Gas hob/ Multifunction gas oven
- Color: Inox
- Auto ignition
- Autolock safety device
- Drawer
- Nozzels to natural gas

Hob Features:

- Stainless steel surface
- Cast irons
- 5 Gas Burners:

1 Triple ring: 4 kW, 2 Semi-Rapid: 1,75 kW 1 Auxiliary burner: 1 kW, 1 Rapid: 3 kW

Steel upstand

Oven Features:

- Multifunction strip with safety thermostat
- Gas grill
- Close door grilling
- 4 Cooking functions, Oven light
- Touch control programmer with start/stop
- 1 telescopic guide
- Chromed supports
- 5 cooking levels
- Full glass inner door
- Double glazed door
- 2 Deep tray
- Chromed grid
- Inner grid
- Gross capacity: 142 liters

COLOR



PRODUCT DIMENSIONS

Height 875-920mm Width 895mm Depth 600mm



Ref. 40297953

FASY FS 901 5GE SS LPG

- Free Standing Cooker 90cm
- Gas hob/ Multifunction electric oven
- Color: Inox
- Metallic painted knob
- Auto ignition, Autolock safety device
- Adjustable feet With G plug
- Drawer, Nozzels to natural gas
- Telescopic legs

Hob Features:

- Stainless steel surface
- Cast irons
- 5 Gas Burners:

1 Triple ring: 3,5 kW, 2 Semi-Rapid: 1,7 kW 1 Auxiliary burner: 0,95 kW, 1 Rapid: 2,9 kW

Sabaf burners

Oven Features:

- Multifunction Oven
- Net/Gross capacity: 100/119l
- 7 Cooking functions
- Turbo fan, Close door grilling
- Digital timer with start/stop
- •1 telescopic guide
- Chromed supports
- Catalitic side panels
- 4 cooking levels
- Full glass, double glazed door, Deep tray
- Chromed grid, Turnspit, Cooling fan, Light
- Energy class: A

COLOR



PRODUCT DIMENSIONS

Height 845mm Width 900mm Depth 635mm



FASY FS 902 5GG SS LPG

- Free Standing Cooker 90cm
- Gas hob/ Gas oven
- Color: Inox,
- Metallic painted knob
- Handle in Stainless steel
- Auto ignition
- Autolock safety device
- Telescopic legs
- With G plug
- Flap tape
- Nozzels to natural gas

Hob Features:

- Stainless steel surface
- Cast irons
- 5 Gas Burners:

1 Triple ring: 3,5 kW, 2 Semi-Rapid: 1,7 kW 1 Auxiliary burner: 0,95 kW, 1 Rapid: 2,9 kW

- Glass lid
- Sabaf burbers

Oven Features:

- Gas oven, Close door grilling
- Net/Gross capacity: 106/119l
- 3 Cooking functions, Mechanical timer
- •1 telescopic guide, Chromed supports
- 4 cooking levels, Catalytic side panels
- Full glass, double glazed door
- Deep tray, Chromed grid
- Turnspit
- Light

COLOR



PRODUCT DIMENSIONS

Height 845mm Width 900mm Depth 635mm



Ref. 40297955

FASY FS 903 5VE SS

- Free Standing Cooker 90cm
- Vitroceramic hob/ Multifunction electric oven
- Color: Inox
- Metallic painted knob
- Handle in Stainless steel
- Telescopic legs
- Lid flape
- Kado box with cable

Hob Features:

- Vitroceramic
- Hob surface in stainless steel
- 5 heating elements: 2xØ180 1800W, 2xØ140 1200W 1xØ140-250 1800W

Oven Features:

- Multifunction electric oven
- Closed door grilling
- Net/Gross capacity: 100/119l
- 8 cooking functions
- Turbo fan, Close door grilling
- Digital timer with start stop
- •1 telescopic guide
- Chromed supports
- 4 cooking levels
- Catalitic side panels
- Full glass inner door with 2 glazed removable
- Deep tray, Cooking grid, Turnspit
- Cooling fan, Light
- Energy class: B

COLOR





PRODUCT DIMENSIONS

Height 845mm Width 900mm Depth 633mm


TECHNICAL FEATURES


MODEL	FS3FF L90GG S/S	FS 901 5GE SS LPG	FS 902 5GG SS LPG	FS 903 5VE SS
PRODUCT DIMENSIONS	•			
Vidth (mm)	895	900	900	900
Depth (mm)	600	635	635	635
Height (mm)	875-920	845	845	845
icigne (mm)	075 520			
LECTRICAL CONNECTION				
Power Rate, V	230	220-240	220-240	220-240
requency, Hz	50	50	50-60	50-60
Connecting Wire (cm)	200	150 cm + Plug	150 cm + Plug	Kado Box + Cable
Maximum Nominal Power, W	30	3600	0	11400
OVEN ELECTRICAL FEATURES				
Maximum Nominal Power, W	55	3600		3600
Bottom Heating Element, W	-	2000		2000
Grill/Maxigrill, W	-	1500/2500		1500/2500
		••••	•	***************************************
Furnspit Motor, W	-	66	6	6
ight, W	25 -	15 24	15 24	15 24
Cooling Fan Motor, W				
OVEN GAS FEATURES				
Bottom Burner, W	4500	-	4000	_
Grill Burner, W	2000	_	2700	
HOB ELECTRICAL FEATURES				
Maximum Nominal Power, W	_	_	_	7800
Heating Element Ø/ W	-	-	-	2xØ180 1800W
Heating Element Ø/ W	_	_	_	2xØ140 1200W
Heating Element Ø/ W				1xØ140-250 1800W
AND GAS SEATURES				
HOB GAS FEATURES	11 E LAM	10.75 1.34	10.75 1.14	
Maximum Nominal Power, W	11.5 kW	10.75 kW	10.75 kW	-
A. Triple Ring, kW	4 kW	3.5 kW	3.5 kW	
B. Fast Burner, kW	3 kW	2.9 kW	2.9 kW	
C. Semifast Burner, kW	1.75 kW (2)	1.7 kW (2)	1.7 kW (2)	_
D. Auxiliary Burner, kW	1 kW	0.95 kW	0.95 kW	
OVEN FEATURES				
Net / Gross Capacity (Litres)	142	100/119	106/119	100/119
Cooking Functions	5	7	3	8
Digital Timer With Start/Stop		•		
Programmer	-	Yes	_	Yes
Digital Timer	Touch			_
Mechanical Timer With Stop	_	_	Yes	_
Programmer	_		•	
Cooking Levels	5	4	4	4
Close Door Grilling	Yes	Yes	Yes	Yes
Telescopic Tray Guides	1	1	1	1
Chromed Tray Guides	Yes	Yes	Yes	Yes
Glazed Door	2 Full Glass	2 Full Glass	2 Full Glass	2 Full Glass
Self-Cleaning Panels	-	Side Catalitic Panel	Side Catalitic Panel	Side Catalitic Panel
Baking Tray	_	-		
Deep Tray	2	1	1	1
Standard Cooking Grid	1	1	1	1
nner Grid	1	_	_	_
urnspit	_	Yes	Yes	Yes
)rawer	Yes	Lid Flape	Lid Flape	Lid Flape
Energy Class	-	В	-	В
HOB FEATURES				
Hob Surface	SS Squared	SS	SS	55
arids	Cast Iron	Cast Iron	Cast Iron	-
Autolock (Safety Device)	Yes	Yes	Yes	-
Auto-Ignition	Yes	Yes	Yes	-
Other Special Accesories	Steel Upstand	Glass Lid	Glass Lid	
FINISH Colour (Front)	DI. I	Course Course	Civilia Civil	State State
OLOUR (Front)	Black	Stainless Steel	Stainless Steel	Stainless Steel
Door Glass Color	Black	Black	Black	Black





FS 901 5GE SS LPG





FS 902 5GG SS LPG

FS 903 5VE SS



Hoods

Welcome the fresh air into your kitchen

WORLDWIDE **NOVELTY**

Infinity | G1 Edition

ELEGANCE AND PERFORMANCE AT ITS BEST

Our new Infinity | G1 Edition Vertical Hood is so good looking, that it will simply blend into your kitchen like a piece of decoration.

With powerful extraction and discreet, yet functional illumination, our Infinity | G1 Edition Hood will prove its worth and capability to turn performance and fresh air into an easily achievable goal, while maintain harmony in your kitchen look and layout.



Unique finishing

Its black matt and velvet finishing, make it unique and special, ready to complement any kitchen, adding a touch of fine taste.



Efficiency and performance

A+ energy efficiency class, with up to 800 m3/h max speed exhaust capacity.



Convenience and flexibility

Up to four optional recirculation types of possible installation.



Discover the complete edition

Get the most out of your Infinity | G1 Edition Vertical Hood, by matching them with the rest of the products of the edition.





SCAN AND **DISCOVER**

Meet the new Ceiling hood

DISCRETION AND HIGH PERFORMANCE AT ITS BEST.

Our ceiling hood is as discreet as it gets. Discover all the possibilities with its FreshAir Function, which will always keep your kitchen fresh and odour-free with automatic extraction cycles that you can program.

Moreover, control its light intensity and colour temperature to create an even nicer atmosphere, while keeping low noise and high efficiency. All of this and more in a hood equipped to be easily installed, so that you will have no worries





EXTERNAL EXTRACTION OR RECIRCULATION,


THE CHOICE IS YOURS

Depending on your needs and home design, you will have the option to install your ceiling hood with recirculation system, which will aspire the odours and bring fresh air back into your kitchen, or with direct external extraction, which will take the odours out of your home.



Hoods

Kitchen goes way beyond just preparing food.



MAESTRO

Domestic appliances for those who like going one one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum efectiveness in any situation.

EASY

For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.

TO	OTAL		EASY	
90	70/60	55	90	70/60
DG3 985 ISLAND				







MAESTRO FIH 16760 TOS BK





- VarioPro Series
- Modular Flow-in hood
- Touch control
- FreshAir function
- Energy Efficiency Class: A+
- Brushless EcoPower Motor
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 630
- Intensive speed exhaust capacity (m3/h): 600
- Max speed exhaust capacity (m3/h): 540
- Min speed exhaust capacity (m3/h): 415
- Intensive speed sound level (dBA): 70
- Max speed sound level (dBA): 67
- Min speed sound level (dBA): 62
- 1 mesh washable filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Optional regenerative filters

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #138



Ref. 113100004

NEW

MAESTRO DHT 97670 WHITE













- Ceiling hood
- Rim extraction
- Electronic control
- FreshAir function
- Energy Efficiency class: A++
- Remote control
- Brushless EcoPower Motor
- 4 speeds + 2 intensive
- Free Outlet exhaust capacity (m3/h): 800
- Max speed exhaust capacity (m3/h): 808
- Min speed exhaust capacity (m3/h): 315
- Intensive speed exhaust capacity (m3/h): 686
- Intensive speed sound level (dBA): 70
- Max speed sound level (dBA): 67
- Min speed sound level (dBA): 50
- 3 LED lamps
- Light intensity and color temperature regulation
- 2 Aluminum filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Optional renegerative filters

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #138

COLOR



PRODUCT DIMENSIONS

Width 110mm

COLOR

White Glass

PRODUCT DIMENSIONS



Ref. Structure: 40483173 Body: 40483172

MAESTRO DPL 1185 ISLAND



- Island hood
- Rim extraction
- EcoPower motor
- Energy Efficiency class: A
- Touch control with White display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, 920 m³/h
- Qboost, 782 m³/h
- Max., m3/h: 629
- Min., m³/h: 331
- Noise (LwA) Boost Speed, dB: 69
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 54
- 4 LED Lamps
- Reinforced black glass
- 3 aluminum filters
- Stop delay timer
- Filter saturation indicator

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137



Ref. 40484640

MEASTRO DH2 985 ISLAND



- Island hood
- EcoPower motor
- Energy Efficiency class: A
- Backlit electronic panel with white display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 920
- Qboost, m3/h: 796
- Max., m3/h: 605
- Min., m³/h: 311
- Noise (LwA) Boost Speed, dB: 71
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 52
- 4 LED lamps
- 3 stainless steel-aluminium filters
- Easy to clean inside panel
- Stop delay timer
- Filter saturation indicator

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

COLOR



PRODUCT DIMENSIONS

Width 1100mm

COLOR



PRODUCT DIMENSIONS



Ref. 40485150

TOTAL DG3 985 ISLAND



- Glass wing island hood
- EcoPower motor
- Energy Efficiency class: A
- Backlit electronic panel with white display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 920
- Qboost, m3/h: 796
- Max., m3/h: 605
- Min., m³/h: 311
- Noise (LwA) Boost Speed, dB: 71
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 52
- 4 LED lamps
- 2 stainless steel filters
- Reinforced transparent glass
- Stop delay timer
- Filter Satiration indicator



Ref. 112930029

MAESTRO DLV 98660 BK



- Urban Colors Edition
- Vertical decorative hood
- Rim extraction system
- Touch control display
- FreshAir function
- Full glass design
- 3 speeds + intensive
- Stop delay timer
- LED light bar
- Saturation filter indicator
- EcoPower motor
- Exhaust capacity: min.290 m3/h max.696 m3/h
- Sound level: min.51 dB max.67 dB
- Installation also possible without tube cover

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

COLOR



PRODUCT DIMENSIONS

Width 900mm

COLOR



Black Glass

PRODUCT DIMENSIONS



MAESTRO DLV 98660 WH



- Urban Colors Edition
- Vertical decorative hood
- Rim extraction system
- Touch control display
- FreshAir function
- Full glass design
- 3 speeds + intensive
- Stop delay timer
- LED light bar
- Saturation filter indicator
- EcoPower motor
- Exhaust capacity: min.290 m3/h max.696 m3/h
- Sound level: min.51 dB max.67 dB
- Installation also possible without tube cover



Ref. 112930033

MAESTRO DLV 98660 ST



- Urban Colors Edition
- Vertical decorative hood
- Rim extraction system
- Touch control display
- FreshAir function
- Full glass design
- 3 speeds + intensive
- Stop delay timer
- LED light bar
- Saturation filter indicator
- EcoPower motor
- Exhaust capacity: min.290 m3/h max.696 m3/h
- Sound level: min.51 dB max.67 dB
- Installation also possible without tube cover

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

COLOR

White Glass

PRODUCT DIMENSIONS

Width 900mm

COLOR



PRODUCT DIMENSIONS



MAESTRO DVT 98660 BK









- Vertical decorative hood
- Rim extraction system
- Touch control display
- FreshAir function
- Full glass design
- 3 speeds + intensive
- Stop delay timer
- LED illumination
- Saturation filter indicator
- EcoPower motor
- Exhaust capacity: min.307 m3/h max.698 m3/h
- Sound level: min.61 dB max.72 dB
- Installation also possible without tube cover



Ref. 112930056

NEW

MAESTRO DVI 88 INFINITY G1









- Infinity | G1 Edition
- Decorative vertical hood
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 696
- Max speed exhaust capacity (m3/h): 558
- Min speed exhaust capacity (m3/h): 290
- Intensive speed sound level (dBA): 69.9
- Max speed sound level (dBA):66.5
- Min speed sound level (dBA): 51.4
- •1 LED lamp
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

COLOR



PRODUCT DIMENSIONS

Width 900mm

COLOR



PRODUCT DIMENSIONS



MAESTRO DLV 68660 BK



- Urban Colors Edition
- Vertical decorative hood
- Rim extraction system
- Touch control display
- FreshAir function
- Full glass design
- 3 speeds + intensive
- Stop delay timer
- LED light bar
- Saturation filter indicator
- EcoPower motor
- Exhaust capacity: min.232 m3/h max.725 m3/h
- Sound level: min.49 dB max.65 dB
- Installation also possible without tube cover



Ref. 980: 40455332 Ref. 680: 40455330

EASY NC 980 / NC 680



- Ultraslim glass wing decorative hood
- Backlit electronic panel with white display
- Operating pilot light
- 3 speeds + 1 intensive
- Energy Efficiency class: D
- Exhaust capacities:
- Free Outlet, m³/h: 825
- Oboost, m3/h: 637
- Max., m3/h: 402, Min., m3/h: 298
- Noise (LwA) Boost Speed, dB: 70
- Noise (LwA) Max Speed, dB: 60
- Noise (LwA) Min Speed, dB: 52
- 2 LED lamps
- 1 stainless steel aluminium filter
- Reinforced glass upper structure
- Stop delay timer
- Filter saturation indicator

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

COLOR



PRODUCT DIMENSIONS
Width 600mm

COLOR



PRODUCT DIMENSIONS

Width 900mm / 600mm



Ref. 40437100

MAESTRO PERFECTA4 DLH 985 T











- Ultraslim decorative hood
- EcoPower motor
- Energy Efficiency class: A
- 4A (Energy efficiency A, Fluid dynamic efficiency A, lighting efficiency A, grease filtering efficiency A)
- Touch control display
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 795
- Oboost, m3/h: 740
- Max., m3/h: 586
- Min., m³/h: 306
- Noise (LwA) Boost Speed, dB: 72
- Noise (LwA) Max Speed, dB: 68
- Noise (LwA) Min Speed, dB: 54
- •1 LED BAR
- 3 stainless steel filters (12 layers)
- Stop delay timer
- Filter saturation indicator



Ref. 40484202

TOTAL DSH 985







- EcoPower motor
- Electronic control
- Digital display
- LED Light Bar
- 3 speeds + 1 intensive
- Stop delay timer
- Energy Efficiency class: A
- 3 Stainless steel filters
- Filter saturation indicator
- Exhaust capacities:
- Free Outlet, m³/h: 920
- Oboost, m3/h: 735
- Max., m3/h: 586
- Min., m³/h: 305
- Noise (LwA) Boost Speed, dB: 72
- Noise (LwA) Max Speed, dB: 68
- Noise (LwA) Min Speed, dB: 54

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

COLOR



PRODUCT DIMENSIONS

Width 900mm

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

COLOR



Stainless Steel

PRODUCT DIMENSIONS



EASY **DSJ 980**



- Ultraslim decorative hood
- Push Buttons Control Panel
- Operating Pilot Light
- Conventional Aspiration Type
- Energy Efficiency class: C
- 3 Speeds
- Exhaust capacities:
- Free Outlet (m³/h): 638
- Max. (m³/h): 614
- Min. (m³/h): 268
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 48 dB
- Integrated LED Light
- 3 stainless Steel-aluminum Filter



Ref. 40460472

EASY DBB 90 HP



- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- Energy Efficiency class: E
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 850
- Max. (m^3/h) : 780
- Min. (m³/h): 240
- Noise (LwA) Max Speed 56 dB
- Noise (LwA) Min Speed 48 dB
- Incandescent Lamps
- 3 aluminum filters

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

COLOR



PRODUCT DIMENSIONS

Width 900mm

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138


COLOR



PRODUCT DIMENSIONS

HOODS





Ref. 60: 40460400



Ref. 9610: 40436850

Ref. 6610: 40436830

EASY DBB 90 / DBB 60



- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- Energy Efficiency class 90/60: D/E
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 475
- Max. (m³/h): 380
- Min. (m³/h): 234
- Noise (LwA) Max Speed 60 dB
- Noise (LwA) Min Speed 44 dB
- Incandescent Lamps
- 3/2 aluminium filters

TOTAL CNL 9610 / CNL 6610



- Pull-out hood
- Electronic control panel
- 2+1 speeds
- Energy Efficiency class: C
- Exhaust capacities:
- Free Outlet, m³/h: 745
- Qboost, m3/h: 694
- Max., m3/h: 445
- Min., m³/h: 330
- Noise (LwA) Boost Speed, dB: 70,1
- Noise (LwA) Max Speed, dB: 62,6
- Noise (LwA) Min Speed, dB: 59,8
- 3/2 LED lamps
- 4/2 aluminium filters
- Automatic Lighting
- Exchangeable Front Panel
- Finger Print Proof Front Panel

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

COLOR



PRODUCT DIMENSIONS

Width 900mm / 600mm

COLOR



PRODUCT DIMENSIONS

Width 900mm / 600mm





Ref. 9310: 40474390 Ref. 6310: 40474250 Ref. 9310: 40466240 Ref. 6310: 40461540

EASY TL 9310 / TL 6310



- Pull-out hood
- Mechanical control panel
- 2 speeds
- Energy Efficiency class: D
- Exhaust capacities:
- Free Outlet, m³/h: 366
- Max., m3/h: 332
- Min., m³/h: 233
- Noise (LwA) Max Speed, dB: 65
- Noise (LwA) Min Speed, dB: 56
- 2 Integrated LED lamps
- 4/2 aluminium filters
- Automatic Lighting
- Exchangeable Front Panel

EASY C 9310 / C 6310



- Classic hood
- Push buttoms control panel (SS models)
- Operating pilot light
- Energy Efficiency class: E
- 3 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 254
- Max., m³/h: 235
- Min., m³/h: 124
- Noise (LwA) Max Speed, dB: 62
- Noise (LwA) Min Speed, dB: 45
- 2 Integrated halogen lamps
- 3/2 aluminium filters
- Finger Print Proof Front Panel (SS)

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

COLOR



PRODUCT DIMENSIONS

Width 900mm / 600mm

COLOR



Stainless Steel

PRODUCT DIMENSIONS

Width 900mm / 600mm



EASY CL 610 S



- Classic hood
- Slider control panel
- Energy Efficiency class: D
- 3 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 205
- Max., m³/h: 200
- Min., m³/h: 147
- Noise (LwA) Max Speed, dB: 61
- Noise (LwA) Min Speed, dB: 52
- •1 LED lamp 3W
- 2 aluminium filters



Ref. 40495270

EASY CL 610 W



- Classic hood
- Slider control panel
- Energy Efficiency class: D
- 3 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 205
- Max., m³/h: 200
- Min., m³/h: 147
- Noise (LwA) Max Speed, dB: 61
- Noise (LwA) Min Speed, dB: 52
- •1 LED lamp 3W
- 2 aluminium filters

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

COLOR



PRODUCT DIMENSIONS

Width 600mm

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

COLOR

White

PRODUCT DIMENSIONS



NEW

MAESTRO GFL 77760 EOS IX



- Built-in Hood
- Energy Efficiency class: A+
- Electronic control
- Rim extraction
- 3 + 1 speeds
- Free outlet exhaust capacity: 735 m3/h
- Intensive exhaust capacity (m3/h): 760
- Max speed exhaust capacity (m3/h): 425
- Intensive speed sound level: 70,1 dBA
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 54,4
- 2 LED Lamps
- Filters with layers
- Stop delay timer
- Anti-return valve included
- Outlet reduction included

Ref. 113100005

NEW

MAESTRO GFL 57651 EOS BK



- Built-in hood
- Energy Efficiency class: A+
- Electronic control
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 735
- Max speed exhaust capacity (m3/h): 738
- Intensive speed sound level (dBA): 70,1
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 54,4
- 2 LED Lamps
- 1 aluminium filter
- Stop delay timer
- Anti-return valve included
- Outlet reduction included

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

COLOR



PRODUCT DIMENSIONS

Width 712 mm

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

COLOR



PRODUCT DIMENSIONS

Width 595 mm



Ref. 40446710

TOTAL GFH 73

- Filter group
- Push buttons control panel
- Operating pilot light
- Conventional aspiration
- Energy Efficiency class: D
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 367
- Max. (m³/h): 329
- Min. (m³/h): 223
- Noise (LwA) Max Speed 69 dB
- Noise (LwA) Min Speed 62 dB
- Integrated halogen lamps
- 2 aluminium filters



Ref. 40446753

TOTAL **GFG 2**



- Filter group
- Push buttons control panel
- Energy Efficiency class: D
- 3 speeds
- Exhaust capacities:
- Free Outlet, m³/h: 444
- Max., m3/h: 329
- Min., m³/h: 223
- Noise (LwA) Max Speed, dB: 63
- Noise (LwA) Min Speed, dB: 53
- •1 LED bar
- 1 stainless Steel filters MMX

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Width 730mm

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Width 550mm

CONVENTIONAL CHARCOAL FILTERS

	CONVENTIONAL CHARCOAL FILTERS			
HOOD	TO BE CHANGED EVERY 3-6 MONTHS			
COOKER HOOD DPL ISLA 1185				
HOOD DH2 ISLA 985	D4C Ref. 61801262			
COOKER HOOD DG3 985				
DVI 88-G1 EOS BM				
DLV 98660 BK				
DLV 98660 TOS WH				
DLV 98660 TOS ST				
DVT 98660 TBS BK	CIRTK			
DLV 68660 TOS BK	Ref. 113290015			
COOKER HOOD ULTRASLIM NC 980/NC 680				
COOKER HOOD DLH 985 T				
COOKER HOOD DSH 985				
COOKER HOOD DSJ 980				
COOKER HOOD DBB 90 INOX (HP)				
COOKER HOOD DBB 90 / DBB 60				
COOKER HOOD CNL 9610 / CNL 6610 (2 Charcoal filters required)				
GFL 57651 EOS BK (2 Charcoal filters required)	D4C Ref. 61801262			
GFL 77761 EOS IX (2 Charcoal filters required)	-			
COOKER HOOD TL 9310 / TL 6310 (2 Charcoal filters required)	CNI 1C			
GFG 2 (2 Charcoal filters required)	- CNL 1C Ref. 61801346			
GFH 73 (2 Charcoal filters required)				
COOKER HOOD C 9310 / C 6310	C2R Ref. 61801239			

HOOD WITH TUBE COVER HOOD W/O TUBE COVER 1/T1 Ref. 40490149 CG1 15200 L3C CG1 15200 02C Ref. 113290032 Ref. 113290034 CFH 15200 L3C Ref. 113290018 CFH 15200 02C Ref. 113290016 CFH 15200 L2C Ref. 113290017 CFH 15200 L3C Ref. 113290018

RECIRCULATION KITS (ONLY FOR RECIRCULATION HOODS)



1T1



COOKER HOOD CL 610 S

COOKER HOOD CL 610 W

CFH 15200 02C



C4C Ref. 61801341



CFH 15200 L2C Ref. 113290017














HOOD ACCESSORIES

NEW REGENERATIVE FILTERS AND KITS:

In the constant effort that Teka does for the environment, we introduce the regenerative filters for hoods. With a self-cleaning system that avoids maintenance tasks and costs. You can change every 5 years and clean easily at home.



Comfort



Savings



Eco friendly

REGENERATIVE FILTERS

RECIRCULATION KITS (ONLY FOR RECIRCULATION HOODS)

		neemeestation hits (ener i on neemeestation neess)				
HOOD	REPLACE EVERY 3-5 YEARS	HOOD WITH TUBE COVER	HOOD W/O TUBE COVER			
COOKER HOOD FIH 16760 TOS BK	R1RFB Ref. 113290014		RFH 36100 F0A Ref. 113290013			
DHT 97670 ROS WH	R1RES Ref. 113290026		RFC 60210 01B Ref. 113290025			
DVI 88-G1 EOS BM		RG1 15200 L3C Ref. 113290031	RG1 15200 02C Ref. 113290033			
DLV 98660 BK						
DLV 98660 TOS WH		RFH 15200 L3C Ref. 113290010				
DLV 98660 TOS ST			RFH 15200 02C Ref. 113290012			
DVT 98660 TBS BK	R1RTK Ref. 113290009	RFH 15200 L2C Ref. 113290011				
DLV 68660 TOS BK						
COOKER HOOD ULTRASLIM NC 980/NC 680		RFH 15200 L3C				
COOKER HOOD DLH 985 T		Ref. 113290010				
COOKER HOOD DSH 985						
COOKER HOOD DSJ 980						
COOKER HOOD DBB 90 INOX (HP)		RFH 15200 L2C				
COOKER HOOD DBB 90 / DBB 60		Ref. 113290011				







R1RES



R1RTK



RG1 15200 L3C




RFH 15200 L3C



RFH 15200 L2C



RFH 36100 FOA



RFC 60210-01B



RG1 15200 02C



RFH 15200 02C



TECHNICAL FEATURES

Model	FIH 16760 TOS BK	DHT 97670 ROS WH	DLV 98660	DVT 98660	DVI 88 Infinity G1	DLV 68660
PRODUCT FEATURES						
Annual energy consumption AEC kWh/annum (kWh)	37,4	34,4	43,1	38,7	40,1	42,4
Energy Efficiency Class	A+	A++	A+	A+	A+	A+
Fluid Dynamic Efficiency (FDEhood)	33,3	37,7	35	35,1	35,5	36,5
Fluid Dynamic Efficiency class	А	А	А	А	А	А
Light Efficiency (Lehood) lux/Watt	-	80	42	69,8	35,0	48
Lighting Efficiency class	-	А	А	А	А	А
Grease Filtering Efficiency (GFEhood) %	75,1	77	75,9	75,9	75,62	75,9
Grease Filtering Efficiency class	С	C	С	C	С	С
Air flow (Qmin) m3/h	415	317	290	307	232	232
Air flow (Qmax) m3/h	540	634	558	584	411	410
Air flow (Qboost) m3/h	600	808	696	698	726	725
Noise (LwA) Min Speed (dB)	62	50	51	61	47,4	49
Noise (LwA) Max Speed (dB)	67	67	67	72	60	65
Noise (LwA) Boost Speed (dB)	70	74	70	74	71,1	71
Off mode Power (Po) W	0,49	_	0,32	_	0	0,32
Standby Power (Ps) W	_	0,49	_	0,74	0,32	_
Energy Efficiency Index (EEI)	43,6	36,9	42,9	41	41,1	42,9
Time increase actor (f)	0,8	0,6	0,7	0,7	0,7	0,7
Air flow at best efficiency point (Qbep) m3 / h	304	-	_	_	394	-
Air pressure at best efficiency point(Pbep) Pa	505	489	484	488	472	493
Electric power input at best efficiency point (Wbep) W	128	134,9	147	140	145,7	145
Nominal power of the lighting system (WL) W	-	6,6	7,5	4,2	4	7,5
PRODUCT DIMENSIONS						
Width (mm)	110	900	900	900	800	600
Depth (mm)	510	600	450	412	435	450
Height (mm)	186	214	800-1200	380	800-1100	800-1200
ELECTRICAL FEATURES				•		
Motor power (W)	145	220	265	280	270	265
Total hood power (W)	145	226,6	272,5	286	278	272,5
TECHNICAL DATA						
Anti Return Valve	=	=	√	√	√	√
Ø Outlet (mm)	-	215 x 85	150	150	150	150
Number of Filters	1	2	2	•	1	1
Charcoal filter	-	-	C1RTK	C1RTK	C1RTK	C1RTK
Recirculation kit	-	-	CFH 15200 L3C	CFH 15200 L2C	CG1 15200 L3C	CFH 15200 L3C

Model	DPL 1185 ISLAND	DH2 985 ISLAND	DG3 985 ISLAND	NC 980	NC 680
PRODUCT FEATURES					
Annual energy consumption AEC kWh/annum (kWh)	49,3	47,8	47,8	135,8	135,8
Energy Efficiency Class	А	А	A	D	D
Fluid Dynamic Efficiency (FDEhood)	32,1	32,3	32,3	12,7	12,7
Fluid Dynamic Efficiency class	А	А	А	E	E
Light Efficiency (Lehood) lux/Watt	58,3	58,3	58,3	65,2	73,8
Lighting Efficiency class	А	А	А	А	А
Grease Filtering Efficiency (GFEhood) %	75,9	83,4	83,4	83,7	83,7
Grease Filtering Efficiency class	С	С	С	С	С
Air flow (Qmin) m3/h	331	311	311	298	298
Air flow (Qmax) m3/h	629	605	605	402	402
Air flow (Qboost) m3/h	782	796	796	637	637
Noise (LwA) Min Speed (dB)	54	52	52	52	52
Noise (LwA) Max Speed (dB)	66	71	71	60	60
Noise (LwA) Boost Speed (dB)	69	71	71	70	70
Off mode Power (Po) W	_	_	_	_	_
Standby Power (Ps) W	0,74	0,6	0,6	0,56	0,56
Energy Efficiency Index (EEI)	50,1	50,1	50,1	90,2	90,2
Time increase actor (f)	0,8	0,8	0,8	1,5	1,5
Air flow at best efficiency point (Qbep) m3 / h	346	341	341	427,0	427,0
Air pressure at best efficiency point(Pbep) Pa	464	456	456	257	257
Electric power input at best efficiency point (Wbep) W	139	133,7	133,7	240,0	240,0
Nominal power of the lighting system (WL) W	12	12	12	6	6
PRODUCT DIMENSIONS					
Width (mm)	1100	900	900	900	600
Depth (mm)	605	600	600	500	500
Height (mm)	817-1117	817 / 1117 + 62	871 - 1171	674-1004	674-1004
ELECTRICAL FEATURES					
Motor power (W)	280	280	280	230	230
Total hood power (W)	242	292	292	236	236
TECHNICAL DATA					
Anti Return Valve		√	√	√	√
Ø Outlet (mm)	150	150	150	150	150
Number of Filters	3	3	2	1	1
Charcoal filter	D4C	D4C	D4C	D4C	D4C
Recirculation kit	SET 1/T1	SET 1/T1	SET 1/T1	SET 1/N1	SET 1/N1


TECHNICAL FEATURES


Annual energy consumption AEC kWh/annum (kWh) 41.0 54.7 96.7 185.9 62.3 Energy Efficiency Class A A A C E E D Fluid Dynamic Efficiency Clebood) 34.3 31 16.4 14.7 6.9 Fluid Dynamic Efficiency (Leboas) A A A D D D F E Light Efficiency (Leboas) A A A D D D F E Light Efficiency (Leboad) lux/Watt 55.7 55.2 31.7 5.9 5.9 1.9 Lighting Efficiency (Leboad) lux/Watt 55.7 55.2 31.7 5.9 5.9 1.9 Lighting Efficiency (Leboad) lux/Watt 55.7 55.2 31.7 5.9 5.9 1.9 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	Model	PERFECTA4 DLH 985 T	DSH 985	DSJ 980	DBB 90 HP	DBB 90
Energy Efficiency (Iass	PRODUCT FEATURES					
Fluid Dynamic Efficiency (FDEhood) 34.3 31 16.4 14.7 6.9 Fluid Dynamic Efficiency class A A A D D D F Light Efficiency (Lehood) ux/Watt 55.7 55.2 31.7 5.9 5.9 Light Efficiency (Lehood) ux/Watt 55.7 55.2 31.7 5.9 5.9 Light Efficiency (Lehood) ux/Watt 55.7 55.2 31.7 5.9 5.9 Light Efficiency (Lehood) ux/Watt 55.7 55.2 31.7 5.9 5.9 Light Efficiency (Lehood) ux/Watt 55.7 55.2 31.7 5.9 5.9 Light Efficiency (Lehood) ux/Watt 55.7 55.2 31.7 5.9 5.9 Light Efficiency (GEEhood) % 98.2 82 76.1 76.1 76.1 73.4 Fra F F Grease Filtering Efficiency (GEEhood) % 98.2 82 76.1 76.1 76.1 73.4 Fra Grease Filtering Efficiency class A C C C C D A Air flow (Qmin) m3/h 35.2 30.5 26.8 29.5 23.4 Air flow (Qmin) m3/h 35.2 30.5 26.8 29.5 23.4 Air flow (Qmin) m3/h 76.0 73.5	Annual energy consumption AEC kWh/annum (kWh)	41,0	54,7	96,7	185,9	62,3
Fluid Dynamic Efficiency class A A D D D F Light Efficiency (Lehood) Lwx/Watt 55.7 55.2 31.7 5.9 5.9 5.9 Lighting Efficiency (Lehood) Lwx/Watt 55.7 55.2 31.7 5.9 5.9 5.9 1.9 Lighting Efficiency (Lehood) N 98.2 8.2 76.1 76.1 73.4 6 76.2 73.4 6 76.2 74.3 76.1 73.4 6 76.2 74.3 76.2 73.4 6 76.2 74.3 76.1 73.4 6 76.2 74.3 76.2 73.4 6 76.2 74.3 76.1 73.4 6 76.2 74.3 76.1 73.4 6 76.2 74.3 76.1 73.4 6 76.2 74.3 76.1 73.4 6 76.2 74.3 76.1 73.4 6 76.2 74.3 76.1 73.4 6 76.2 74.3 76.1 73.4 6 76.2 74.3 76.1 73.4 6 76.2 74.3 76.1 74.3 74.4 74.2 74.2 74.2 74.2 74.2 74.2 74.2	Energy Efficiency Class	А	А	С	E	D
Light Efficiency (Lehood) Lux/Watt 55.7 55.2 31.7 5.9 5.9 Lighting Efficiency class A A A A F F Grease Filtering Efficiency (GFEhood) % 98.2 82 76.1 76.1 73.4 Grease Filtering Efficiency class A C C C D D Air flow (Qmax) m3/h 651 586 614 650 380 Air flow (Qboost) m3/h 760 735 - - - Noise (LwA) Min Speed (dB) 72 72 - - - Noise (LwA) Boost Speed (dB) 72 72 - - - Noise (LwA) Boost Speed (dB) 72 72 - - - Off mode Power (Po) W 0.3 0.3 - - - Standby Power (Ps) W - - - - - Energy Efficiency Index (EEI) 472 53.2 81.5 99.2 93.3 Time increas	Fluid Dynamic Efficiency (FDEhood)	34,3	31	16,4	14,7	6,9
Lighting Efficiency class	Fluid Dynamic Efficiency class	А	А	D	D	F
Grease Filtering Efficiency (GFEhood) % 98.2 82 76.1 76.1 73.4 Grease Filtering Efficiency class A C C C D Air flow (Omin) m3/h 352 305 268 295 234 Air flow (Omax) m3/h 651 586 614 650 380 Air flow (Oposot) m3/h 760 735 — — — Noise (LwA) Min Speed (dB) 54 54 48 48 44 Noise (LwA) Max Speed (dB) 72 72 — — — Off mode Power (Po) W 0.3 0.3 — — — Standby Power (Ps) W — — — — — Energy Efficiency Index (EEI) 47.2 53.2 81.5 99.2 93.3 Time increase actor (f) 0.8 0.9 1.4 1.5 1.8 Air flow at best efficiency point (Obep) m3 / h 364 388 363.1 473.9 20.6 Air glow in just (power i	Light Efficiency (Lehood) lux/Watt	55,7	55,2	31,7	5,9	5,9
Grease Filtering Efficiency class A C C C C D Air flow (Qmin) m3/h 352 305 268 295 234 Air flow (Qmax) m3/h 651 596 614 650 380 Air flow (Qboost) m3/h 760 735 - - - Noise (LwA) Min Speed (dB) 54 54 48 48 44 Noise (LwA) Max Speed (dB) 72 72 - - - - Noise (LwA) Boost Speed (dB) 72 72 - <t< td=""><td>Lighting Efficiency class</td><td>А</td><td>А</td><td>А</td><td>F</td><td>F</td></t<>	Lighting Efficiency class	А	А	А	F	F
Air flow (Omin) m3/h	Grease Filtering Efficiency (GFEhood) %	98,2	82	76,1	76,1	73,4
Air flow (Qmax) m3/h Air flow (Qboost) m3/h Air flow at best efficiency point (Qbep) m3/h Air flow at best efficie	Grease Filtering Efficiency class	А	С	С	С	D
Air flow (Oboost) m3/h 760 735	Air flow (Qmin) m3/h	352	305	268	295	234
Noise (LWA) Min Speed (dB) 54 54 48 48 48 44 Noise (LWA) Max Speed (dB) 72 72	Air flow (Qmax) m3/h	651	586	614	650	380
Noise (LWA) Max Speed (dB) 72 72 7	Air flow (Qboost) m3/h	760	735	_	_	_
Noise (LWA) Boost Speed (dB) 72 72 7	Noise (LwA) Min Speed (dB)	54	54	48	48	44
Off mode Power (Po) W 0.3 0.3 - - - Standby Power (Ps) W - - - - - - Energy Efficiency Index (EEI) 47,2 53.2 81.5 99.2 93.3 Time increase actor (f) 0.8 0.9 1.4 1.5 1.8 Air flow at best efficiency point (Qbep) m3 / h 364 388 363.1 473.9 210.6 Air pressure at best efficiency point (Pbep) Pa 417 440 301 260 99 Electric power input at best efficiency point (Wbep) W 123 153.1 185 232.9 83.7 Nominal power of the lighting system (WL) W 7 6 3 80 10 PRODUCT DIMENSIONS Width (mm) 900	Noise (LwA) Max Speed (dB)	72	72	_	_	_
Standby Power (Ps) W -	Noise (LwA) Boost Speed (dB)	72	72	_	_	_
Energy Efficiency Index (EEI) 47.2 53.2 81.5 99.2 93.3 Fine increase actor (f) 0.8 0.9 1.4 1.5 1.8 Air flow at best efficiency point (Qbep) m3 / h 364 388 363.1 473.9 210.6 Air pressure at best efficiency point (Pbep) Pa 417 440 301 260 99 Electric power input at best efficiency point (Wbep) W 123 153.1 185 232.9 83.7 Nominal power of the lighting system (WL) W 7 6 3 880 10 PRODUCT DIMENSIONS Width (mm) 900 900 900 900 900 900 900 900 900 Popper (March (mm)) 480 480 480 480 480 480 480 480 480 480	Off mode Power (Po) W	0,3	0,3	_	_	_
Time increase actor (f) 0.8 0.9 1.4 1.5 1.8 Air flow at best efficiency point (Qbep) m3 / h Air pressure at best efficiency point (Pbep) Pa 417 440 301 260 99 Electric power input at best efficiency point (Wbep) W 123 153.1 185 232.9 83.7 Nominal power of the lighting system (WL) W 7 6 3 80 10 PRODUCT DIMENSIONS Width (mm) 900 900 900 900 900 900 900	Standby Power (Ps) W	_	_	_	_	_
Air flow at best efficiency point (Qbep) m3 / h Air flow at best efficiency point (Qbep) m3 / h Air pressure at best efficiency point (Pbep) Pa 417 440 301 260 99 Electric power input at best efficiency point (Wbep) W 123 153.1 185 232.9 83.7 Nominal power of the lighting system (WL) W 7 6 3 80 10 PRODUCT DIMENSIONS Width (mm) 900 900 900 900 900 900 900	Energy Efficiency Index (EEI)	47,2	53,2	81,5	99,2	93,3
Air pressure at best efficiency point (Pbep) Pa 417 440 301 260 99 Electric power input at best efficiency point (Wbep) W 123 153,1 185 232,9 83,7 Nominal power of the lighting system (WL) W 7 6 3 8 80 10 PRODUCT DIMENSIONS Width (mm) 900 900 900 900 900 900 900 900 900 90	Time increase actor (f)	0,8	0,9	1,4	1,5	1,8
Electric power input at best efficiency point (Wbep) W 123 153,1 185 232,9 83.7 Nominal power of the lighting system (WL) W 7 6 3 80 10 PRODUCT DIMENSIONS Width (mm) 900 900 900 900 900 900 900 900 900 90	Air flow at best efficiency point (Qbep) m3 / h	364	388	363,1	473,9	210,6
Nominal power of the lighting system (WL) W 7 6 3 80 10	Air pressure at best efficiency point(Pbep) Pa	417	440	301	260	99
PRODUCT DIMENSIONS Width (mm) 900 900 900 900 900 900 900 Depth (mm) 480 480 480 480 480 480 480 480 480 480	Electric power input at best efficiency point (Wbep) W	123	153,1	185	232,9	83,7
Width (mm) 900 480	Nominal power of the lighting system (WL) W	7	6	3	80	10
Depth (mm) 480 <th< td=""><td>PRODUCT DIMENSIONS</td><td></td><td></td><td></td><td></td><td></td></th<>	PRODUCT DIMENSIONS					
Height (mm) 670-1000 670-1000 670-1000 749-1049 749-1049 ELECTRICAL FEATURES Motor power (W) 280 280 220 230 105 Total hood power (W) 287 286 223 310 115 TECHNICAL DATA Anti Return Valve √ √ √ √ √ √ Ø Outlet (mm) 150 150 150 150 150 Number of Filters 3 3 3 3 3 Charcoal filter D4C D4C D1C D4C D4C	Width (mm)	900	900	900	900	900
ELECTRICAL FEATURES Motor power (W) 280 280 220 230 105 Total hood power (W) 287 286 223 310 115 TECHNICAL DATA Anti Return Valve √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √	Depth (mm)	480	480	480	480	480
Motor power (W) 280 280 220 230 105 Total hood power (W) 287 286 223 310 115 TECHNICAL DATA Anti Return Valve √	Height (mm)	670-1000	670-1000	670-1000	749-1049	749-1049
Total hood power (W) 287 286 223 310 115 TECHNICAL DATA Anti Return Valve √	ELECTRICAL FEATURES					
TECHNICAL DATA Anti Return Valve √ 0 150 150 150 150 150 150 3 2 10 0 10 0 0 10 0 10 0 0 0 0 10 0 0 0 0 0 0 0 0	Motor power (W)	280	280	220	230	105
Anti Return Valve √	Total hood power (W)	287	286	223	310	115
Ø Outlet (mm) 150 <	TECHNICAL DATA					
Number of Filters 3 3 3 3 3 3 Charcoal filter D4C D4C D1C D4C D4C	Anti Return Valve	√	√	√	√	√
Charcoal filter D4C D4C D1C D4C D4C D4C	Ø Outlet (mm)	150	150	150	150	150
	Number of Filters	3	3	3	3	3
Recirculation kit SET 1/N1 SET 1/N1 D1CTP SET 1/M1 SET 1/M	Charcoal filter	D4C	D4C	D1C	D4C	D4C
	Recirculation kit	SET 1/N1	SET 1/N1	D1CTP	SET 1/M1	SET 1/M1

Model	DBB 60	CNL 9610	CNL 6610	TL 9310	TL 6310
PRODUCT FEATURES					
Annual energy consumption AEC kWh/annum (kWh)	62,3	107,0	105,9	71,2	71,2
Energy Efficiency Class	E	С	С	D	D
Fluid Dynamic Efficiency (FDEhood)	6,9	17,2	17,2	10,9	10,9
Fluid Dynamic Efficiency class	F	D	D	E	Е
ight Efficiency (Lehood) lux/Watt	5,9	33,3	42,7	4,6	4,9
ighting Efficiency class	F	А	А	F	F
Grease Filtering Efficiency (GFEhood) %	73,4	72,8	72,8	69,3	69,3
Grease Filtering Efficiency class	D	D	D	D	D
Air flow (Qmin) m3/h	234	330	330	239	239
Air flow (Qmax) m3/h	380	445	445	339	339
Air flow (Qboost) m3/h	_	694	694	_	_
Noise (LwA) Min Speed (dB)	44	60	60	56	56
Noise (LwA) Max Speed (dB)	-	70	70	-	_
Noise (LwA) Boost Speed (dB)	-	70	70	-	_
Off mode Power (Po) W	_	_	_	-	_
Standby Power (Ps) W	-	_	_	_	_
Energy Efficiency Index (EEI)	93,3	82,7	82,4	88,1	88,1
Time increase actor (f)	1,8	1,4	1,4	1,6	1,6
Air flow at best efficiency point (Qbep) m3 / h	210,6	433	433	225	225
Air pressure at best efficiency point(Pbep) Pa	99	290	290	187	187
Electric power input at best efficiency point (Wbep) W	83,7	203	203	107	107
Nominal power of the lighting system (WL) W	10	5	3	12	12
PRODUCT DIMENSIONS					
Width (mm)	600	900	600	900	600
Depth (mm)	480	300/490	300/490	288/413	288/413
Height (mm)	749-1049	274	274	184	184
ELECTRICAL FEATURES					
Motor power (W)	105	230	230	130	130
Total hood power (W)	115	235	233	142	142
TECHNICAL DATA					
Anti Return Valve	√	√	√	√	√
Ø Outlet (mm)	150	150	150	120	120
Number of Filters	2	4	2	4	2
Charcoal filter	D4C	D4C	D4C	CNL 1C	CNL 1C
Recirculation kit	SET 1/M1	-	-	_	_

TECHNICAL FEATURES


Model	C 6310	CL 610	GFL 77760 EOS IX	GFL 57651 EOS BK	GFH 73	GFG 2	DLV 68660
PRODUCT FEATURES							
Annual energy consumption AEC kWh/annum (kWh)	67,1	83,0	42,3	42,3	67,9	68,8	42,4
Energy Efficiency Class	D	D	A+	A+	D	D	A+
Fluid Dynamic Efficiency (FDEhood)	8,1	6,2	37,2	37,2	10,5	10,7	36,5
Fluid Dynamic Efficiency class	Е	F	А	А	Е	E	А
Light Efficiency (Lehood) lux/Watt	4,8	1,0	44,8	45	33,8	16,4	48
Lighting Efficiency class	F	G	А	А	А	С	А
Grease Filtering Efficiency (GFEhood) %	72,8	70,0	65	65	77,6	85,7	75,9
Grease Filtering Efficiency class	D	D	E	E	С	В	С
Air flow (Qmin) m3/h	115	147	245	245	296	240	232
Air flow (Qmax) m3/h	235	200	425	425	337	341	410
Air flow (Qboost) m3/h	_	-	760	760	_	_	725
Noise (LwA) Min Speed (dB)	45	52	54,4	54,4	62	53	49
Noise (LwA) Max Speed (dB)	_	61	68	68	_	_	65
Noise (LwA) Boost Speed (dB)	_	-	70,1	70,1	_	_	71
Off mode Power (Po) W	-	-	-	-	_	_	0,32
Standby Power (Ps) W	_	-	0,44	0,44	_	_	-
Energy Efficiency Index (EEI)	91,0	99,9	43,1	43,1	86,3	86,6	42,9
Time increase actor (f)	1,7	1.8	0,7	0,7	1,6	1,6	0,7
Air flow at best efficiency point (Qbep) m3 / h	136	119	-	-	226,8	232,5	-
Air pressure at best efficiency point(Pbep) Pa	191	179	499	499	185	184	493
Electric power input at best efficiency point (Wbep) W	137	95,0	142,8	142,8	111,3	111,5	145
Nominal power of the lighting system (WL) W	12	3	8	8	4	5	7,5
PRODUCT DIMENSIONS	•	•	•	•		•	
Width (mm)	600	600	712	532	730	550	600
Depth (mm)	500	500	284	284	310	310	450
Height (mm)	150	149,5	282	282	175	178	800-1200
ELECTRICAL FEATURES		-				-	•
Motor power (W)	105	110	270	270	130	130	265
Total hood power (W)	117	138	278	278	134	135	272,5
TECHNICAL DATA	***************************************	***************************************	***************************************	***************************************		***************************************	
Anti Return Valve	√	√	√	√	√		√
Ø Outlet (mm)	120	120	150	150	120	120	150
Number of Filters	2	2	1	1	2	1	1
Charcoal filter	C2R	 C4C	D4C	D4C	CNL 1C	CNL 1C	C1RTK
Recirculation kit	_	SET 1/N1	_	_	_	_	CFH 15200 L3C








FIH 16760

DHT 97670 ROS WH












DLV 98660 DVT 98660


DVI 88 INFINITY G1


INSTALLATION DIAGRAM

















DSH 985

DSJ 980

DBB 90 HP










DBB 90/60

CNL 9610

CNL 6610









Cold Line

Meals and memories are kept inside

Freshness and convenience in complete harmony

IonClean technology

IonClean technology creates negative ions that neutralise bacteria and bad smell particles. Air inside the fridge will be superb this way and always fresh and free of odours.

TempGuard

Our TempGuard system controls and keeps the temperature thanks to sensors located inside. Any change is automatically fixed. Your fridge always at the real temperature your food needs.

MultiZone compartment: From freezer to fridge in just one touch

Room enough to keep food cold or even freeze it, thanks to the compartment with adjustable temperature: from cold to frozen. You can set the temperature you want to from -18°C to 7°C and have a complete control of your food and appliance. At your service.

LongLife No Frost

Keep your food perfect: goal achieved. LongLife No Frost technology keeps every compartment at the perfect moisture level thanks to the three independent cooling circuits. Your food remains fresh for longer.

FlexiRack

With the flexirack system, just pressing a side button, you can adjust the height of the door shelf anytime you need it.

FlexZone- flexible drawer

Precision is to keep food at perfect temperature.

Your food remains fresh for longer at the perfect temperature. The latest technology of the Flexible Zone that helps you to adjust the temperature level depending on the kind of food or drinks you are storing. Welcome to wellness.

VitaCare Box

From farm to table VitaCareBox drawer has a personalised moisture control to keep your fruit and vegetables always fresh, preserving all their vitamins and nutrients for longer.

Bar on Door

Take drinks without opening the door with just one touch. Easy access to a special compartment for drinks avoiding opening the whole refrigerator. The BarOnDoor goes beyond an intelligent design, its simplicity at its best.

10 years Warranty Inverter Motor


Silence, durability and efficiency.

Feel the peace at home. Less consumption and more silence with the long-lasting inverter compressor. We take care of stillness and quietness at your home, whine saving you money. Our refrigerators and freezers ranges are designed based on efficiency. Save more with the most advanced technology.



Cold line

Almost everything that matters happens in the kitchen.



MAESTRO

Domestic appliances for those who like going one one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum efectiveness in any situation.

TOTAL



NFL 345 C



TKI4 215



TKI3 145 D ME



TFI3 130 D ME



TFI3 130 D ME



CI3 330 NF



Ref. 113430030



Ref. 113430047

MAESTRO RMF 75920 SS ME



- 4 doors refrigerator
- Full No Frost
- Electronic display with freezer and refrigerator temperature control and indicator
- LongLife No Frost with 3 independent circuits
- MultiZone compartment
- Eco function
- On holidays function
- Fast Freeze / Quick Cool function
- 2 FreshBox drawers
- LED ilumination
- Safety lock for children
- Energy class: A+
- Climate class: N/T
- Total gross capacity : 620 litres
- Net capacity (fridge): 362 litres
- Net capacity (chiller): 38 litres
- Net capacity (freezer): 164 litres

MAESTRO RFD 77825 GBK



- French Door with FlexZone drawers
- Motor inverter with high efficiency compressor
- IonClean technology
- Automatic Defrosting in refrigerator and freezer compartments
- Touch control with display
- Inner LED light
- Refrigerator compartment temperature display
- Freezer compartment temperature display
- Special drawers for multipropose compartment
- 3 vegetable drawers
- 2 freezer drawers
- Fast freezing and cooling features
- Integrated handle
- Key lock indicator
- Total gross capacity: 600 litres
- Net capacity (fridge): 347 litres
- Net capacity (drawers): 169 litres

COLOR



PRODUCT DIMENSIONS

Height 1850mm Width 910mm Depth 750mm

COLOR



PRODUCT DIMENSIONS

Height 1898mm Width 833mm Depth 653mm



Ref. 113430020

MAESTRO RLF 74925



- Side by Side refrigerator
- Full No Frost
- Electronic display with freezer and refrigerator temperature control and indicator
- Bar on door system
- Eco function
- On holidays function
- Fast Freeze / Quick Cool function
- 2 FreshBox drawers
- 7 safety glass shelves with adjustable height
- LED ilumination
- Safety lock for children
- 8 door balconies
- External metal handle
- Back wheels to move the appliance easily
- Adjustable feet (front/rear)
- Energy class: A++
- Climate class: N/T
- Total gross capacity : 574 litres
- Net capacity (fridge): 334 litres
- Net capacity (freezer): 156 litres



Ref. 113410003

TOTAL NFL 345 C



- Combi refrigerator
- Full No Frost
- Electronic control panel
- Display on door
- 4^{*} freezer
- Safety glass shelves
- Fast Freeze / Quick Cool function
- LED ilumination
- 3 inner shelves and 5 door balconies
- 3 Freezer drawers
- 1 ice tray
- 2 FreshBox drawers
- Reversible doors
- Energy class: A++
- Climate class: N/T
- Total gross capacity: 325 litres
 Net capacity (fridge): 219 litres
 Net capacity (freezer): 76 litres

COLOR



PRODUCT DIMENSIONS

Height 1788mm Width 895mm Depth 745mm

COLOR



Stainless Steel

PRODUCT DIMENSIONS

Height 1880mm Width 595mm Depth 635mm



Ref. 113500006

NEW

MAESTRO RSF 71725 FI ME



- Built-in Freezer
- Full No Frost
- Touch control Inner display
- 4^{*} freezer
- Electronic adjustable thermostat
- Safety glass shelves
- Front and back adjustable feet
- Door on door installation
- Reversible doors
- Energy class: A+
- Climate class: SN/T
- Total gross capacity: 221 litres
- Net capacity: 197 litres



Ref. 113460004

NEW

MAESTRO RSL 71735 FI ME



- Built-in Refrigerator
- Automatic defrost
- Inner control display
- Electronic adjustable thermostat
- (1VitaCare Box drawers
- 5 safety glass shelves
- Fast cooling function
- Flexi rack
- Front and back adjustable feet
- Door on door installation
- Reversible doors
- Energy Class: A+
- Climate class: SN/T
- Total gross capacity: 303 litres
- Net capacity: 300 litres

COLOR

White

PRODUCT DIMENSIONS

Height 1770mm Width 540mm Depth 545mm

COLOR

White

PRODUCT DIMENSIONS

Height 1770mm Width 540mm Depth 545mm



Ref. 40634573

MAESTRO CI3 350 NF



- Built-in Combi
- No Frost
- Electronic control panel
- Fast Freeze / Quick Cool function
- Automatic defrost
- Antibacterial system
- Safety glass shelves
- Digital Temperature Indicator
- 1 ZeroBox drawer
- Chrome bottle rack
- Optical and acoustic temperature alarm
- Sliding door installation
- Reversible doors
- Energy Class: A++
- Climate Class: SN/ST
- Total gross capacity : 275 litres
- Net capacity (fridge): 167 litres
- Net capacity (chiller): 19 litres
- Net capacity (freezer): 69 litres



Ref. 40634574

TOTAL CI3 330 NF



- Built-in combi
- No Frost
- Mechanical control panel
- 4[∗] freezer
- Automatic defrost (refrigerator)
- Safety glass shelves
- Antibacterial gasket
- Sliding door installation
- LED ilumination
- Reversible doors
- Energy Class : A+
- Climate Class : SN-T
- Total gross capacity : 275 litres
- Net capacity (fridge): 193 litres
- Net capacity (freezer): 69 litres

COLOR



PRODUCT DIMENSIONS

Height 1776mm Width 540mm Depth 545mm

COLOR



PRODUCT DIMENSIONS

Height 1776mm Width 540mm Depth 545mm



Ref. 40693157

TOTAL TKI4 215



- Built-in refrigerator
- Mechanical control panel
- 4 * freezer
- Safety glass shelves
- Sliding door installation
- 2 vegetable drawers
- Reversible door
- Energy Class : A++
- Climate Class : T
- Noise level : 39 dBA
- Total gross capacity: 210 litresNet capacity (fridge): 156 litres
- Net capacity (freezer): 19 litres



Ref. 113500005

TOTAL TGI2 120 D ME



- Built-under freezer
- Electronic control panel
- 4^{*} freezer
- 3 freezer drawers
- Door on door installation
- Reversible door
- Energy Class: A+
- Climate Class: SN-T
- Noise level: 39 dBA
- Total gross capacity: 96 litres
- Net capacity: 87 litres
- Voltage: 230 / 50 Hz

COLOR



PRODUCT DIMENSIONS

Height 1215mm Width 540mm Depth 545mm

COLOR



PRODUCT DIMENSIONS

Height 820mm Width 598mm Depth 545mm



Ref. 113460002

TOTAL TFI3 130 D ME



- Built-under refrigerator
- Inner control display
- 4^{*} freezer
- Manual defrost
- Manual adjustable thermostat
- Door on door installation
- 2 safety glass shelves
- Front adjustable feet
- Reversible door
- Energy class: A++
- Climate class: SN/T
- Noise level:
- Total gross capacity: 125 litres
- Net capacity (fridge): 92 litres
- Net capacity (freezer): 15 litres



Ref. 113460003

TOTAL TKI3 145 D ME



- Built-in fridge
- Mechanical control panel
- Manual defrost
- Safety glass shelves
- Door on door installation
- Reversible door
- Energy Class : A++
- Climate Class: SN-T
- Noise level: 40 dBA
- Total gross capacity : 130 litres
- Net capacity (fridge): 128 litres
- Voltage: 230 / 50 Hz



White

PRODUCT DIMENSIONS

Height 818mm Width 595mm Depth 545mm

COLOR

White

PRODUCT DIMENSIONS

Height 820mm Width 598mm Depth 545mm



Ref. 113600008

NEW

MAESTRO RVU 20046 GBK

- Built-in/Free standing Wine Cooler
- Capacity: 46 bottles
- 2 temperature zones:
- Adjustable temperature upper compartment: 5-10°
- Adjustable temperature lower compartment: 10-18°
- Inner control display
- Electronic adjustable thermostat
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total gross capacity: 150 litres
- Net capacity: 134 litres

COLOR



PRODUCT DIMENSIONS


Height 820mm Width 595mm Depth 573mm




MODEL	RMF 75920 SS ME	RFD 77825 GBK UAE	RLF 74925	NFL 345 C	RSF 71725 FI ME	RSL 71735 FI ME
PRODUCT FEATURES						
Energy efficiency class (1)	Α+	-	A++	A++	A +	A+
Annual consumption (KWh/year) (2)	481	306	322	224	297	144
Total Gross Capacity (litres)	620	600	574	325	221	303
Refrigerator compartment capacity (litres)	362	347	334	219	-	300
Chilling compartment capacity (litres)	38	-	NA	NA	_	-
Freezer compartment capacity (litres)	164	169	156	76	197	-
Freezer clasification (stars)	4	_	4	4	_	-
No frost in refrigeration compartment	√	√	√	√	_	_
No frost in chiller	√	_	√	_	_	_
No frost in freezer compartment	√	√	√	√	V	-
Temperature rise time (autonomy) (3)	13	N/A	14	15	9	_
Freezing Capacity (Kg/24h)	18	N/A	7	4	15	-
Climate class	N/T	SN/T	N/T	N/T	SN/T	SN/T
Noise level (dB)	45	35	43	40	41	40
Type of installation	Free Standing	Free Standing	Free Standing	Free Standing	Built-in	Built-in
ELECTRICAL FEATURES						
Power Rate (W)	328	250	188	150		
Defrost element power (W)	243	250	240	190	207	_
Energy consumption (Kw/day)	1,301	0,92	0,88	0.61	0.81	0.39

MODEL	CI3 350 NF	CI3 330 NF	TKI4 215	TGI2 120 D ME	TFI3 130 D ME	TKI3 145 D ME	RVU 20046 GBK
PRODUCT FEATURES							
Energy efficiency class (1)	A++	A+	A++	A+	A++	A++	-
Annual consumption (KWh/year) (2)	240	286	166	183	138	92	145
Total Gross Capacity (litres)	275	275	210	96	125	130	150
Refrigerator compartment capacity (litres)	167	193	156	NA	92	128	-
Chilling compartment capacity (litres)	19	NA	_	NA	_	NA	_
Freezer compartment capacity (litres)	69	69	19	87	15	NA	_
Freezer clasification (stars)	4	4	4	4	_	NA	-
No frost in refrigeration compartment	_	_	_	_	_	_	_
No frost in chiller	_	_	_	_	_	_	-
No frost in freezer compartment	√	√	_	_	_	_	-
Temperature rise time (autonomy) (3)	13	13	16	19	10	NA	-
Freezing Capacity (Kg/24h)	4	4	2	10	2	NA	_
Climate class	SN-T	SN-T	Т	SN/T	SN/T	SN/T	N/ST
Noise level (dB)	40	40	39	39	37	40	39
Type of installation	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in / Free Standing
ELECTRICAL FEATURES							
Power Rate (W)	125	115	45	50	65	50	100
Defrost element power (W)	120	120	-	NA	-	NA	-
Energy consumption (Kw/day)	0.66	0.79	0.455	0,50	0.378	0,25	0.397


INSTALLATION DIAGRAM




RMF 75920 SS ME




RFD 77820




RLF 74925




NFL 345 C




RSF 71725 FI ME / RSL 71735 FI M





CI3 350 NF






NF TKI4 215






TGI2 120 D ME

TFI3 130 D ME





TKI3 145 D ME RVU 20046 GBK



Dishwashers

Caring for your loved ones through pure hygiene

WORLDWIDE **NOVELTY**

New Dishwashers Series



SmartSensor

This innovative system identifies through sensors the dirtiness level of your kitchen wear and adjusts the washing parameters based on this. Optimal results in each cycle.



MultiCleaner

Use any kind of detergent you like, pots or powder, as your Dishwasher will adapt to either with the MultiCleaner system.



PremiumDry

A perfect finishing is achieved thanks to an excellent performance with minimum consumption. At the end of each cycle, the PremiumDry system will automatically open the Dishwasher door to complete the dishes drying process.



3rd Cutlery Tray

Your cutlery perfectly clean and with no food traces, thanks to our new wider and more flexible tray. Move and set its mobile parts to adjust to your needs in every cycle.




Beam on Floor

Our Dishwasher are so silent, that we have included a beam of light*, so that you can identify when it is working. When the light beam is off, means your Dishwasher is done with your dishes.



Dishwashers

Experience the taste of life.



MAESTRO

Domestic appliances for those who like going one one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum efectiveness in any situation.

TOTAL

60



DFI 46950 ME



DFI 46700 ME



Ref. 114270003

TOTAL **DFI 46950 ME**



- Fully integrated dishwasher
- Electronic control panel with white LED display
- Third cutlery tray
- Place Settings: 15
- Washing programs : 9
- Washing temperatures: 35°, 40°, 45°,50°, 65°, 70° C
- Motor Inverter
- AquaStop safety system
- SmartSensor, mesures the level of dirtiness
- MultiCleaner Sensor
- Beam on floor
- PushUp system with 3 positions
- FlexiSet4 lower basket
- Fast programs: 1Hour and Mini 30
- Special programas: AutoClean
- GlassCare and DualCare
- Special functions: Half load,
- Express and Power Wash
- Extra Drying function
- Column installation
- SlidingDoor installation system
- Delay timer 1-24h
- Low salt and rinse indicator
- Energy efficency class : A++
- Noise level: 46 dBA

COLOR



PRODUCT DIMENSIONS

Height 818mm Width 598mm Depth 550mm



Ref. 114270010

TOTAL **DFI 46700 ME**



- Fully integrated dishwasher
- Electronic control panel with white LED display
- Place Settings: 14
- Washing programs : 7
- Washing temperatures : 35°, 40°, 50°, 65°, 70° C
- Motor Inverter
- AguaStop safety system
- SmartSensor mesure the level of dirtiness
- MultiCleaner Sensor
- PushUp system with 3 positions
- FlexiSet4 lower basket
- Fast programs: 1Hour and Mini 30
- Special programas:AutoClean
- Special functions: Half load
- Express and Power Wash
- Extra Drying function
- Column installation
- Delay timer 1-24h
- Low salt and rinse indicator
- Energy efficency class : A++
- Noise level: 46 dBA

COLOR



Stainless Steel

PRODUCT DIMENSIONS

Height 818mm Width 598mm Depth 550mm



Ref. 114270012

NEW

TOTAL **DSI 46750 SS**



- ExpertCare series
- Built-in dishwasher
- Electronic control panel with display
- Capacity: 13 plate settings
- Washing programs: 7
- Washing temperatures: 5
- SmartSensor measure the level of dirtiness
- FlexiSet FlexiSet2 lower basket
- AutoClean
- AutoProgram
- Intensive program
- ECO program
- 1-Hour program
- Whisper program
- Special functions:
- PreWash
- Half load
- Express
- ExtraDry
- AquaStop safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer function: 1-24 hours
- Delay timer function: 1-24 hours
- Adjustable back feet from front
- Sliding detergent drawer
- Column installation

COLOR



PRODUCT DIMENSIONS

Height 815 Width 598mm Depth 570mm



Ref. 114260012

NEW

MAESTRO DFS 76850 SS



- PremiumCare series
- Free standing Dishwasher
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- Motor Inverter
- PremiumDry automatic opening system
- MultiFlex 3 cutlerly tray
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry, AlternativeWash
- IonClean technology
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 42 dBA
- Sliding Detergent drawer
- Column installation

COLOR



Stainless Steel


PRODUCT DIMENSIONS


Height 845mm Width 598mm Depth 600mm


DISHWASHERS

TECHNICAL FEATURES

Model	DFI 46950 ME	DFI 46700 ME	DSI 46750 SS	DFS 76850 SS
PRODUCT FEATURES				
Capacity (place settings)	15	14	13	14
Energy Efficiency Class (1)	A++	A++	A++	A+++
Energy consumption per year (kWh) (2)	270	266	262	218
Power consumption (kWh) (3)	0.94	0.93	0.92	0.76
Power consumption (Off and Left-On modes)	0.35/0.5	0.35/0.5	0.45/0.5	0.45/0.5
Water consumption year/litres (4)	2.660	2.660	3.080	2.744
Drying efficiency	А	А	А	А
Standard program	Eco 50	Eco 50	ECO	ECO
Cycle duration (minutes)	245	220	230	198
Noise (dB)	46	46	47	42
Installation	Built-in	Built-in	Partially Integrated	Free Standing
ELECTRICAL FEATURES				
Maximum Nominal Power (W)	2.100	2.100	2.100	2.100
SAFETY SYSTEM				
Aquastop	√	√	$\sqrt{}$	√
Aquasafe	√		√	√







DFI 46700 ME

DFS 76850 SS



Laundry

The scent and softness of clean clothes reminds us of the best stages of life



Laundry day will become your favourite day

SmartWash

Ensure the minimum consumption with our smart system, which adjusts the washing parameters to the load.

SoftCare drum

The easiest way to break water resistance. The innovating Softcare design of the drum, made of dozens of small cubes, improves the gentle care of your laundry during washing, drying and spinning, even caring for your most delicate wool clothes.

ExcellentDry sensor

Delicate care for your clothes. Sensors control temperature and humidity to guarantee a perfectly dry result.

MyCycle

Choose your favourite program, type of clothes, temperatures, speed, and more. Your washing machine will memorize your parameters for whenever you need them, and you will know that it was designed just for you.

Steam function

An extra blow of hygiene. The steam eliminates germs, viruses and bacteria, and permits a fluffier laundry result with fewer wrinkles.





PREMIUMCARE Series



LAUNDRY

Life is the sum of these moments that surprise us.

		WASHER DRY	YER	WASHING MACHINE		
	R.P.M.	8 KG / 6 KG	8 KG / 5 KG	8 KG		
STANDING	1600					
FREEST	1400	TK5 1480 WD SLIM WH				
BUILT-IN	1400		LS15 1481 EU	L15 1481 EUI		

MAESTRO

Domestic appliances for those who like going one one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum efectiveness in any situation.

MAESTRO	TOTAL
DRYER	WASHING MACHINE
8 KC	7 KG

8 KG 7 KG



TKS 850 C



TK5 1470 S



TK5 1470 WH



Ref. 114030004

NEW

MAESTRO LSI5 1481 EU



- Built-in Washer-Dryer
- Washing capacity: 8 kg
- Drying capacity: 5 kg
- Washing programs: 13
- Drying programs: 2
- Condenser dryer
- Electronic control panel
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Special functions: Delay timer, Stain type, Time dry
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours35 cm wide porthole door
- Energy class: A



Ref. 114000009

NEW

MAESTRO LI5 1481 EUI



- Built-In Washing Machine
- Washing Capacity: 8kg
- 15 washing programs
- T Inverter Motor
- Electronic control panel
- Stainless Steel Drum
- Special Programs: Delicate Fabrics,Intensive and Resistant Fabrics Whool
- ECO Program
- Fast Program: 14 minutes
- Functions: Fast, Stain Level, Kg Detector
- Delay Timer: 1-24h
- Child Lock
- Maximum spin speed: 1400 RPMMax. Nominal Power: 1600 (W)
- Energy class: A+++

COLOR

White

PRODUCT DIMENSIONS

Height 820mm Width 596mm Depth 570mm

COLOR

White

PRODUCT DIMENSIONS

Height 820mm Width 596mm Depth 570mm



Ref. 113960009

NEW

MAESTRO TK5 1480 WD SLIM WH



- Free standing washer-dryer
- Washing capacity: 8 Kg
- Spinning capacity: 8 Kg
- Dryer capacity: 6 Kg
- Washing programs: 16
- Programs: My Cycle, Sport Wear, Jeans, 20°C, Intensive,
- ECO 40-60, Wool, Spin Only, Dry Only, 1 Hour W/D, Mix,
- Rinse & Spin, Quick 15', Wash adn Dry, Cotton.
- Electronic control panel
- Digital display
- Start Delay program 0-24 h
- Drum Capacity: 52,7 Litres
- Spinning speeds: 1400-1200-800-600-400-0
- Temperature selection: Cold-20ºC-30ºC-40ºC-60ºC-90ºC
- Energy class: B



Ref. 113910009

NEW

TOTAL TK5 1470 S



- Free standing Washing Machine
- Washing capacity: 7 Kg
- Washing Programs: 16
- Special Programs economy, Delicates
- Electronic control panel
- Stainless Steel Drum, 45,5 Liters
- Spinning speeds: 0-400-600-800-1000-1200-1400
- Indicator pilots for: Temperature and speed
- Time left, Selected Programme, On/Off.
- Start Delay program 1-24 hours
- Fast Program 15 minutes
- Energy class: A+++



White

PRODUCT DIMENSIONS

Height 850mm Width 595mm Depth 475mm

COLOR



PRODUCT DIMENSIONS

Height 850mm Width 595mm Depth 495mm



Ref. 113910006



TOTAL TK5 1470 WH



- Free standing Washing Machine
- Washing capacity: 7 Kg
- Washing Programs: 16
- Special Programs economy, Delicates
- Electronic control panel
- Stainless Steel Drum, 45,5 Liters
- Spinning speeds: 0-400-600-800-1000-1200-1400
- Indicator pilots for: Temperature and speed
- Time left, Selected Programme, On/Off.
- Start Delay program 1-24 hours
- Fast Program 15 minutes
- Energy class: A+++



Ref. 40854101

MAESTRO TKS 850 C



- Free standing dryer
- Condenser dryer
- 16 programs
- Drying capacity: 8 Kg
- Electronic control panel with display
- Delay timer 1-24h
- 4 Power levels
- End of cycle alarm
- Speed dry function
- Humidity sensor
- Anti-crease program
- Delicate clothing program
- Cooling program
- Bi- direction rotation
- Remaining time indicator
- Removable filter with saturation level indicator
- LED indicators for: on/off, filter saturation and full tank
- Energy class: B

COLOR

White

PRODUCT DIMENSIONS

Height 850mm Width 595mm Depth 495mm

COLOR

White

PRODUCT DIMENSIONS


Height 845mm Width 595mm Depth 615mm

INSTALLATION DIAGRAM


N	Ю	α	е	ι

Model	LSI5 1481 EU	TK5 1480 WD SLIM WH
PRODUCT FEATURES		
Energy efficiency class	А	В
Energy consumption for washing, spining and drying, kWh	5.44	
Washing performance class	А	В
Maximum spinning speed	1400	1400
Washing capacity	8	8
Drying capacity	5	6
Cycle duration (minutes)	570	-
Energy consumption per year	220	-
Condensation efficiency	-	-
Energy cycle consumption full/partial load (kWh)	-	-
Water consumption (litres/year)	11000	-
Noise level washing/spinning (Db)	48/75	58/76
Noise level dB washing/spinning POWER SUPPLY	56/78/62	56/72/58
Voltage (V)	220-240	220-240
Maximum Nominal Power (W)	2.000	2.200
Nominal Power motor (W)	500	340
Nominal Power heating element (W)	1200	2.000
Model	LI5 1481 EUI	TK5 1470
PRODUCT FEATURES		
Filter - Washing capacity (Kgs)	8	7
Energy efficiency class	A+++	A+++
Energy consumption (kWh/year)	118	174
Consumption cycle energy (kWh)	0.54/0.49/0.49	0.91/0.69/0.61
Consumption On/Off and left on modes (kWh)	0.95	0.5/1
Water consumption (litres/year)	9850	9900
Spinning efficiency	Α	В
Filter - Maximum spinning speed (RPM)	1400	1400
Percentage of water after the spinning (%)	53	53
Cycle duration (minutes)	330/285/285	240/230/230
Noise level washing/spinning (Db)	48/75	62/79
BUILT IN DOOR MEASURAMENTS		
Door height (mm)	_	_
Door width (mm)	_	_
POWER SUPPLY		
Voltage (V)	220-240	220-240
Maximum Nominal Power (W)	1600	2050
Nominal Power motor (W)	350	_
Nominal Power heating element (W)	1600	_


Model	TKS 850 C
PRODUCT FEATURES	
Drying capacity (Kgs)	8
Drying technology	Condenser
Energy Efficiency Class (1)	В
Energy consumption per year (kWh) (2)	561
Humidity sensor	√
Energy consumption per drying cycle (Full/Half load) (kWh)	4,74/2,56
Power consumption in off-mode and left-on mode	0,28/0,80
Program duration Tt, T1, T 1/2 (minutes) (3)	112/140/90
Condensation efficiency (4)	В
Condensation percentages C1, C 1/2, Ct (5)	80,1/80,1/80,1
Noise level dB washing/spinning	69
POWER SUPPLY	
Voltage (V)	220-240
Nominal Power heating element (W)	2.500



LSI5 1481 EU



LI5 1481 EUI



TK5 1480 WD SLIM WH

TK5 1470



TK5 850 C

OVENS



Fingerprint Proof



MeatProbe



44L Capacity



64L Capacity



69L Capacity



70L Capacity



72L Capacity



76L Capacity



77LCapacity



DualClean Cleaning system



Full Extension Telescopic Guide



HydroClean



The SteamBox Included



Plus Extension Telescopic Guide



Pyrolysis Cleaning System



SoftClose



SurroundTemp



A Energy Class



A+ Energy Class

MICROWAVES



20L Capacity



22L Capacity



40L Capacity



44L Capacity



Ceramic base



Defrost By Time



Defrost By Weight



Direct Access Menu



Electronic Door Opening

COFFEE MACHINE



Ground coffee



Capsules



Coffee beans

HOBS



Auto ignition



Autolock



Easy Installation



ExactFlame

Flex



Power

MultiSlider



1

Power Plus







Syncro function

HOODS



LED light bar



FreshAIR



PERFECTA-4 RIM Extraction



Remote Control



Stop Delay Timer



A Energy Class



A+ Energy Class



DISHWASHERS



Eco Function



Half Load



Third Cutlery Tray



Third Sprayer



A++ Energy Class



A+++ Energy Class



Multiflex



Beam On Floor



Extra Dry function



Smart Sensor



Multi Cleaner





Sliding Door

COLD LINE



Eco Function



Bar On Door



Fresh Box



Full No Frost



Gourmet Box



IonClean Technology



LED



LongLife No Frost



Motor inverter



On Holidays function



Vitacare Box



Zero Box



A Energy Class



A+ Energy Class



A++ Energy Class

LAUNDRY



Fingerprint Proof



Hand Wash



Washing capacity: 10Kg



Washing capacity: 7Kg



Washing capacity: 8Kg



Woolmark Certificate



A Energy Class



A+ Energy Class



A+++ Energy Class

TAPS



Anti-Scale Aerator



Swivel Spout



High Resistance



Easy Installation



Pull Down Shower



Resistance



PVD Coated



Fingerprint-Proof



AISI 304



Water Saving



Eco




SINKS & TAPS

SINKS	
TAPS	66
WASTE DISPOSER	80
SINK ACCESSORIES	83
WASTES AND CONNECTION KITS	84





SINKS



More than just a sink

Lifetime Warranty

More than 90 years of experience in the manufacturing of sinks allows us to offer the best guarantee

Teka sinks are defined by their top quality, durability, extremely resistant austenitic stainless steel, ergonomic design, functionality, hassle free installation and excellent service. They are made in Europe and all our factories have the highest quality certifications and are environment friendly.

Sinks with unlimited lifetime warranty

At Teka, we are so confident in our quality standards that we offer an unlimited lifetime warranty on all of our stainless steel kitchen sink models for you to be completely at ease. Visit teka.com for more information.



* Warranty only applicable for residential products. Fitting excluded. All product exchanges and returns require Teka's express approval. Tap and accessories excluded.

SilentSmart, the invisible protagonist

50% less noise: maximum comfort and well-being

Is the kitchen sink one of the source of irritating noise that affects your family? RS15 Series are the best in their class. They feature a design and low-noise component to make them extremely quiet. The sound-dampening pads are their best partner. They, together with their special distribution, can reduce noise when water falls during operation, ensuring your comfort and convenience all day.





PureClean,

Extra hygiene and cleanliness with the new waterproof treatment

Our new PureClean treatment gives you a clean and dry surface, preventing the build up of bacteria in your sink. In addition to the antiseptic benefit of stainless steel, with this coating, lime, dirt, and all the particles that previously remained in the sink can be drawn away, giving you a cleaner and more hygienic product.



Anti-fingerprint, an impeccable result.

With the premium SofTexture finish that provides an antifingerprint surface, with a matte look that fits perfectly with the latest trends in kitchen design.



Design, a touch of sophistication through a cleaner and modern design.

Its RS15 radius makes it easy to clean and drain the water. The decorative elements elegantly cover the base of the sink. Greater capacity with a depth of 20cm.





FlexLinea, a series with multiple possibilities

FlexLinea sinks offer distinction and versatility at all levels.

FlexLinea, a series of sinks that satisfies all tastes

Flexibility is one of the main priorities for Teka, that's why this series has been developed.

It offers a wide variety of different sink compositions in different sizes, all of them with overflow and squared waste, to offer a look according to current trends, along with the easy-cleaning radius 15.

A sink you can install in all kind of countertops thanks to its triple mount installation option: undermount, top mount of flush mount.

All the series comes with lifetime warranty and SilentSmart system which reduces water dripping sound by 50% .

They are the best of their kind, the integrated manufacturing process stands for environmentally friendly and efficient production.

Enjoy the peacefulness offered by the lifetime warranty and the new SilentSmart system.



Undermount



Top mount



Flush mount





Zenit Series, multifunction workstation

Zenit Series are distinguished by their versatility, and, above all, because they bring order in your kitchen.

More than just a sink

Zenit is not simply another series of sinks. It is a food preparation area with ergonomic accessories perfect to cut, wash, cook, serve, and... enjoy! Its new square-shaped SQ valve combines with the attractive straight lines that bring personality and design to your kitchen, with a professional look and the peace of mind offered by the lifetime guarantee and the new SilentSmart system.



Zenit Cooking Set

Teka has developed an exclusive cooking set that includes:

- · 3 ceramic dishes of different sizes suitable for ovens, microwaves and dishwashers.
- · Bamboo chopping board.
- · Set of silicone lids that allow you to preserve food.
- · The square-designed inox soap dispenser, An inox colander that stands on the bowl rim.
- · A popup waste match perfectly with Teka sinks.





Tegranite+, high quality

Teka Tegranite+ sinks have evolved into a work area for kitchen lovers that look for innovation, practicality and functionality in the kitchen.

Stone, Forsquare and **Square** are the series for our new Tegranite+ products. They were made with high quality Quartz, a material on the rise. 80% Quartz combined with acrylic resins to obtain a hardened material very resistant to thermal shocks, impacts and dirt. In addition, it is available in a wide range of colors. Quality and color... you can choose!

- **Scratch-proof surface:** high resistance surface to high temperatures and violent shocks.
- Color intensity: Excellent UV resistance and long color durability. Its specific method in coloring granite-particles provides higher resistance against decoloring.
- **Hygiene:** The material is non-porous, its surface is very easy to clean and leaves no place for bacteria.
- Food safe: Additionally, Tegranite+ have an anti-bacterial protection enriched by silver ions which reject bacterial microorganisms.
- Easy to clean: Tegranite+ features an odorless and stainresistant finish. Cleaning up couldn't be any easier or faster!
- **High-resistant packaging** to minimize breakage. The sink is suspended and fully protected inside a twin double-box, creating a safety perimeter to avoid impacts.

Teka only endorses sinks made of innovative materials, that have great durability and are easy to clean.





Universe, unique personality

The new Universe series was born with details in mind, offering the best solution with a unique and avant-garde design. It stands out for its variety, functionality and the beauty of its surface.

Wide variety of solutions for your kitchen:

the new Universe series offers a range of compositions, sizes and finishes to choose the sink that best suits your lifestyle.

Greater capacity for utensils with buckets up to 195 mm deep.







Stainless Steel finishes, a long time durability

As experts in the work of stainless steel, you can choose your sink between these finishes.


Polished: an elegant finish that can be found in a large number of Teka sinks. The steel is subjected to various processes of both manual and mechanical polishing, obtaining a product with a lasting shine and easy cleaning. A sink that is impervious to water stains and calcium deposits.



Natural: deep drawing process produces an uniform pattern of satin finish lines on the surface and a natural transition: from the initial brightness of sink's top to the matt finish of the bowl where stainless steel has been stretched to its limits.



Micro-textured: those with a rough surface in high relief on the surface of the sink that combines perfectly with the aluminized finishes of the kitchen.



Packaging and Basket Wastes





Individual carton box

Teka sinks presented in individual carton boxes are stamped with the Teka logo and a sticker showing the name of the product and the code number. Inside the box, the sink and the accessories such as basket waste, connections, siphon, fixing clips and sealing strips for its installation are included.

Cardboard protection

It is a comfortable and secure way of packing the sinks for its sale in big stores. Although the sink is not inside a carton box, the protection around the sink perimeter is good enough and it contains the fixing clips and sealing strips. The kit that includes basket wastes, connections and siphon should be ordered apart and are provided separately without extra cost.

Basket wastes with overflow, connections and siphon are provided for all teka sinks



Teka provides the necessary wastes, connections and siphon for your sink



Extra accessories and fittings are available under request

Included inside the box, in case of the carton box sinks. To be ordered apart in case of the sinks packed with cardboard protection (without extra cost).

Teka sinks, maximum installation flexibility

When choosing a sink, it is necessary to consider the style of kitchen, and what can be more functionally comfortable.

Undermount

A popular option to install with stone, granite and modern composite materials. This sink is mounted and caulked from underneath using the special clips provided. Undermounting is very easy to clean, and prevents dirt from getting stuck around or below the rim, the countertop is completely smooth and the sink looks elegant and practical. The sink is absolutely waterproof!





Top mount

A slimmer rim grants for an accurate positioning of the sink on your countertop. It is suitable for countertops of any material, and it is recommended especially for wood or laminates. Its small rim prevents water spilling onto the countertop.





Flush mount

Sink and countertop become one solid unit, free of awkward edges and corners. The rim of the bowl is milled into the countertop, the cut-out must be very accurate. The totally seamless working area is also aesthetically pleasing and easy-to-clean. Ideal for natural materials like stone where milling is not a problem.





Inset mount

The most traditional method of installation. Simply insert from above into a prepared cut-out, and the rim of the sink sits on the work surface. Teka drop-in sinks can be mounted on virtually any worktop. The sink is fastened to the worktop from underneath, with no screws or bolts showing.





Lay on

Teka lay-on sinks are only superimposed, do not need, or use clips.

The stainless steel of the sink surrounds the edge of the countertop Lay-on sinks can be delivered with wood supports at the sides (below the rim) to aid installation while providing structural reinforcement.









INSET 1 BOWL



NEW

MAESTRO PURE CLEAN FLEXLINEA RS15 71.40


Ref. 115000054


- FlexLinea Stainless steel sink, One bowl
- PureClean waterproof effect
- SofTexture finish 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners
- Decorative SQ cover, SilentSmart, 50% less noise $3^{1}/2$ " SQ manual basket waste and siphon
- 80 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 7.3 kg)


INCLUDED ACCESSORIES











COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 750 x 440 mm Bowl (LxWxD) 710 x 400 x 200 mm


MAESTRO FLEXLINEA RS15 71.40


Ref. 115000011

- PureLine stainless steel sink, One bowl
- Finish: Polished
- 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners
- Decorative SQ cover
- SilentSmart, 50% less noise
- 80 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 7.3 kg)

INCLUDED ACCESSORIES







UNDERMOUNT

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 750 x 440 mm Bowl (LxWxD) 710 x 400 x 200 mm





MAESTRO FLEXLINEA RS15 50.40

• PureLine stainless steel sink, One bowl

• Easy clean radius R15 corners

• SilentSmart, 50% less noise

• 3-in-1 installation: Inset/top, undermount & flush



Ref. 115000012

• Finish: Polished

• Decorative SQ cover





MAESTRO PURE CLEAN FLEXLINEA RS15 50.40


Ref. 115000046


- FlexLinea Stainless steel sink, One bowl
- PureClean waterproof effect
- SofTexture finish, 3-in-1 installation: Inset/top, undermount & flush, Easy clean radius R15 corners
- Decorative SQ cover, SilentSmart, 50% less noise 3½" SQ manual basket waste and siphon
- 60 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.4 kg)

INCLUDED ACCESSORIES



541 550 FLUSH






Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.4 kg)


• 60 cm base unit


• Thickness: 1.0 mm

INCLUDED ACCESSORIES









COLOR



PRODUCT DIMENSIONS


Sink (LxW) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm




MAESTRO FLEXLINEA RS15 50.40 BRASS

Ref. 115000023

- Metallic stainless steel + PVD coat sink, One Bowl
- Finish: Polished
- 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners
- Decorative SQ cover
- SilentSmart, 50% less noise
- 60 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5 kg)

INCLUDED ACCESSORIES



COLOR



PRODUCT DIMENSIONS

Sink (LxW) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm


MAESTRO FLEXLINEA RS15 50.40 TITANIUM

Ref. 115000024

- Metallic stainless steel + PVD coat sink, One Bowl
- Finish: Polished
- 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners,
- Decorative SQ cover
- SilentSmart, 50% less noise
- 60 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ - Wt: 5 kg)

INCLUDED ACCESSORIES





COLOR

Titanium

PRODUCT DIMENSIONS

Sink (LxW) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm













NEW

MAESTRO PURE CLEAN FLEXLINEA RS15 40.40


Ref. 115000053

- FlexLinea Stainless steel sink, One bowl
- PureClean waterproof effect
- SofTexture finish, 3-in-1 installation: Inset/top, undermount & flush, Easy clean radius R15 corners
- Decorative SQ cover, SilentSmart, 50% less noise 3½" SQ manual basket waste and siphon
- 50 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 4.3 kg)

INCLUDED ACCESSORIES









UNDERMOUNT


MAESTRO FLEXLINEA RS15 40.40


Ref. 115000014


- PureLine stainless steel sink, One bowl
- Finish: Polished
- 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners
- Decorative SQ cover
- SilentSmart, 50% less noise
- 50 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: $0.1 \, \text{m}^3 - \text{Wt: 4.3 kg}$)


INCLUDED ACCESSORIES











COLOR



PRODUCT DIMENSIONS

Sink (LxW) 440 x 440 mm Bowl (LxWxD) 400 x 400 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 440 x 440 mm Bowl (LxWxD) 400 x 400 x 200 mm












MAESTRO ZENIT RS15 1B

Ref. 115000021

- PureLine stainless steel sink, One bowl
- Inset installation
- Finish: Polished
- Easy clean radius R15 corners
- Decorative SQ cover
- SilentSmart, 50% less noise
- 60 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.6 kg)

INCLUDED ACCESSORIES



COLOR



PRODUCT DIMENSIONS

Sink (LxW) 600 x 520 mm Bowl (LxWxD) 500 x 400 x 200 mm

NEW


MAESTRO BROOKLYN 50 M-XP 1B


Ref. 115000057

- Brooklyn Series
- Stainless steel sink, One bowl
- 2-in-1 installation possibilities: top or flush
- Finish: Polished
- V-control 3½" automatic waste basket with siphon
- SilentSmart, 50% less noise
- 50 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 6.6 kg)

INCLUDED ACCESSORIES







COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 504 x 514 mm Bowl (LxWxD) 400 x 400 x 210 mm





TOTAL BAHIA 1B PLUS

Ref. 11127004

- Stainless steel sink, One bowl
- Finish: Polished
- Inset Installation
- 90 cm base unit
- Thickness: 0.8 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 6.6 kg)


TOTAL STYLO 1B

Ref. 10107074

- Stainless steel sink, One bowl
- Finish: Polished
- Inset Installation
- 45 cm base unit
- Thickness: 0.7mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 2.8 kg)


INCLUDED ACCESSORIES





INCLUDED ACCESSORIES





COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 860 x 500 mm Bowl (LxWxD) 736 x 431 x 220 mm

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 465 x 485 mm Bowl (LxWxD) 400 x 365 x 165 mm













EASY STARBRIGHT 50 E-XN 1B

Ref. 115020007


- Stainless steel sink, One bowl
- Finish: Matt
- Inset installation
- 50 cm base unit
- Thickness: 0.7 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 3.3 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 115020005 Ref (Accessories same as above): 61001293 Units per pallet: 240 units, Min. order 1 Pallet (Vol: 2 m^3)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 500 x 510 mm Bowl (LxWxD) 400 x 340 x 150 mm

EASY STARBRIGHT 45 E-XN 1B

Ref. 115020011


- Stainless steel sink, One bowl
- Finish: Matt
- Inset installation
- 45 cm base unit
- Thickness: 0.6 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 2.4 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 115020012 Ref (Accessories same as above): 61001293 Units per pallet: 210 units, Min. order 1 Pallet (Vol: 2 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 465 x 440 mm Bowl (LxWxD) 370 x 340 x 150 mm



EASY CENTROVAL 1B

Ref. 10111903


- Stainless steel sink, One bowl
- Finish: Polished
- Inset Installation
- 45 cm base unit
- Thickness: 0.8mm
- Packaging: Individual carton box (Vol: $0.1 \,\mathrm{m}^3$ – Wt: $3 \,\mathrm{kg}$)

INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 10111012 Ref (Accessories same as above): 61001293 Units per pallet: 100 units, Min. order 1 Pallet (Vol: 2.1 m³)





COLOR



PRODUCT DIMENSIONS

Sink (Ø) 510 mm Bowl (ØxD) 390 x 180 mm

EASY STARBRIGHT 45 E-XN 1B ORB

Ref. 115020008

- Stainless steel sink, One bowl
- Finish: Matt
- Inset installation
- 50 cm base unit
- Thickness: 0.6 mm
- Packaging: Individual carton box (Vol: 0.1 m^3 – Wt: 2.5 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 115020009 Ref (Accessories same as above): 61001293 Units per pallet: 100 units, Min. order 1 Pallet (Vol: 2.1 m³)





COLOR



PRODUCT DIMENSIONS

Sink (Ø) 510 mm Bowl (ØxD) 390 x 160 mm

SINKS









EASY ERC 1B

Ref. 10108007


- Stainless steel sink, One bowl
- Finish: Polished
- Inset Installation
- 45 cm base unit,
- Thickness: 0.8mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 2.4 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 10108025 Ref (Accessories same as above): 61001293 Units per pallet: 100 units, Min. order 1 Pallet (Vol: 2.1 m³)





COLOR



PRODUCT DIMENSIONS

Sink (Ø) 450 mm Bowl (ØxD) 390 x 180 mm

EASY STARBRIGHT 45 E-XN 1B RND

Ref. 115020013


- Stainless steel sink, One bowl
- Finish: Matt
- 2-in-1 installation: inset or undermount
- 45 cm base unit
- Thickness: 0.6 mm
- Packaging: Cardboard protection (Vol: 2.1 m³)

Below accessories to order

Ref: 61001293 (Included in the price of the sink)







COLOR



PRODUCT DIMENSIONS

Sink (Ø) 450 mm Bowl (ØxD) 390 x 160 mm



INSET 1 BOWL 1 DRAINER









MAESTRO DIAMOND RS15 1B 1D 86 AUTO BK

Ref. 115100011


- Urban Colors Edition
- PureLine glass sink, 1 inox bowl and 1 drainer
- Finish: Polished, Inset installation, Reversible drainer
- Safety tempered glass with bevelled edges, impact resistance, high temperatures and thermal shocks
- Easy clean radius R15 corners
- Decorative SO cover
- SilentSmart, 50% less noise
- 50 cm base unit
- Thickness: 8.0 mm top / 1.0 mm bowl
- Packaging: Individual carton box (Vol: 0.2 m³ – Wt: 6.1 kg)

MAESTRO DIAMOND RS15 1B 1D 86 AUTO WH


Ref. 115100012

- Urban Colors Edition
- PureLine glass sink, 1 inox bowl and 1 drainer
- Finish: Polished, Inset installation, Reversible drainer
- Safety tempered glass with bevelled edges, impact resistance, high temperatures and thermal shocks
- Easy clean radius R15 corners
- Decorative SQ cover
- SilentSmart, 50% less noise
- 50 cm base unit
- Thickness: 8.0 mm top / 1.0 mm bowl
- Packaging: Individual carton box (Vol: 0.2 m³ – Wt: 6.1 kg)

INCLUDED ACCESSORIES



INCLUDED ACCESSORIES



COLOR



PRODUCT DIMENSIONS

Sink (LxW) 860 x 510 mm Bowl (LxWxD) 400 x 400 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 860 x 510 mm Bowl (LxWxD) 400 x 400 x 200 mm













MAESTRO ZENIT RS15 1B 1D 86

Ref. 115100003

- PureLine stainless steel sink
- 1 bowl and 1 drainer, right hand
- Finish: Polished
- Inset Installation
- Easy clean radius R15 corners
- Decorative SQ cover
- SilentSmart, 50% less noise
- 50 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: $0.1 \, \text{m}^3$ – Wt: $6.6 \, \text{kg}$)


NEW

MAESTRO BROOKLYN 60 M-XP 1B 1D PLUS


Ref. 115100023

- Brooklyn Series
- Stainless steel sink, One bowl and one drainer
- 2-in-1 installation possibilities: top or flush
- Finish: Polished
- V-control 3½ automatic waste basket with siphon
- New HelixPRO waste basket
- 60 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: $0.1 \,\mathrm{m}^3$ – Wt: $6.8 \,\mathrm{kg}$)

INCLUDED ACCESSORIES



INCLUDED ACCESSORIES



COLOR



PRODUCT DIMENSIONS

Sink (LxW) 860 x 520 mm Bowl (LxWxD) 400 x 400 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 984 x 504 mm Bowl (LxWxD) 500 x 400 x 210 mm

SINKS





TOTAL CLASSIC MAX 1B 1D

Ref. 11119200

- Stainless steel sink, One bowl and One drainer Right Hand
- Finish: Polished
- Inset Installation
- 50 cm base unit
- Thickness: 0.8 mm top / 1.0 mm bowl
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 6.8 kg)

INCLUDED ACCESSORIES



TOTAL CLASSIC 1B 1D

Ref. 10119013


- Stainless steel sink, One bowl and One drainer
- Finish: Polished
- Inset installation, Reversible drainer
- 50 cm base unit
- Thickness: 0.8 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.4 kg)


INCLUDED ACCESSORIES





Available in pallet with cardboard protection for bulk orders :

Ref (Sink without accessories): 10119056 Ref (Accessories same as above): 61001403 Units per pallet: 90 units, Min. order 1 Pallet (Vol: 2 m³)









COLOR



PRODUCT DIMENSIONS

Sink (LxW) 860 x 500 mm Bowl (LxWxD) 450 x 400 x 200 mm

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 860 x 500 mm Bowl (LxWxD) 406 x 406 x 190 mm













TOTAL UNIVERSE 50 T-XP 1B 1D PLUS

Ref. 115110022


- Stainless steel sink, One bowl and one drainer
- Finish: Polished
- Inset installation, Reversible drainer
- 50 cm base unit
- Thickness: 0.8 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.4 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders :

Ref (Sink without accessories): 115110025 Ref (Accessories same as above): 61001403 Units per pallet: 90 units, Min. order 1 Pallet (Vol: 2 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 860 x 500 mm Bowl (LxWxD) 406 x 406 x 195 mm

EASY STARBRIGHT 50 E-XN 1B 1D

Ref. 115120028


- Stainless steel sink, One bowl and one drainer
- Finish: Matt
- Inset installation, Reversible drainer
- 50 cm base unit
- Thickness: 0.7 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 4.9 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 115120031 Ref (Accessories same as above): 61001293 Units per pallet: 90 units, Min. order 1 Pallet (Vol: 2 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 860 x 500 mm Bowl (LxWxD) 406 x 406 x 170 mm

SINKS













EASY STARBRIGHT 45 E-XN 1B 1D

Ref. 115120037


- Stainless steel sink, One bowl and one drainer
- Finish: Matt
- Inset installation, Reversible drainer
- 45 cm base unit
- hickness: 0.6 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 4.2 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 115120038 Ref (Accessories same as above): 61001293 Units per pallet: 105 units, Min. order 1 Pallet (Vol: 1.9 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 790 x 500 mm Bowl (LxWxD) 340 x 400 x 160 mm

EASY DEVA 45 I-CN 1B 1D


Ref. 10133005


- Stainless steel sink, One bowl and One drainer
- Finish: Matt
- Inset installation, Reversible drainer
- 45 cm base unit
- Thickness: 0.5 mm
- Packaging information: Carboard Protection (Vol: 1 m³)

Below accessories to order

Ref: 61001300, 61001313 (Included in the price of the sink)







COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 780 x 435 mm Bowl (LxWxD) 368 x 338 x 146 mm



INSET 11/2 BOWL 1 DRAINER









TOTAL UNIVERSE 60 T-XP 11/2B 1D

Ref. 115140001


- Stainless steel sink, One bowl, one auxiliary bowl and one drainer
- Finish: Polished
- Inset installation, Reversible drainer
- 60 cm base unit
- Thickness: 0.7 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.6 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 115140002 Ref (Accessories same as above): 61001404 Units per pallet: 90 units, Min. order 1 Pallet (Vol: 2 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 1000 x 500 mm Bowl 1 (LxWxD) 340 x 400 x 160 mm Bowl 2 (LxWxD) 170 x 320 x 110 mm

EASY STARBRIGHT 60 E-XN 1¹/₂B 1D

Ref. 115150002


- Stainless steel sink, One bowl, one auxiliary bowl and one drainer
- Finish: Matt
- Inset installation, Reversible drainer
- 60 cm base unit
- Thickness: 0.6 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.1 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 115150003 Ref (Accessories same as above): 61001294 Units per pallet: 90 units, Min. order 1 Pallet (Vol: 2 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 980 x 500 mm Bowl 1 (LxWxD) 340 x 400 x 160 mm Bowl 2 (LxWxD) 170 x 320 x 100 mm



INSET 2 BOWL 2¹/₂ BOWLS

SINKS













MAESTRO ZENIT RS15 2B 86

Ref. 115030015

- PureLine stainless steel sink, Two bowls
- Finish: Polished
- Inset installation
- Easy clean radius R15 corners, Decorative SQ cover
- SilentSmart, 50% less noise
- 90 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 8.8 kg)

NEW


MAESTRO BROOKLYN 90 M-XP 2B


Ref. 115030024

- Brooklyn Series
- Stainless steel sink, Two bowls, reversible
- Finish: Polished
- 2-in-1 installation possibilities: top or flush
- V-control 3½" automatic waste basket with siphon
- New HelixPRO waste basket
- SilentSmart, 50% less noise
- 90 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 6.2 kg)

INCLUDED ACCESSORIES









INCLUDED ACCESSORIES







COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 860 x 520 mm Bowl 1 (LxWxD) 400 x 400 x 200 mm Bowl 2 (LxWxD) 340 x 400 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 864 x 504 mm Bowl 1&2 (LxWxD) 400 x 400 x 210 mm














TOTAL CLASSIC 2B 86


Ref. 10119021

- Stainless steel sink, Two bowls
- Finish: Polished
- Inset installation
- 90 cm base unit
- Thickness: 0.8 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 7 kg)

INCLUDED ACCESSORIES







COLOR



PRODUCT DIMENSIONS

Sink (LxW) 860 x 500 mm Bowl 1 (LxWxD) 406 x 406 x 190 mm Bowl 2 (LxWxD) 340 x 400 x 190 mm

TOTAL UNIVERSE 80 T-XP 2B

Ref. 115040007


- Stainless steel sink, Two bowls
- Finish: Polished
- Inset installation
- 80 cm base unit
- Thickness: 0.7 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.2 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders :

Ref (Sink without accessories): 115040009 Ref (Accessories same as above): 61001404 Units per pallet: 90 units, Min. order 1 Pallet (Vol: 1.9 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 790 x 500 mm Bowl 1&2 (LxWxD) 340 x 400 x 170 mm









EASY STARBRIGHT 80 E-XN 2B

Ref. 115050003


- Stainless steel sink, Two bowls
- Finish: Matt
- Inset installation
- 80 cm base unit
- Thickness: 0.5 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 3.8 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 115050004 Ref (Accessories same as above): 61001294 Units per pallet: 105 units, Min. order 1 Pallet (Vol: 1.9 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 790 x 500 mm Bowl 1&2 (LxWxD) 340 x 400 x 160 mm

TOTAL CLASSIC 21/2B


Ref. 10119080

- Stainless steel sink, Two bowls and 1 auxiliary bowl
- Finish: Polished
- Inset installation
- 100 cm base unit
- Thickness: 0.8 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 8.2 kg)

INCLUDED ACCESSORIES








COLOR



PRODUCT DIMENSIONS

Sink (LxW) 1000 x 500 mm Bowl 1&2 (LxWxD) 340 x 400 x 190 mm Bowl 3 (LxWxD) 180 x 270 x 135 mm



INSET 2 BOWLS 1 DRAINER













MAESTRO DIAMOND RS15 2B 1D AUTO

Ref. 115160007

- PureLine glass and stainless steel sink
- Two bowls and one drainer
- Safety tempered glass with bevelled edges, impact resistance, high temperatures and thermal shocks
- Inset installation, Reversible drainer
- Easy clean radius R15 corners ,Decorative SQ cover
- SilentSmart, 50% less noise
- 80 cm base unit
- Thickness: 8.0 mm top / 1.0 mm bowl
- Packaging: Individual carton box (Vol: 0.2 m³ – Wt: 8.6 kg)


MAESTRO ZENIT RS15 2B 1D R AUTO


Ref. 115160003

- PureLine stainless steel sink
- 2 bowls and 1 drainer, right hand
- Finish: Polished
- Inset installation
- Easy clean radius R15 corners, Decorative SQ cover
- SilentSmart, 50% less noise
- 80 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.2 m³ – Wt: 9.7 kg)

INCLUDED ACCESSORIES









INCLUDED ACCESSORIES







COLOR



PRODUCT DIMENSIONS

Sink (LxW) 1160 x 510 mm Bowl 1&2 (LxWxD) 340 x 400 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 1160 x 520 mm Bowl 1&2 (LxWxD) 340 x 400 x 200 mm













NEW


MAESTRO BROOKLYN 80 M-XP 2B 1D

Ref. 115160010

- Brooklyn Series
- Stainless steel sink, Two bowls and one drainer, reversible
- Finish: Polished
- 2-in-1 installation possibilities: top or flush
- V-control 3½" automatic waste basket with siphon
- New HelixPRO waste basket
- SilentSmart, 50% less noise
- 80 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.2 m³ – Wt: 7.8 kg)

INCLUDED ACCESSORIES





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 1164 x 504 mm Bowl 1&2 (LxWxD) 340 x 400 x 210 mm

TOTAL CLASSIC 2B 1D

Ref. 10119023


- Stainless steel sink, Two bowls and One drainer
- Finish: Polished
- Inset installation, Reversible drainer
- 80 cm base unit
- Thickness: 0.8 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 8.6 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 10119085 Ref (Accessories same as above): 61001404 Units per pallet: 40 units, Min. order 1 Pallet (Vol: 1.6 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 1160 x 500 mm Bowl 1&2 (LxWxD) 340 x 400 x 190 mm









TOTAL UNIVERSE 80 T-XP 2B 1D

Ref. 115170001


- Stainless steel sink, Two bowls and one drainer
- Finish: Polished
- Inset installation, Reversible drainer
- 80 cm base unit
- Thickness: 0.7 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 6.7 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 115170002 Ref (Accessories same as above): 61001404 Units per pallet: 90 units, Min. order 1 Pallet (Vol: 2 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 1160 x 500 mm Bowl 1&2 (LxWxD) 340 x 400 x 170 mm

EASY STARBRIGHT 80 E-XN 2B 1D

Ref. 115180002


- Stainless steel sink, Two bowls and one drainer
- Finish: Matt
- Inset installation, Reversible drainer
- 80 cm base unit
- Thickness: 0.6 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 6.1 kg)


INCLUDED ACCESSORIES



Available in pallet with cardboard protection for bulk orders:

Ref (Sink without accessories): 115180005 Ref (Accessories same as above): 61001294 Units per pallet: 90 units, Min. order 1 Pallet (Vol: 2 m³)





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 1160 x 500 mm Bowl 1&2 (LxWxD) 340 x 400 x 160 mm









TOTAL ANGULAR 2B

Ref. 10118005

- Stainless steel sink, Two bowls and One drainer
- Finish: Polished
- Inset installation, Corner
- 90 cm base unit
- Thickness: 0.8 mm
- Packaging: Individual carton box (Vol: $0.\overline{2} \text{ m}^3$ – Wt: 8.9 kg)

INCLUDED ACCESSORIES




TOTAL CLASSIC 21/2B 1D

Ref. 10119081

- Stainless steel sink, Two bowls One auxiliary bowl and One drainer
- Finish: Polished
- Inset installation, Reversible drainer
- 100 cm base unit
- Thickness: 0.8 mm
- Packaging: Individual carton box (Vol: 0.2 m^3 – Wt: 10.3 kg)

INCLUDED ACCESSORIES






COLOR



PRODUCT DIMENSIONS

Sink (LxW) 830 x 830 mm Bowl 1&2 (LxWxD) 340 x 400 x 190 mm



COLOR



PRODUCT DIMENSIONS

Sink (LxW) 1400 x 500 mm Bowl 1&2 (LxWxD) 340 x 400 x 190 mm Bowl 3 (LxWxD) 180 x 270 x 135 mm



UNDERMOUNT














MAESTRO PURE CLEAN FLEXLINEA RS15 71.40


Ref. 115000054

- FlexLinea Stainless steel sink, One bowl
- PureClean waterproof effect
- SofTexture finish 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners
- Decorative SQ cover, SilentSmart, 50% less noise 3½" SQ manual basket waste and siphon
- 80 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 7.3 kg)

INCLUDED ACCESSORIES







706

FLUSH

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 750 x 440 mm Bowl (LxWxD) 710 x 400 x 200 mm


MAESTRO FLEXLINEA RS15 71.40


Ref. 115000011

- PureLine stainless steel sink, One bowl
- Finish: Polished
- 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners
- Decorative SQ cover
- SilentSmart, 50% less noise
- 80 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 7.3 kg)

INCLUDED ACCESSORIES







UNDERMOUNT

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 750 x 440 mm Bowl (LxWxD) 710 x 400 x 200 mm





NEW


MAESTRO BE LINEA RS15 71.40

Ref. 115000004

- PureLine stainless steel sink, One bowl
- Finish: Polished
- Undermount installation
- Easy clean radius R15 corners
- SilentSmart, 50% less noise
- 80 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 7 kg)

INCLUDED ACCESSORIES





706

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW)) 750 x 440 mm Bowl (LxWxD) 710 x 400 x 200 mm

Ref. 115000046


- FlexLinea Stainless steel sink, One bowl
- PureClean waterproof effect
- SofTexture finish, 3-in-1 installation: Inset/top, undermount & flush, Easy clean radius R15 corners


MAESTRO PURE CLEAN FLEXLINEA RS15 50.40

- Decorative SQ cover, SilentSmart, 50% less noise 3½" SQ manual basket waste and siphon
- 60 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.4 kg)

INCLUDED ACCESSORIES







COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm








MAESTRO FLEXLINEA RS15 50.40 BRASS

Ref. 115000023

- Metallic stainless steel + PVD coat sink, One Bowl
- Finish: Polished
- 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners
- Decorative SQ cover
- SilentSmart, 50% less noise
- 60 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5 kg)

INCLUDED ACCESSORIES





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm


MAESTRO FLEXLINEA RS15 50.40 TITANIUM

Ref. 115000024

- Metallic stainless steel + PVD coat sink, One Bowl
- Finish: Polished
- 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners,
- Decorative SQ cover
- SilentSmart, 50% less noise
- 60 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5 kg)

INCLUDED ACCESSORIES





COLOR

Titanium

PRODUCT DIMENSIONS

Sink (LxW) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm





MAESTRO FLEXLINEA RS15 50.40

Ref. 115000012

- PureLine stainless steel sink, One bowl
- Finish: Polished
- 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners
- Decorative SQ cover
- SilentSmart, 50% less noise
- 60 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.4 kg)


MAESTRO BE LINEA RS15 50.40

Ref. 115000005

- PureLine stainless steel sink, One bowl
- Finish: Polished
- Undermount installation
- Easy clean radius R15 corners
- SilentSmart, 50% less noise
- 60 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 5.1 kg)

INCLUDED ACCESSORIES







UNDERMOUNT

INCLUDED ACCESSORIES







COLOR



500

540

PRODUCT DIMENSIONS

Sink (LxW) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Sink (LxW)) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm













NEW

MAESTRO PURE CLEAN FLEXLINEA RS15 40.40

Ref. 115000053

- FlexLinea Stainless steel sink, One bowl
- PureClean waterproof effect
- SofTexture finish, 3-in-1 installation: Inset/top, undermount & flush, Easy clean radius R15 corners
- Decorative SQ cover, SilentSmart, 50% less noise 3½" SQ manual basket waste and siphon
- 50 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 4.3 kg)


MAESTRO FLEXLINEA RS15 40.40

Ref. 115000014


- PureLine stainless steel sink, One bowl
- Finish: Polished
- 3-in-1 installation: Inset/top, undermount & flush
- Easy clean radius R15 corners
- Decorative SQ cover
- SilentSmart, 50% less noise
- 50 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 4.3 kg)

INCLUDED ACCESSORIES









COLOR



PRODUCT DIMENSIONS

Sink (LxW) 504 x 514 mm Bowl (LxWxD) 440 x 440 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 440 x 440 mm Bowl (LxWxD) 400 x 400 x 200 mm

SINKS





MAESTRO BE LINEA RS15 40.40

Ref. 115000007

- PureLine stainless steel sink, One bowl
- Finish: Polished
- Undermount installation
- Easy clean radius R15 corners
- SilentSmart, 50% less noise
- 50 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 4.4 kg)


TOTAL TU 31.19-10


Ref. 10125114

- Stainless steel sink, One bowl
- Finish: Polished
- Undermount installation
- 90 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 6.6 kg)

INCLUDED ACCESSORIES









INCLUDED ACCESSORIES







COLOR



PRODUCT DIMENSIONS

Sink (LxW)) 440 x 440 mm Bowl (LxWxD) 400 x 400 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 787 x 482 mm Bowl (LxWxD) 736 x 431 mm x 250 mm











TOTAL BE 40.40.25 1B

Ref. 10125021

- Stainless steel sink, One bowl
- Finish: Polished
- Undermount installation
- 50 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: $0.1 \,\mathrm{m}^3$ – Wt: 4 kg)


TOTAL BE Ø390 1B


Ref. 10125006

- Stainless steel sink, One bowl
- Finish: Polished
- Undermount installation
- 45 cm base unit
- Thickness: 0.8 mm
- Packaging: Individual carton box (Vol: $0.1 \,\mathrm{m}^3$ – Wt: $2.3 \,\mathrm{kg}$)

INCLUDED ACCESSORIES








INCLUDED ACCESSORIES





COLOR



PRODUCT DIMENSIONS

Sink (LxW) 435 x 435 mm Bowl (LxWxD) 406 x 406 x 250 mm

COLOR



PRODUCT DIMENSIONS

Sink (Ø) 390 mm Bowl $(\acute{0} \times D)$ 385 x 180 mm













MAESTRO BE LINEA RS15 2B 860

Ref. 115030006

- PureLine stainless steel sink, Two bowls
- Finish: Polished
- Undermount installation
- Easy clean radius R15 corners
- SilentSmart, 50% less noise
- 90 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 8.8 kg)


TOTAL BE 2B 845 R


Ref. 10125029

- Stainless steel sink, Two bowls
- Finish: Polished
- Undermount installation
- 90 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 7.8 kg)

INCLUDED ACCESSORIES









INCLUDED ACCESSORIES







COLOR



PRODUCT DIMENSIONS

Sink (LxW) 860 x 440 mm Bowl 1&2 (LxWxD) 400 x 400 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 845 x 470 mm Bowl 1 (LxWxD) 406 x 406 x 180 mm Bowl 2 (LxWxD) 340 x 406 x 180 mm




TOTAL BE 2B 780

Ref. 10125026

- Stainless steel sink, Two bowlsFinish: Polished
- Undermount installation
- 90 cm base unit
- Thickness: 1.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ Wt: 6.9 kg)

INCLUDED ACCESSORIES





COLOR



PRODUCT DIMENSIONSSink (LxW) 779 x 464 mm
Bowl 1&2 (LxWxD) 340 x 400 x 200 mm





TEGRANITE





MAESTRO SQUARE 72.40 TG BK

Ref. 115230015

- Tegranite+ sink, One bowl
- Undermount installation
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean, 80% quartz and resins
- 80 cm base unit
- Thickness: 8.0 mm
- Packaging: Individual carton box (Vol: 0.2 m³ – Wt: 14.6 kg)


MAESTRO SQUARE 72.40 TG SG


Ref. 115230016

- Tegranite+ sink, One bowl
- Undermount installation
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean, 80% quartz and resins
- 80 cm base unit
- Thickness: 8.0 mm
- Packaging: Individual carton box (Vol: 0.2 m³ – Wt: 14.6 kg)

INCLUDED ACCESSORIES









INCLUDED ACCESSORIES







COLOR



PRODUCT DIMENSIONS

Sink (LxW) 760 x 440 mm Bowl (LxWxD) 720 x 400 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 760 x 440 mm Bowl (LxWxD) 720 x 400 x 200 mm



MAESTRO SQUARE 50.40 TG BK

Ref. 115230020


- Tegranite+ sink, One bowl
- Undermount installation
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean, 80% quartz and resins
- 60 cm base unit
- Thickness: 8.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 10.8 kg)

MAESTRO SQUARE 50.40 TG SG


Ref. 115230021

- Tegranite+ sink, One bowl
- Undermount installation
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean, 80% quartz and resins
- 60 cm base unit
- Thickness: 8.0 mm
- Packaging: Individual carton box (Vol: 0.1 m³ – Wt: 10.8 kg)

INCLUDED ACCESSORIES



INCLUDED ACCESSORIES



COLOR



PRODUCT DIMENSIONS

Sink (LxW) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm

COLOR



PRODUCT DIMENSIONS

Sink (LxW) 540 x 440 mm Bowl (LxWxD) 500 x 400 x 200 mm





MAESTRO STONE 60 L-TG 1B 1D BC

Ref. 115330001

- Tegranite+ sink, One bowl and one drainer
- Inset installation, Reversible drainer
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean, 80% guartz and resins
- 60 cm base unit
- Thickness: 10 mm bowl / 7 mm top
- Packaging: Individual carton box (Vol: 0.2 m^3 – Wt: 19.5 kg)


MAESTRO STONE 60 L-TG 1B 1D MG


Ref. 115330000

- Tegranite+ sink, One bowl and one drainer
- Inset installation, Reversible drainer
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean, 80% quartz and resins
- 60 cm base unit
- Thickness: 10 mm bowl / 7 mm top
- Packaging: Individual carton box (Vol: 0.2 m^3 – Wt: 19.5 kg)

INCLUDED ACCESSORIES









INCLUDED ACCESSORIES







COLOR

Black Carbon

PRODUCT DIMENSIONS

Sink (LxW) 1000 x 510 mm Bowl (LxWxD) 480 x 414 x 200 mm

COLOR

Metallic Grey

PRODUCT DIMENSIONS

Sink (LxW) 1000 x 510 mm Bowl (LxWxD) 480 x 414 x 200 mm







MAESTRO STONE 80 B-TG 2B 1D AUTO BC

Ref. 115400009

- Tegranite+ sink, Two bowls and one drainer
- Inset installation, Reversible drainer
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean, 80% quartz and resins
- 80 cm base unit
- Thickness: 10 mm bowl / 7 mm top
- Packaging: Individual carton box (Vol: 0.2 m³ – Wt: 25.2 kg)


MAESTRO STONE 80 B-TG 2B 1D AUTO MG


Ref. 115400008

- Tegranite+ sink, Two bowls and one drainer
- Inset installation, Reversible drainer
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean, 80% quartz and resins
- 80 cm base unit
- Thickness: 10 mm bowl / 7 mm top
- Packaging: Individual carton box (Vol: 0.2 m³ – Wt: 25.2 kg)

INCLUDED ACCESSORIES









INCLUDED ACCESSORIES







COLOR



PRODUCT DIMENSIONS

Sink (LxW) 1160 x 510 mm Bowl 1&2 (LxWxD) 333.5 x 414 x 200 mm

COLOR

Metallic Grey

PRODUCT DIMENSIONS

Sink (LxW) 1160 x 510 mm Bowl 1&2 (LxWxD) 333.5 x 414 x 200 mm





TAPS

TA P§

OPERA ICO 915, sleek stylish line

An exclusive, fresh and state-of-the-art design, focused on making an essential part of the kitchen, the tap, more functional. The revolutionary concept of open spout with its 5 aerators means a significant water saving, optimizing water flow.

A tap with personality to fit the style of your kitchen and to add a professional design to it, with its striking look. Nobody will remain indifferent to this tap.







Overcome barriers

The best place to place the sink and the kitchen tap is in front of the window, if space permits. Opening or closing the window with a high spout tap ahead, is no longer a problem. Aura AUK 983, the single-lever retractable mixer tap from Teka, allows you to hide or extract your high spout whenever necessary so that nothing stumbles in your way. Thanks to its 2 positions, Aura offers maximum flexibility in the kitchen.

Teka ceramic discs

Longer taps life

All Teka cartridges use sintered ceramic discs with high resistance. These discs all have porous surfaces which retain grease longer, helping to achieve smoother, gentler movements which help to prolong the life of the taps. The operating gear is insulated from water giving therefore continuous lubrication.

Ceramic cartridge. Greater durability.



Temperature limiter

Save the energy used to heat the water with the temperature regulator that is incorporated into the cartridge.



Water saving

The cartridge incorporates an adjustable flow gauge to save water every time you use the mixer.



Anti-Scalding

Forget about scalding caused by water at high temperatures. We take care of you and your loved ones.



^{*} Not all taps have temperature and flow regulators in the cartridge.

KITCHEN TAPS



MAESTRO ICO 915 Brass

Ref. 116030032









- Revolutionary open spout concept
- Swivel Spout
- Anti-scale aerators integrated in the spout
- 3/8"- 1/2" Flexible inlet pipes
- High resistance (PVD Coated)

COLOR





MAESTRO ICO 915

Ref. 116030009





- Revolutionary open spout concept
- Swivel Spout
- Anti-scale aerators integrated in the spout
- 3/8"- 1/2"" Flexible inlet pipes

COLOR





MAESTRO ICO 915 Titanium

Ref. 116030031









- Revolutionary open spout concept
- Swivel Spout
- Anti-scale aerators integrated in the spout
- 3/8"- 1/2" Flexible inlet pipes
- High resistance (PVD Coated)

COLOR



Titanium



TOTAL IC 915

Ref. 339150200





- Flat design
- Swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator integrated in the spout
- 3/8" flexible inlet pipes

COLOR



Chrome





MAESTRO BKY 915

Ref. 116030056







- High spout kitchen tap, Swivel spout
- Anti-scale aerator, Waterflow limited to 5 l/min
- Cartridge with ceramic discs of high resistance
- High precise temperature control
- Easy-Quick fixation system
- 3/8" flexible inlet pipes with adaptor for 1/2"

COLOR



Chrome



MAESTRO MY1

Ref. 1816002









- Swivel and flexible spout, Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Pull-down shower functions: normal & shower spray
- High resistant flexible spring
- Stainless Steel flexible hose reinforced with plastic for better protection and easy cleaning

COLOR





MAESTRO FOT 999

Ref. 116010003











- Professional sink mixer with swivel & flexible spout
- Extra spout to fill recipients
- Hand shower with stop function, 1 function: shower
- Cartridge with ceramic discs, High resistant flexible spring
- Stainless steel flexible hose
- Easy- Quick fixation system

COLOR



Chrome



MAESTRO FOT 939

Ref. 116010002











- Professional sink mixer with swivel & flexible spout
- Hand shower with stop function.
- Pull-down shower functions: normal & shower spray
- Cartridge with ceramic discs, High resistant flexible spring
- Stainless steel flexible hose
- Easy- Quick fixation system

COLOR





MAESTRO IN 934 N

Ref. 53934120N









- Swivel and flexible spout
- 35mm cartridge
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator
- Certified 3/8" flexible inlet pipes

COLOR





MAESTRO ARK 938

Ref. 239381200









- Single lever kitchen tap
- Swivel spout
- Pull-out shower 1 function
- Anti-scale aerator
- 3/8" flexible inlet pipes

COLOR







TOTAL FO 915

Ref. 629150200







- Minimalistic design
- High swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator integrated in the spout
- 3/8" flexible inlet pipes

COLOR





MAESTRO VTK 938

Ref. 249380200







- Metallic pull-out shower with 1 function
- Swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator
- 3/8"flexible inlet pipes

COLOR



Chrome





TOTAL FOT 994

Ref. 116030029









- Swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator
- 3/8" 1/2" flexible inlet pipes
- Easy quick fixation system

COLOR





EASY MTP 984

Ref. 116030000









- Under window sink mixer
- Swivel spout, Folding spout: Max. height: 363mm, Min. height: 76mm
- Cartridge starting in cold with ceramic discs
- Anti-scale aerator, Easy-Quick fixation system
- 3/8" flexible inlet pipes

COLOR





TOTAL INX 915

Ref. 749150200







- Made of stainless steel of high quality AISI 304
- Swivel high spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator
- 3/8" flexible inlet pipes

COLOR



Stainless Steel



TOTAL FOT 995 Black

Ref. 116030023







- Swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator integrated in the spout
- 3/8" 1/2" flexible inlet pipes
- Easy quick fixation system

COLOR



Chrome Black



TOTAL FOT 995 White

Ref. 116030024









- Swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator integrated in the spout
- 3/8" 1/2" flexible inlet pipes
- Easy quick fixation system

COLOR





EASY IN 995

Ref. 5399512





- Minimalistic design
- Swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator
- 3/8" flexible inlet pipes

COLOR



Chrome



TOTAL FOT 995

Ref. 116030022









- Swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator integrated in the spout
- 3/8" 1/2" flexible inlet pipes
- Easy quick fixation system

COLOR



Chrome



EASY MN

Ref. 8191462





- Swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator
- 3/8" flexible inlet pipes

COLOR



Chrome





EASY IN 912

Ref. 5391212





- Swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator
- 3/8" flexible inlet pipes

COLOR





MAESTRO MTP 978

Ref. 469781200









- Swivel Spout
- Cartridge with ceramic discs
- Pull-out shower 2 functions
- Anti-scale aerator
- 3/8" Flexible inlet pipes

COLOR





EASY IN 993

Ref. 116050000





- Swivel Spout
- 40mm Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes

COLOR





EASY ML

Ref. 8191362







- Swivel spout
- Cartridge with ceramic discs of high resistance
- Anti-scale aerator
- 3/8" flexible inlet pipes


COLOR




INSTALLATION DIAGRAM












INX 915

MTP 984

FOT 995










IN 995

MN

IN 912







MTP 978

IN 993

ML



NEW RANGE OF WASTE DISPOSERS

Practical, comfortable, silent and safe

Teka's new organic waste disposers help to keep the kitchen free of bacteria, odors, and rubbish in a comfortable and hygienic way.

It converts the waste into very fine particles that are removed through the pipes, reducing the volume of rubbish in the kitchen and the amount of plastic bags that are used.

You are one touch away from having **total hygiene** in your kitchen.

Do you have organic waste in the sink? Do you know where to throw the scraps? Get rid of all of them in just three easy steps:



Only benefits

- ► **Greater hygiene** in your kitchen.
- **Sustainability:** reduces the accumulated rubbish as well as the use of bags.
- **Safety:** Teka's waste disposals do not use blades or fans for operation.
- ► The disposers are very **quiet**, thanks to their hightorque **Dura-Drive®** induction motor and their new grinding technology.
- ► They do not need maintenance.
- ► Their consumption of water and energy is **minimal**.






TR 550

Ref: 115890013

- Waste grinder
- Stainless steel, corrosion protection
- Power 0.55 hp (380 W)
- Weight: 14.5 kg
- Dimensions: 173 x 318 mm
- Equipment included: externally mounted pneumatic switch

COLOR

Stainless Steel







DISH BASKET 370X315X145 S/ST

Ref: 40199037



S. STEEL COLANDER (420 X 200 X 74) R15

Ref: 40199072



BAMBOO CUTTING BOARD

Ref: 40199236



UNIVERSAL FOLDABLE COLANDER

Ref: 115890024



SOAP DISPENSER SQUARE PS111-BN INOX

Ref: 115890012



BASKET VALVE DECORATIVE LID

Ref: 40199510





KIT MAN. WASTE HELIXPRO
1B W/OVF RND SP

Ref: 61001403



KIT MAN. WASTE HELIXPRO 1½/2/2B W/WO/OVF RND SP

Ref: 61001404

HELIXPRO

Exclusive strainer design by Teka

More **ergonomic** and functional with an avant-garde **design**. An efficient basket designed to facilitate faster and more **hygienic** evacuation of liquids.



BASKET WASTE HELIXPRO
1B WO/OVF

Ref: 61001401



BASKET WASTE SET HELIXPRO 1½B/2B W/WO/OVF RND

Ref: 61001402



BASKET WASTE HELIXPRO
1B W/OVF RND

Ref: 61001400





WASTE KIT 1B MANUAL VALVE ASSY. SQUARE DRAINAGE +1 COVER


Ref: 61001278



WASTE KIT 1B MANUAL VALVE ASSY. SQUARE DRAINAGE +1 COVER MICROTEXTURE Ref: 61001290

FLEXLINEA

Suitable for square fittings. Top line design with straight lines and maximum efficiency.







FITTINGS FOR 2B: CONNECTION, SIPHON, PIPE TO WALL + DECORATIVE END CAP

Ref: 61001314



FITTINGS FOR 1¹/₂ & 2B (DIFFERENT HEIGHTS): CONNECTION, SIPHON, PIPE TO WALL + DECORATIVE END CAP Ref: 61001315



FITTINGS FOR 2¹/₂B: CONNECTION, SIPHON, PIPE TO WALL + DECORATIVE END CAP

Ref: 61001316



FITTINGS FOR 1B: SIPHON, PIPE TO WALL + DECORATIVE END CAP

Ref: 61001313



1¹/₂ WASTE WITH OVERFLOW

Ref: 61001300



1¹/₂ WASTE WITHOUT OVERFLOW

Ref: 61001301



31/2 BASKET WASTE WO/OVERFLOW S/ST

Ref: 61001303



3¹/₂ BASKET WASTE SET W/WO/OVF

Ref: 61001305



31/2 BASKET WASTE W/OVERFLOW S/ST

Ref: 61001302

