REFERENCE

REF. 114000009 EAN. 8434778018592

PRODUCT INFORMATION SHEET (UE) 2019/2014

Supplier's name or trade mark: TEKA

Supplier's address: C/Cajo, 17, Santander, Spain

Model identifier: LI5 1481 EU EXP

General product parameters

Rated capacity for the eco 40-60 programme (Kg): 8

Dimensions (cm)

Height: 82 Width: 60 Depth: 53

Consumption and efficiency

Energy Efficiency Index (a): 51,9 Energy efficiency class (a): A Washing efficiency index (a): 1,04 Rinsing effectiveness (g/kg) (a): 4,9

Energy consumption in kWh per cycle, based on the eco 40-60 programme. Actual energy consumption will depend

on how the appliance is used.: 0,472

Water consumption in litre per cycle, based on the eco 40-60 programme. Actual water consumption will depend on how the appliance is used and on the hardness of the

water.: 44

Maximum temperature inside the treated textile (a) (°C)

Rated capacity: N/A Half capacity: N/A Quarter capacity: N/A

Remaining moisture content (a) (%)

Rated capacity: N/A

Half: N/A Quarter: N/A

Spin speed (a) (rpm)

Rated capacity: 1351

Half: 1351 **Quarter:** 1351

Spin-drying efficiency class (a): 53

Eco 40-60 programme duration (a) (h:min)

Rated capacity: N/A

Half: N/A
Quarter: N/A

Other

Type: Built-in

Airborne acoustical noise emissions in the spinning phase

(a) (dB(A) re 1 pW): 75

Airborne acoustical noise emission class (a) (spinning

phase): B

Off-mode (W): 0,5 Standby mode (W): 1

Delay start (W) (if applicable): 4

Networked standby (W) (if applicable): N/A

Minimum duration of the guarantee offered by the

supplier (b): 24

This product has been designed to release silver ions

during the washing cycle YES/NO: 0

Additional information:

Weblink to the supplier's website, where the information in point 9 of Annex II to Commission Regulation (EU) 2019/2023 (1) (b) is found: www.teka.com

- (a) for the eco 40-60 programme.
- (b) changes to these items shall not be considered relevant for the purposes of paragraph 4 of Article 4 of Regulation (EU) 2017/1369.
- (c) if the product database automatically generates the definitive content of this cell the supplier shall not enter these data.