

DH2 ISLA 1285 Decorative island hood with eletronic panel and EcoPower motor, 120cm A+





LED

Stop Delay

Timer




TEKA

FEATURES

Decorative horizontal island hood Electronic control with display 3 speeds + 1 intensiveFree Outlet exhaust capacity (m3/h): 920 Intensive speed exhaust capacity (m3/h): 796 Max speed exhaust capacity (m3/h): 605 Min speed exhaust capacity (m3/h): 311 Intensive speed sound level (dBA): 71 Max speed sound level (dBA): 66 Min speed sound level (dBA): 52 4 LED lamps 2 Stainless Steel filters Stop delay timer Filter saturation indicator Easy-Clean inside panel Operating pilot light Anti-return valve included Outlet reduction included Optional recirculation kit with tube cover installation: SET 1/T1 Optional Charcoal Filter: D4C





DIMENSIONS

Product height (mm): 817 / 1117 + 62 Product width (mm): 1200 Product depth (mm): 600 Product length (mm): Net weight (Kg): 19,2

TECHNICAL DETAILS

FEATURES	Ø Outlet (mm): 150 Type of inner light: LED Inside light Consumption (W): 3 Plug type: European plug Power rate (V): 220-240 Frequency (Hz): 50 Total hood power (W): 292 Number of motors: 1 Motor power (W): 280 Air flow (Qmin) m3/h: 311 Air flow (Qmax): 605 Air flow (Qboost): 796
ACCESSORIES	Anti Return valve: Yes Outlet reduction: Yes Optional Charcoal Filter: D4C Conventional recirculation kit (opt) - w/tube cover: SET 1/T1
MODELS	Number of filters: 4

Filter description: Stainless Steel filters Control panel: Backlit electronic control with white display Stop delay timer: Yes Filter saturation indicator: Yes Easy-clean inside panel: Yes Number of speeds: 3+1 **ENERGY LABEL**

