













Flex zone

MultiSlider, for
independant
control of each

cooking zone

for Easy ant installation ach system

Autolock Power function


Power Plus function



TEKA

FEATURES

FLEX DirectSense Full Flex induction system Touch Control Multislider, with safety lock Cooking time programmer 8 induction zones (4 + 3 Flex combined + Full Flex) -4 zones of 263 x 195 mm -3 Flex zones of 263 x 390 mm -1 Full Flex zone of 525 x 390 mm (285 x185 + 285 x185) Direct functions with temperature sensor: Grilling, Deep frying, Pan frying, Keep warm, QuickBoiling, Simmering and Melting Power Plus function Stop & GO function / Silence mode Optimised pan shape & size system Fast-Click easy installation Max. (nominal) power: 7.400 W



DIMENSIONS

TEKA

Product height (mm): 57 Product width (mm): 600 Product depth (mm): 510 Product length (mm): Net weight (Kg): 13,21

TECHNICAL DETAILS

FITTING MEASURES	Built-in Width (mm): 560 Built-in Depth (mm): 490 Built-in height (mm): 53
FEATURES	Number of electric power levels: 9 Grilling: Yes Pan frying: Yes Deep frying: Yes Simmering: Yes Melting: Yes Keeping warm: Yes Power management function: Yes
ELECTRIC CONNECTION	Frequency (Hz): 50/60 Power rate (V): 220-240 Cable Connection Length (cm): 110 Maximum Nominal Power (W) (Electric hob): 7400

COOKING ZONES	Cooking Zones: 4
SAFETY SYSTEMS	Residual heat indicator (Electric hob): Yes Automatic safety disconnection (Auto Lock) (Electric hob): Yes Safety Blocking: Yes Child lock: Yes
FINISH	Surface finishing: Front bevelled glass Surface type: Ceramic Glass (4mm) Easy installation system: Yes
ACCESSORIES	Junction Kit: NO Teppan Yaki: Optional