TEKA

CNL 6610 60cm Pull-out Hood with Finger Print Proof front panel and 2+1 speeds

LED

Stop Delay Timer

|	
DESCRIPTION	60cm Pull-out Hood with Finger Print Proof front panel and 2+1 speeds
LIFE STYLE	Total
COLOURS	
REFERENCE	REF. 40436830 EAN. 8421152146231

TEKA

CNL 6610

FEATURES

Pull-out hood
Electronic control panel
2+1 speeds
Exhaust capacities:
Free Outlet, m³/h: 745
Qboost, m3/h: 694
Max., m3/h: 445
Min., m³/h: 330
Noise (LwA) Boost Speed, dB: 70,1
Noise (LwA) Max Speed, dB: 62,6
Noise (LwA) Min Speed, dB: 59,8
3 LED lamps
4 aluminium filters
Reinforced Black Glass upper structure
Automatic Lighting
Exchangeable Front Panel
Finger Print Proof Front Panel

DIMENSIONS

Product height (mm): 274
Product width (mm): 600
Product depth (mm): 300/490
Product length (mm):
Net weight (Kg): 8,33

TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs
Ø Outlet (mm): 150
Type of inner light: LED
Inside light Consumption (W): 1,5
Plug type: European plug
Power rate (V): 230
Frequency (Hz): 50
Total hood power (W): 233
Number of motors: 1
Motor power (W): 230
Air flow (Qmin) m3/h: 330
Air flow (Qmax): 445
Air flow (Qboost): 694

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes
Outlet extension: No
Optional Charcoal Filter: D4C
Conventional recirculation kit (opt) - w/tube cover: No

MODELS

Number of filters: 2
Filter description: Aluminum
Control panel: Electronic
Stop delay timer: Yes
Automatic lighting: Yes
Number of speeds: 2+1
Fingerprint proof front panel: Yes

MODELS

Number of filters: 2
Filter description: Aluminum
Control panel: Electronic
Stop delay timer: Yes
Automatic lighting: Yes
Number of speeds: 2+1
Fingerprint proof front panel: Yes

TEKA

CNL 6610

ENERGY LABEL

ENERG · энергия · ενεργεια

TEKA   CNL 6610

A+
A
B
C
D
E
F

C

106
kWh/annum

ABC**D**EFG   **A**BCDEFG   ABC**D**EFG   **70**dB

65/2014

1231047