



NC 680 Glass wing wall-mounted extractor hood NC 680



LED



Stop Delay
Timer

DESCRIPTION

Glass wing wall-mounted extractor hood NC 680

LIFE STYLE

Easy

COLOURS

REFERENCE

REF. 40455330
EAN. 8421152130476



NC 680

FEATURES

Ultraslim glass wing decorative hood
Eco power
Backlit electronic panel with white display
Conventional aspiration
3 speeds + 1 intensive
Exhaust capacities:
Free Outlet (m³/h): 825
Max. (m³/h): 637
Min. (m³/h): 298
Noise (LwA) Max Speed 60 dB
Noise (LwA) Min Speed 52 dB
LED illumination
1 stainless steel-aluminium filter
Stop delay timer
Reinforced glass upper structure

DIMENSIONS


Product height (mm): 674-1004

Product width (mm): 600

Product depth (mm): 500

Product length (mm):

Net weight (Kg): 12,9



TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs
Ø Outlet (mm): 150
Type of inner light: LED
Inside light Consumption (W): 3
Plug type: European plug
Power rate (V): 220-240
Frequency (Hz): 50/60
Total hood power (W): 236
Number of motors: 1
Motor power (W): 230
Air flow (Qmin) m3/h: 298
Air flow (Qmax): 402
Air flow (Qboost): 637

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes
Optional Charcoal Filter: C1RTK
Regenerative charcoal filter: R1RTK
Conventional recirculation kit (opt) - w/tube cover: CFH 15200 L3C

Regenerative recirculation kit (opt) - w/tube cover: RFH 15200
L3C

MODELS

- Number of filters:** 1
- Filter description:** Stainless Steel filters
- Control panel:** Backlit electronic control with white display
- Stop delay timer:** Yes
- Filter saturation indicator:** Yes
- Number of speeds:** 3+1



NC 680

ENERGY LABEL

