



GFL 57651 Built-in Filter Group with Rim extraction and electronic control



LED



Stop Delay
Timer



Perimeter
extraction

DESCRIPTION

Built-in Filter Group with Rim extraction and electronic control

LIFE STYLE

Maestro

COLOURS

REFERENCE


REF. 113100005
EAN. 8434778022339



GFL 57651

FEATURES

Built-in hood
Electronic control
Rim extraction
3 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 735
Max speed exhaust capacity (m3/h): 738
Intensive speed sound level (dBA): 70,1
Max speed sound level (dBA): 68
Min speed sound level (dBA): 54,4
2 LED Lamps
1 aluminium filter
Stop delay timer
Anti-return valve included
Outlet reduction included
Optional Charcoal Filter: D4C



DIMENSIONS

Product height (mm): 282

Product width (mm): 532

Product depth (mm): 284

Product length (mm):

Net weight (Kg): 9,8

TECHNICAL DETAILS

FEATURES

Ø Outlet (mm): 150

Type of inner light: LED

Inside light Consumption (W): 6

Plug type: Shucko

Cable Connection Length (cm): 100

Power rate (V): 220 - 240

Frequency (Hz): 50

Total hood power (W): 278

Number of motors: 1

Motor power (W): 270

Air flow (Qmin) m³/h: 245

Air flow (Qmax): 425

Air flow (Qboost): 760

ACCESSORIES

Anti Return valve: Yes

Outlet reduction: Yes

Outlet extension: No

Optional Charcoal Filter: D4C

Regenerative charcoal filter: No

Conventional recirculation kit (opt) - w/tube cover: No

MODELS

Regenerative recirculation kit (opt) - w/tube cover: No
Conventional recirculation kit (opt) - w/o tube cover: No
Regenerative recirculation kit (opt) - w/o tube cover: No

Number of filters: 1
Filter description: Aluminum Filter
Opening system: Manual
Control panel: Electronic
Stop delay timer: Yes
Number of speeds: 3 + 1



GFL 57651

ENERGY LABEL

