




**IZS 96600 MSP** 90cm Flex SlideCooking Induction Hob with 6 cooking zones



MultiSlider, for independant control of each cooking zone



Autolock



Power function



Power Plus function



Easy installation system

**DESCRIPTION**

90cm Flex SlideCooking Induction Hob with 6 cooking zones

**LIFE STYLE**

Maestro

**COLOURS**



**REFERENCE**

REF. 112500004  
EAN. 8434778000931




## IZS 96600 MSP

### FEATURES

Induction hob  
FLEX induction with Slide Cooking function  
Touch Control Multislider  
Cooking timer  
5 cooking combinations (4 + 1 Flex zone)  
-2 zones of 230 x 200 mm  
-1 Flex zone of 230 x 400 mm  
-1 double induction zone Ø 180 / 280 mm  
SlideCooking function available in the Flex zone  
Special cooking functions: Quick Boiling, Melting, Simmering and KeepWarm  
Power Plus function  
Child lock  
Stop & Go function  
Silence mode  
Residual heat indicators  
Fast-Click easy installation  
Maximum nominal power: 7.400 W



**IZS 96600 MSP**



## DIMENSIONS

**Product height (mm):** 63  
**Product width (mm):** 900  
**Product depth (mm):** 510  
**Product length (mm):**  
**Net weight (Kg):** 15,7

## TECHNICAL DETAILS

### FITTING MEASURES

**Built-in Width (mm):** 860  
**Built-in Depth (mm):** 490  
**Built-in height (mm):** 63

### FEATURES

**Number of electric power levels:** 9  
**Simmering:** Yes  
**Melting:** Yes  
**Keeping warm:** Yes  
**Power management function:** Yes

### ELECTRIC CONNECTION

**Frequency (Hz):** 50/60  
**Power rate (V):** 220-240  
**Cable Connection Length (cm):** 110  
**Maximum Nominal Power (W) (Electric hob):** 7400

### COOKING ZONES

**Cooking Zones:** 4

## SAFETY SYSTEMS

**Energy consumption for the whole hob, Wh/Kg:** 192 ( )

**Residual heat indicator (Gas):** Yes

**Residual heat indicator (Electric hob):** Yes

**Automatic safety disconnection (Auto Lock) (Electric hob):** Yes

**Safety Blocking:** Yes

**Child lock:** Yes

## FINISH

**Surface finishing:** Front bevelled glass

**Surface type:** Ceramic Glass (4mm)

**Easy installation system:** Yes

## ACCESSORIES

**Junction Kit:** NO

**Teppan Yaki:** Optional

