

EWH 50 C Water heater with vertical installation and 50L capacity









Dry Heating Protection Humidity Control Overheating Protection

DESCRIPTION

Water heater with vertical installation and 50L capacity

COLOURS

REFERENCE

REF. 111720002 EAN. 8434778012965



FEATURES

Vertical installation Capacity: 50 litres

Average number of users: 2-3 Enamelled heating element Temperature regulation 30° - 75° C Max input pressure: 0.75 Mpa

Thermometer


Over-heating protection Humidity protection Dry-heating protection Power rate: 1500 W

Isolation thickness: 22.50 mm



DIMENSIONS

Product height (mm): 770 Product width (mm): 385 Product depth (mm): 385 Product length (mm): Net weight (Kg): 17,8



TECHNICAL DETAILS

FEATURES

Power rate (V): 220-240 Frequency (Hz): 50/60 Power rate (W): 1500 Plug type: EU, 1m

Type of installation: Vertical

Certificates: CE

Average number of users: 2-3 Control panel: MECHANICAL Number of power levels: 1

Maximum input pressure (Mpa): 0,75 Sapphire Enamelled Steel Tank: Yes Magnesium protection anode: Yes Heating element indicator lamp: Yes

Thermometer: Yes

Insulation thickness (mm): 22,5

Degree of protection against humidity: IPX4

Protection against heating: Yes **Dry heating protection:** Yes

Water heating energy efficiency class: C Annual energy consumption AEC kWh/annum (kWh): 1422,00 Sound power level L WA (dB): 15

EU REGULATION NO. 814/2013

Storage Volume V L (L): 50



ENERGY LABEL

