

EWH 50 H VR01 Water heater with double installation system and 50L capacity











ELCB Earth Leakage Circuit Breaker



Humidity Control



Overheating Protection



Type of Installation

DESCRIPTION

Water heater with double installation system and 50L capacity

COLOURS

REFERENCE

REF. 42080250 EAN. 8421152131954



FEATURES

Vertical and horizontal installation

Capacity: 46 litres

Average number of users: 2-3

Tank ultra-resistant protective polish

Enamelled heating element

Temperature regulation 30º - 75º C

Max input pressure: 0.75 Mpa

Thermometer

Over-pressure protection

Over-heating protection

Humidity protection

Dry-heating protection

Earth leakage circuit breaker ELCB


Power rate: 1500 W

Isolation thickness: 20 mm



DIMENSIONS

Product height (mm): 711 Product width (mm): 385 Product depth (mm): 385 Product length (mm): Net weight (Kg): 18,3



TECHNICAL DETAILS

FEATURES

Power rate (V): 220-240 Frequency (Hz): 50 Power rate (W): 1500

Plug type: EU

Type of installation: Vertical, Horizontal

Certificates: CE;CB

Average number of users: 2-3 Control panel: MECHANICAL Number of power levels: 1

Maximum input pressure (Mpa): 0,75 Sapphire Enamelled Steel Tank: Yes Magnesium protection anode: Yes Heating element indicator lamp: Yes

Thermometer: Yes

Insulation thickness (mm): 20

Degree of protection against humidity: IPX4

Protection against heating: Yes **Dry heating protection:** Yes

EU REGULATION NO. 812/2013

Declared load profile: $\ensuremath{\mathsf{M}}$

Water heating energy efficiency class: $\ensuremath{\mathsf{C}}$

Annual energy consumption AEC kWh/annum (kWh): 1418,00

Sound power level L WA (dB): 15



ENERGY LABEL

