

DQ2 985 Decorative glass wing hood of corner installation with EcoPower motor







LED

Stop Delay Timer

DESCRIPTION

Decorative glass wing hood of corner installation with EcoPower motor $% \left(1\right) =\left(1\right) \left(1$

COLOURS



REFERENCE

REF. 40477002 EAN. 8421152145845



FEATURES

Decorative glass wing hood Electronic control with display

3 speeds + 1 intensive

Free Outlet exhaust capacity (m3/h): 920
Intensive speed exhaust capacity (m3/h): 807
Max speed exhaust capacity (m3/h): 631
Min speed exhaust capacity (m3/h): 315
Intensive speed sound level (dBA): 60
Max speed sound level (dBA): 55

Min speed sound level (dBA): 42

3 LED lamps

2 Stainless Steel filters

Stop delay timer

Filer saturation indicator

Easy-Clean inside panel

Operating pilot light

Anti-return valve included

Outlet reduction included

Optional recirculation kit with tube cover installation: SET 1/L

Optional Charcoal Filter: D4C




DIMENSIONS

Product height (mm): 680-

1010

Product width (mm): 895 Product depth (mm): 895 Product length (mm): Net weight (Kg): 26,7



TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs Ø Outlet (mm): 150
Type of inner light: LED

Inside light Consumption (W): 3

Plug type: European plug Power rate (V): 220-240 Frequency (Hz): 50

Total hood power (W): 289 Number of motors: 1 Motor power (W): 280 Air flow (Qmin) m3/h: 315 Air flow (Qmax): 631 Air flow (Qboost): 807

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes

Optional Charcoal Filter: D4C

Conventional recirculation kit (opt) - w/tube cover: $SET\ 1/L$

MODELS

Number of filters: 2

Filter description: Stainless Steel filters

Control panel: Backlit electronic control with white display

Stop delay timer: Yes

Filter saturation indicator: Yes Easy-clean inside panel: Yes Number of speeds: 3+1



ENERGY LABEL

