GFL 57650 EOS IX Built-in filter hood with Rim extraction and 3 speeds, 50cm

LED

Perimeter extraction

Stop Delay Timer

DESCRIPTION	Built-in filter hood with Rim extraction and 3 speeds, 50cm
COLOURS	
REFERENCE	REF. 113100002 EAN. 8434778016369

GFL 57650 EOS IX

FEATURES

Built-in filter group
Rim extraction
Electronic control
3 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 800
Max speed exhaust capacity (m3/h): 559
Min speed exhaust capacity (m3/h): 285
Intensive speed exhaust capacity (m3/h): 646
Intensive speed sound level (dBA): 71
Max speed sound level (dBA): 66
Min speed sound level (dBA): 52
2 LED Lamps
1 Aluminium filter
Stop Delay Time
Operating pilot light
Anti-return valve included
Outlet reduction included
Optional Charcoal Filter: C01RTK

GFL 57650 EOS IX



DIMENSIONS

Product height (mm): 316
Product width (mm): 532
Product depth (mm): 284
Product length (mm):
Net weight (Kg): 9

TECHNICAL DETAILS

FEATURES

Ø Outlet (mm): 150
Type of inner light: LED
Inside light Consumption (W): 7,4
Plug type: Shucko
Cable Connection Length (cm): 100
Power rate (V): 220-240
Frequency (Hz): 50/60
Total hood power (W): 288
Number of motors: 1
Motor power (W): 280
Air flow (Qmin) m3/h: 285
Air flow (Qmax): 559
Air flow (Qboost): 646

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes
Outlet extension: No
Optional Charcoal Filter: C01RTK
Regenerative charcoal filter: No
Conventional recirculation kit (opt) - w/tube cover: No

Regenerative recirculation kit (opt) - w/tube cover: No
Conventional recirculation kit (opt) - w/o tube cover: No
Regenerative recirculation kit (opt) - w/o tube cover: No

MODELS

Number of filters: 1
Filter description: Aluminum Filter
Opening system: Manual
Control panel: Electronic
Stop delay timer: Yes
Number of speeds: 3 + 1

GFL 57650 EOS IX

ENERGY LABEL