




**ITS 67620 MST** MasterSense induction Flex hob with SlideCooking function and 3 cooking zones



MultiSlider



Autolock



Power



Power Plus



Easy  
installation

**DESCRIPTION**

MasterSense induction Flex hob with SlideCooking function and 3 cooking zones

**COLOURS**



**REFERENCE**

REF. 112500020  
EAN. 8434778011654




## ITS 67620 MST

### FEATURES

Urban Colors Edition  
MasterSense Series  
Flex induction hob  
SlideCooking function  
Direct functions with temperature sensors: Grilling, poaching, confit, pan frying, deep frying, quick boiling, simmering, melting and keep warm  
Touch Control MultiSlider  
3 cooking zones  
1 zone Ø 280/150 mm  
2 zones Ø 228 x 200 mm  
Ceramic glass surface  
Auto-lock safety system  
Cooking timer  
Power plus  
Residual heat indicator  
Power management  
Easy installation kit  
Maximum nominal power 7200 W  
Optional: Grilling plate  
Optional: Teppanyaki



**ITS 67620 MST**



## DIMENSIONS

**Product height (mm):** 53  
**Product width (mm):** 606  
**Product depth (mm):** 516  
**Product length (mm):**  
**Net weight (Kg):** 9,94

## TECHNICAL DETAILS

### FITTING MEASURES

**Built-in Width (mm):** 560  
**Built-in Depth (mm):** 490  
**Built-in height (mm):** 46

### FEATURES

**Number of electric power levels:** 9  
**Grilling:** Yes  
**Pan frying:** Yes  
**Deep frying:** Yes  
**Simmering:** Yes  
**Melting:** Yes  
**Keeping warm:** Yes  
**Confit:** Yes  
**Poach:** Yes  
**Power management function:** Yes

### ELECTRIC CONNECTION

**Frequency (Hz):** 50/60  
**Power rate (V):** 220-240  
**Cable Connection Length (cm):** 110  
**Maximum Nominal Power (W) (Electric hob):** 7200

**COOKING ZONES**

Cooking Zones: 3

**SAFETY SYSTEMS**

Residual heat indicator (Electric hob): Yes  
Automatic safety disconnection (Auto Lock) (Electric hob): Yes

**FINISH**

Surface finishing: Slim metal frame  
Surface type: Ceramic Glass (4mm)  
Easy installation system: Yes

**ACCESSORIES**

Junction Kit: Optional  
Teppan Yaki: Optional

