



CNL 6415 Pull-out hood with EcoPower motor and and 2+1 speeds



LED



Stop Delay
Timer

DESCRIPTION

Pull-out hood with EcoPower motor and and 2+1 speeds

COLOURS



REFERENCE


REF. 40436810
EAN. 8421152146170



CNL 6415

FEATURES

Pull-out hood
Electronic control
2 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 393
Intensive speed exhaust capacity (m3/h): 385
Max speed exhaust capacity (m3/h): 312
Min speed exhaust capacity (m3/h): 226
Intensive speed sound level (dBA): 69
Max speed sound level (dBA): 64
Min speed sound level (dBA): 57
2 LED lamps
2 Stainless Steel filter
Stop delay timer
Fingerprint proof front panel
Exchangeable Front Panel
Anti-return valve included
Optional Charcoal Filter: CNL 1C



DIMENSIONS

Product height (mm): 184

Product width (mm): 600

Product depth (mm): 300/490

Product length (mm):

Net weight (Kg): 7,1

TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs

Ø Outlet (mm): 120

Type of inner light: LED

Inside light Consumption (W): 1,5

Plug type: European plug

Power rate (V): 230

Frequency (Hz): 50

Total hood power (W): 113

Number of motors: 1

Motor power (W): 110

Air flow (Qmin) m3/h: 226

Air flow (Qmax): 312

Air flow (Qboost): 385

ACCESSORIES

Anti Return valve: Yes

Outlet extension: No

Optional Charcoal Filter: CNL 1C

MODELS

Number of filters: 2

Filter description: Stainless Steel filters

Control panel: Electronic

Stop delay timer: Yes

Automatic lighting: Yes

Number of speeds: 2+1

Fingerprint proof front panel: Yes



CNL 6415

ENERGY LABEL

