



CNL 9610 Pull-out hood with Finger Print proof front panel and 2+1 speeds, 90cm



LED



Stop Delay
Timer

DESCRIPTION

Pull-out hood with Finger Print proof front panel and 2+1 speeds, 90cm

COLOURS



REFERENCE


REF. 40436850
EAN. 8421152146255



CNL 9610

FEATURES

Pull-out hood
Electronic control
2 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 745
Intensive speed exhaust capacity (m3/h): 694
Max speed exhaust capacity (m3/h): 445
Min speed exhaust capacity (m3/h): 330
Intensive speed sound level (dBA): 70
Max speed sound level (dBA): 63
Min speed sound level (dBA): 60
3 LED lamps
4 aluminium filters
Stop delay timer
Fingerprint proof front panel
Exchangeable Front Panel
Anti-return valve included
Outlet reduction included
Optional Charcoal Filter: D4C



DIMENSIONS

Product height (mm): 274

Product width (mm): 900

Product depth (mm): 300/490

Product length (mm):

Net weight (Kg): 9,58

TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs

Ø Outlet (mm): 150

Type of inner light: LED

Inside light Consumption (W): 1,5

Plug type: European plug

Power rate (V): 230

Frequency (Hz): 50

Total hood power (W): 235

Number of motors: 1

Motor power (W): 230

Air flow (Qmin) m3/h: 330

Air flow (Qmax): 445

Air flow (Qboost): 694

ACCESSORIES

Anti Return valve: Yes

Outlet reduction: Yes

Outlet extension: No

Optional Charcoal Filter: D4C

Conventional recirculation kit (opt) - w/tube cover: No

MODELS

Number of filters: 4
Filter description: Aluminum
Control panel: Electronic
Stop delay timer: Yes
Automatic lighting: Yes
Number of speeds: 2+1
Fingerprint proof front panel: Yes



CNL 9610

ENERGY LABEL

