



PERFECTA4 DLH 1185 T Decorative hood with touch control display and EcoPower A4 motor, 110cm



LED



PERFECTA-4



Stop Delay
Timer

DESCRIPTION

Decorative hood with touch control display and EcoPower A4 motor, 110cm

COLOURS

REFERENCE

REF. 40437110
EAN. 8421152145678



PERFECTA4 DLH 1185 T

FEATURES

Decorative horizontal hood
Touch control
Brushless EcoPower Motor
3 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 795
Intensive speed exhaust capacity (m3/h): 740
Max speed exhaust capacity (m3/h): 586
Min speed exhaust capacity (m3/h): 306
Intensive speed sound level (dBA): 60
Max speed sound level (dBA): 55
Min speed sound level (dBA): 54
1 LED lamp
3 aluminium filters with 12 layers
Stop delay timer
Filter saturation indicator
Operating pilot light
Anti-return valve included
Outlet reduction included



PERFECTA4 DLH 1185 T

DIMENSIONS


Product height (mm): 670-1000

Product width (mm): 1100

Product depth (mm): 480

Product length (mm):

Net weight (Kg): 16,64



TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs
Ø Outlet (mm): 150
Type of inner light: LED
Inside light Consumption (W): 17
Plug type: Schuko plug
Power rate (V): 230
Frequency (Hz): 50
Total hood power (W): 287
Number of motors: 1
Motor power (W): 280
Air flow (Qmin) m³/h: 352
Air flow (Qmax): 651
Air flow (Qboost): 760

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes
Outlet extension: No
Optional Charcoal Filter: C1RTK
Regenerative charcoal filter: R1RTK
Conventional recirculation kit (opt) - w/tube cover: CFH 15200

MODELS

L3C
Regenerative recirculation kit (opt) - w/tube cover: RFH 15200
L3C

- Number of filters:** 3
- Filter description:** Stainless Steel filters MMX
- Control panel:** Touch Control (Glass Front) white display
- Stop delay timer:** Yes
- Filter saturation indicator:** Yes
- Time clock:** Yes
- Number of speeds:** 3+1



PERFECTA4 DLH 1185 T

ENERGY LABEL

