

NC 785 Ultraslim decorative glass wing hood with EcoPower motor, 70cm







LED

Stop Delay Timer

DESCRIPTION

Ultraslim decorative glass wing hood with EcoPower motor, 70cm

COLOURS

REFERENCE

REF. 40455381 EAN. 8421152130520



FEATURES

Decorative glass wing hood Electronic control with display 3 speeds +1 intensive

Free Outlet exhaust capacity (m3/h): 895 Intensive speed exhaust capacity (m3/h): 807 Max speed exhaust capacity (m3/h): 631 Min speed exhaust capacity (m3/h): 315

Intensive speed sound level (dBA): 72 Max speed sound level (dBA): 68 Min speed sound level (dBA): 56

2 LED Lamps

1 Stainless Steel filter Stop delay timer Filter saturation indicator Operating pilot light Anti-return valve included Outlet reduction included




DIMENSIONS

Product height (mm): 674-

1004

Product width (mm): 700 Product depth (mm): 500 Product length (mm): Net weight (Kg): 14,1



TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs Ø Outlet (mm): 150 Type of inner light: LED

Inside light Consumption (W): 3

Plug type: European plug Power rate (V): 220-240 Frequency (Hz): 50

Total hood power (W): 286 Number of motors: 1 Motor power (W): 280 Air flow (Qmin) m3/h: 315 Air flow (Qmax): 631 Air flow (Qboost): 807

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes

Optional Charcoal Filter: C1RTK
Regenerative charcoal filter: R1RTK

Conventional recirculation kit (opt) - w/tube cover: CFH 15200

L3C

Regenerative recirculation kit (opt) - w/tube cover: RFH 15200

L3C

MODELS Number of filters: 1

Filter description: Stainless Steel filters

Control panel: Backlit electronic control with white display

Stop delay timer: Yes

Filter saturation indicator: Yes

Number of speeds: 3+1



ENERGY LABEL

