



DSJ 680 Ultralim decorative hood with 4 speeds



LED

DESCRIPTION

Ultralim decorative hood with 4 speeds

COLOURS



REFERENCE

REF. 40484820
EAN. 8421152157312



DSJ 680

FEATURES

Decorative horizontal hood
Push buttons control
4 speeds
Free Outlet exhaust capacity (m3/h): 638
Max speed exhaust capacity (m3/h): 614
Min speed exhaust capacity (m3/h): 268
Max speed sound level (dBA): 66
Min speed sound level (dBA): 48
2 LED lamp
2 Stainless Steel filters
Operating pilot light
Anti-return valve included
Outlet reduction included

DIMENSIONS


Product height (mm): 670-1000

Product width (mm): 600

Product depth (mm): 480

Product length (mm):

Net weight (Kg): 13,37



TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs
Ø Outlet (mm): 150
Type of inner light: LED
Inside light Consumption (W): 1,5
Plug type: Schuko plug
Power rate (V): 230
Frequency (Hz): 50/60
Total hood power (W): 223
Number of motors: 1
Motor power (W): 220
Air flow (Qmin) m3/h: 268
Air flow (Qmax): 614

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes
Outlet extension: No
Optional Charcoal Filter: C1RTK
Regenerative charcoal filter: R1RTK
Conventional recirculation kit (opt) - w/tube cover: CFH 15200
L3C

Regenerative recirculation kit (opt) - w/tube cover: RFH 15200
L3C

MODELS

Number of filters: 2
Filter description: Stainless Steel filters
Control panel: Rectangular Push Buttons
Number of speeds: 4



DSJ 680

ENERGY LABEL

