



DVT Pro 98660 TBS BK Urban Colors Edition. Vertical decorative hood in full glass design with FreshAir function, 90cm



LED



Perimeter
extraction



Stop Delay
Timer



Fresh AIR

DESCRIPTION

Urban Colors Edition. Vertical decorative hood in full glass design with FreshAir function, 90cm

COLOURS



REFERENCE

REF. 112930043
EAN. 8434778013252



DVT Pro 98660 TBS BK

FEATURES

Urban Colors Edition
Decorative vertical hood
Touch control with display
FreshAir function
3 speeds + 1 intensive
Intensive speed exhaust capacity (m3/h): 698
Max speed exhaust capacity (m3/h): 584
Min speed exhaust capacity (m3/h): 307
Intensive speed sound level (dBA): 74
Max speed sound level (dBA): 68
Min speed sound level (dBA): 52
2 LED lamps
2 Aluminum Filters
Stop delay timer
Filer saturation indicator
Anti-return valve included
Outlet reduction included
Optional recirculation kit with tube cover installation: CFH 15200 L2C
Optional regenerative recirculation kit with tube cover installation: RFH 15200 L2C
Optional recirculation kit without tube cover installation: CFH 15200 O2C
Optional regenerative recirculation kit without tube cover installation: FH 15200 O2C
Optional Charcoal Filter: C1RTK
Optional Regenerative filter: R1RTK

DIMENSIONS


Product height (mm): 800-1100

Product width (mm): 900

Product depth (mm): 412

Product length (mm):

Net weight (Kg): 16,2



TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs; Gmark

Ø Outlet (mm): 150

Removable oil collector: Yes

Dual Aspiration System: Yes

Type of inner light: LED

Inside light Consumption (W): 4,2

Plug type: Schuko plug

Cable Connection Length (cm): 100

Power rate (V): 220-240

Frequency (Hz): 50/60

Total hood power (W): 286

Number of motors: 1

Motor power (W): 280

Air flow (Qmin) m3/h: 307

Air flow (Qmax): 584

Air flow (Qboost): 698

ACCESSORIES

Anti Return valve: Yes

Outlet reduction: Yes

Outlet extension: No

MODELS

Optional Charcoal Filter: C1RTK
Regenerative charcoal filter: R1RTK
Integration Frontal panel Code: No
Conventional recirculation kit (opt) - w/tube cover: CFH 15200 L2C
Regenerative recirculation kit (opt) - w/tube cover: RFH 15200 L2C
Conventional recirculation kit (opt) - w/o tube cover: CFH 15200 O2C
Regenerative recirculation kit (opt) - w/o tube cover: RFH 15200 O2C

Number of filters: 2
Filter description: Aluminum Filters
Opening system: Piston
Control panel: Touch Control w/display
Stop delay timer: Yes
Filter saturation indicator: Yes
Number of speeds: 3 + 1
Fresh air function: Yes



DVT Pro 98660 TBS BK

ENERGY LABEL

