



DLV 99670 TOS BK Urban Colors Edition. Vertical decorative hood with Rim extraction system, 90cm



LED



Perimeter
extraction



Stop Delay
Timer



Fresh AIR

DESCRIPTION

Urban Colors Edition. Vertical decorative hood with Rim extraction system, 90cm

COLOURS



REFERENCE

REF. 112930038
EAN. 8434778012798



DLV 99670 TOS BK

FEATURES

Urban Colors Edition
Decorative vertical hood
Touch control with display
FreshAir function
3 speeds + 1 intensive
Intensive speed exhaust capacity (m³/h): 920
Max speed exhaust capacity (m³/h): 625
Min speed exhaust capacity (m³/h): 210
Intensive speed sound level (dBA): 72
Max speed sound level (dBA): 65
Min speed sound level (dBA): 39
1 LED lamp
2 aluminium filters
Stop delay timer
Filter saturation indicator
Anti-return valve included
Outlet reduction included
Optional recirculation kit with tube cover installation: CFH 15200 L3C
Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
Optional recirculation kit without tube cover installation: CFH 15200 O2C
Optional regenerative recirculation kit without tube cover installation: RFH 15200 O2C
Optional Charcoal Filter: C1RTK
Optional Regenerative filter: R1RTK

DIMENSIONS

Product height (mm): 1001-1331

Product width (mm): 900

Product depth (mm): 450

Product length (mm):

Net weight (Kg): 21



TECHNICAL DETAILS

FEATURES

Ø Outlet (mm): 150

Removable oil collector: Yes

Type of inner light: LED BAR

Inside light Consumption (W): 7,5

Plug type: Schuko plug

Cable Connection Length (cm): 100

Power rate (V): 220-240

Frequency (Hz): 50/60

Total hood power (W): 228

Number of motors: 1

Motor power (W): 220

Air flow (Qmin) m³/h: 210

Air flow (Qmax): 625

Air flow (Qboost): 920

ACCESSORIES

Anti Return valve: Yes

Outlet reduction: Yes

Outlet extension: No

Optional Charcoal Filter: C1RTK

Regenerative charcoal filter: R1RTK

MODELS

Conventional recirculation kit (opt) - w/tube cover: CFH 15200 L3C
Regenerative recirculation kit (opt) - w/tube cover: RFH 15200 L3C
Conventional recirculation kit (opt) - w/o tube cover: CFH 15200 O2C
Regenerative recirculation kit (opt) - w/o tube cover: RFH 15200 O2C

Number of filters: 2
Filter description: Aluminum filters
Opening system: Piston
Control panel: Touch control white display
Stop delay timer: Yes
Filter saturation indicator: Yes
Time clock: Yes
Number of speeds: 3 + 1
Fresh air function: Yes



DLV 99670 TOS BK

ENERGY LABEL

