



CNL 9415 PLUS Pull-out hood with electronic control and 5 speeds



LED



Stop Delay
Timer

DESCRIPTION

Pull-out hood with electronic control and 5 speeds

COLOURS

REFERENCE


REF. 113070004
EAN. 8434778020809



CNL 9415 PLUS

FEATURES

Pull-out hood
Electronic control
5 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 393
Intensive speed exhaust capacity (m3/h): 385
Max speed exhaust capacity (m3/h): 293
Min speed exhaust capacity (m3/h): 141
Intensive speed sound level (dBA): 69
Max speed sound level (dBA): 64
Min speed sound level (dBA): 52
4 LEDS lamps
2 Stainless Steel filters
Stop delay timer
Operating pilot light
Exchangeable front panel
Anti-return valve included
Optional Charcoal Filter: CNL 1C



DIMENSIONS

Product height (mm): 184

Product width (mm): 900

Product depth (mm): 300/490

Product length (mm):

Net weight (Kg): 9,40

TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs
Ø Outlet (mm): 120
Type of inner light: LED
Inside light Consumption (W): 9
Plug type: European plug
Power rate (V): 230
Frequency (Hz): 50
Total hood power (W): 119
Number of motors: 1
Motor power (W): 110
Air flow (Qmin) m³/h: 141
Air flow (Qmax): 293
Air flow (Qboost): 385

ACCESSORIES

Anti Return valve: Yes
Outlet extension: No
Optional Charcoal Filter: CNL 1C

MODELS

Number of filters: 2

Filter description: Stainless Steel filters MMX

Control panel: Electronic soft bottons

Stop delay timer: Yes

Automatic lighting: Yes

Number of speeds: 5+1

