

HLC 8471 S RX Full Steam compact oven with 20 recipes and HydroClean system. Special reflex efect glass







48L

SoftClose

DESCRIPTION

Full Steam compact oven with 20 recipes and HydroClean system. Special reflex efect glass $\,$

COLOURS



REFERENCE

REF. 111230002 EAN. 8434778003567



FEATURES

 ${\bf Multifunction\ SurroundTemp\ oven\ +\ Steamer}$

Temperature range 35-100 °C

1 litre water tank

Touch control display with knobs

Electronic timer (Delay/Start function)

Sterilization and regeneration function

Chrome supports with 5 cooking levels

Removable triple glazed door

SoftClose system

Automatic disconnection security system


Children safety lock

Anti-tip deep tray, anti-tip gastronorm tray, reinforced grid and

special grid for perforated tray

Capacity (gross/net): 49 / 48 litres





DIMENSIONS

Product height (mm): 455 Product width (mm): 595 Product depth (mm): 559 Product length (mm): Net weight (Kg): 26,5

TECHNICAL DETAILS

FEATURES

Certificates: CE/CB / CCC **Type of inner light:** Halogen

Inside light position: upper rear right

Enamelled cavity: Yes

Min. Temperature Regulator (°C): 30
Max. Temperature Regulator (°C): 100

Function selector: ELECTRONIC **Number of cooking functions:** 1

Bottom function: Yes **Knobs type:** MMX FIX KNOB **Ring illuminated:** Yes

Removable chromed tray guides: Yes

Number of guide levels: 4

Number of guide levels (lower cavity): 0 Forced refrigeration tangential 1 speed: Yes

SoftClose: Yes

ELECTRIC CONNECTION

Maximum Nominal Power (W): 3000

Frequency (Hz): 50/60 Power rate (V): 220-240 Cable Connection Length (cm): 110

Plug: Yes

Inside light Consumption (W): 25

ENERGY CONSUMPTION Bottom Heating Element (W): 1150

Cooling Fan Motor (W): 35

SAFETY SYSTEMS Automatic disconnection when opening the door: Yes

Panel blocking system: Yes

Children safety block option: Yes

Anti-tip tray system: Yes **Safety Thermostat:** Yes

CLEANING SYSTEM Fingerprint proof stainless steel: Yes

Crystal Clean Enamel (Slippery): Yes

ACCESSORIES Deep Tray (50 mm): 1

Reinforced grid: 1