



# IZS 86630 MST 80 cm induction Flex hob with SlideCooking function and 4 cooking zones



MultiSlider



Autolock



Power



Power Plus



Easy installation

## DESCRIPTION

80 cm induction Flex hob with SlideCooking function and 4 cooking zones

## LIFE STYLE

Maestro

## COLOURS




## REFERENCE

REF. 112500030  
EAN. 8434778011869

**FEATURES**

Urban Colors Edition  
MasterSense Series  
Flex Induction hob  
SlideCooking function  
Direct functions with temperature sensors: Poaching, confit, grilling, pan frying, deep frying, simmering, melting and keep warm  
Touch Control MultiSlider  
4 cooking zones  
1 zone Ø 280 mm  
2 zones Ø 228 x 200 mm  
1 zone Ø 185 mm  
Ceramic glass surface  
Auto-lock safety system  
Cooking timer  
Power plus  
Child lock  
Residual heat indicator  
Power management  
Easy installation kit  
Maximum nominal power 7200 W  
Optional: Grilling plate  
Optional: Teppanyaki



## DIMENSIONS

**Product height (mm):** 53  
**Product width (mm):** 800  
**Product depth (mm):** 510  
**Product length (mm):**  
**Net weight (Kg):** 12,12

## TECH SPECS

### FITTING MEASURES

**Built-in Width (mm):** 750  
**Built-in Depth (mm):** 490  
**Built-in height (mm):** 49

### FEATURES

**Number of electric power levels:** 9  
**Grilling:** Yes  
**Pan frying:** Yes  
**Deep frying:** Yes  
**Simmering:** Yes  
**Melting:** Yes  
**Keeping warm:** Yes  
**Confit:** Yes  
**Poach:** Yes  
**Power management function:** Yes

### ELECTRIC CONNECTION

**Frequency (Hz):** 50/60  
**Power rate (V):** 220-240  
**Cable Connection Length (cm):** 110  
**Maximum Nominal Power (W) (Electric hob):** 7200

**COOKING ZONES**

**Cooking Zones:** 4

**SAFETY SYSTEMS**

**Residual heat indicator (Electric hob):** Yes

**Automatic safety disconnection (Auto Lock) (Electric hob):** Yes

**Child lock:** Yes

**FINISH**

**Surface finishing:** Front bevelled glass

**Surface type:** Ceramic Glass (4mm)

**Easy installation system:** Yes

**ACCESSORIES**

**Junction Kit:** Optional

**Teppan Yaki:** Optional

