



Teka adds **soul** to
your kitchen



HOBS




The kitchen is the heart of a home. A warm and pleasant place where your wishes come true under your complete control, at your service.

Feel fulfilled after control your recipes from beginning to end. Have complete control of temperature and cooking time with a wide range of possibilities to develop all your creativity in the kitchen. Create infinite options combining dominos hobs, cooking with gas and induction at the same time or choose the most precise hob to regulate the slightest detail. Teka brings you a comprehensive range of hobs to give you anything you need in your kitchen.

Discover the latest
innovations

Vitroc ceramic hob

- More cost effective
- Easy bowl detection




Gas hob


- Traditional cooking
- Direct control
- Fast



Induction hob

- Very fast
- Very easy to clean
- Direct heating
- Safety - Not burn on the surface
- Low energy consumption





iKnob

Satisfaction of complete control

Feel the power of absolute control. An induction hob unique in every sense thanks to an exclusive design combined with many features. Power and precision in just one control.

Slim frame with a professional and personal design with extra protection. Invisible print until you turn the hob and the control on. Intuitive back lighted LED icons to guide you through the cooking process you choose.

Quick Boiling function. Maximum power to boil water in a few seconds.

Heat maintenance function. Forget about those days when your dishes get cold while you were cooking the rest of the food. Now you can keep your plates warm until everything is perfectly cooked and ready to be served.



MultiSlider


Higher level of precision

Independent and direct control of each part of the hob to reach a higher precision level. Slide your finger or press the power you need. You will never be wrong with your recipes thanks to the new touch control slider.



Schott

We know you choose Teka because you choose quality. That is why we work hard everyday to make that claim our life philosophy, where durability and resistance are definitely important features. We make our highest demands come true with Schott glasses, a market leader known for quality.



Pre-programmed functions

Best results for your recipes

Melting

Perfect for melting chocolate or making caramel without the risk of getting burned.

Simmering

Temperature is close to boiling for a better and gently treatment of your soups, creams or stews.

Keep warm

Recipes keep the perfect temperature until they are served.

iQuick Boiling

The hob reaches boiling point in the shortest time.



Cooking without limits

Flex area is designed to use every single corner of the cooking area with different shape pans. Perfect for grids, grill, TeppanYaki or rectangular recipients.







Twin hobs

Gas and induction together in the same space

There is no need to say goodbye to technology anymore if you want to cook traditional food. All the power is in your hands now and you don't have to choose just one way to make it. Induction speed or gas tradition. Now, you've got all in the same hob with both systems working together. Total flexibility at your service, so you can even use clay pots or any kind of pan you may need for your best dishes. Induction and gas together, why not?



EX hobs

A hob for the family

Cast iron grids designed to use the whole surface. Made of iron and gathered so we can easily move recipients from one place to another. With high efficiency SABAF burners for a real energy saving up to 20% compared with traditional stoves, thanks to an impressive design. Fits perfectly with the rest of your appliances, creating harmony and an uniform look in your kitchen. A warm and family look.



Direct Sense

Find the perfect temperature for your dishes

Feel the care through precision and enjoy the perfect mix of flavours for your recipes. Temperature control by sensors avoids oil can reach excessively high temperatures. We take care of you through precision, thanks to the 6 intuitive functions. Cook with no limits thanks to its FullFlex technology using the whole cooking surface. Use your imagination and cook with recipients of any size, your recipes won't have limits.

Melting 48°C You can melt butter, chocolate or caramel. It doesn't matter if you like sweet or salty, it's the right solution for what you are looking for.

Keep Warm 60°C Keep your food warm so you can serve it at the best temperature.

Simmering 98°C Perfect temperature for soups and stews.

Quickboiling 100°C To bring 1l of water to a boil in just 3 minutes.

Deep frying 180°C It's the ideal temperature for any kind of deep fried food and toxic substances are not generated at this high point.

Pan frying 190°C To cook fish, chicken and omelettes.


Grill 200°C Best for red meat or vegetables.

SlideCooking

Just move the pan from place to place and SlideCooking feature will do the rest.

The hob automatically changes the power for maximum convenience, so you will cook over a high flame (power 9), at the front part of the hob, medium (power 5) at the centre and you will keep your dishes warm at the bottom (power 3). A giant leap for comfort cooking.

The flex area is perfect for grids, TeppanYaki grill, rectangular recipients or anything you can imagine. With a unique and useful design, each pan has the right cooking zone.






Gas on glass hobs with ExactFlame

Old traditional cooking with the newest technology

Trying to guess the power of the flame is just part of the past. With ExactFlame you can easily control flame intensity with the highest precision. You can choose a range of power from 1 to 9, ready for any kind of cooking you need at any time.





Power 8 to 9

- Deep Frying
- Quick Boiling
- Stir Frying

Power 4 to 5

- Pasta / Boiled
- Potatoes and vegetables

Power 1

- Keep Warm

Power 2 to 3








- Simmering

Power 6 to 7

- Pan Frying

Hobs

Minimum consumption, highly accurate and very easy to use.

		MAESTRO			
		IKNOB	MULTISLIDER	TOUCH CONTROL	
INDUCTION	90		 IZS 96600		
	60	 IZF 68600	 ITS 65600	 IZS 65600	 IZS 66700
	MODULAR		 IZS 34600		
VITROCERAMIC	80			 TRC 83631	

MAESTRO

Domestic appliances for those who like going one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum effectiveness in any situation.

















EASY

For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.

TOTAL

MULTISLIDER



		TOTAL				
		CRISTAL GAS				
GAS	90	 				
		GZC 96310		GZC 95320		
	70					
		GZC 85320	GZC 75330	GZC 75330	GZC 75330	GZC 75330
60						
	GZC 64320	GZC 64320	GZC 64320	GZC 64320	GZC 64321	
						
		GZC 64300	GZC 63310			
MODULAR						
		GZC 31330	GZC 32300			

EASY

CRISTAL GAS



GBC 75030




GBC 64000



GBC 64003



GBC 63010




NEW

MAESTRO IZF 68600



- Induction hob
- FLEX DirectSense with Full Flex induction system
- Touch Control Multislider, with safety lock
- Cooking timer
- 7 cooking combinations (4 + 2 Flex zones + 1 Full Flex zone)
- - 4 zones of 263 x 195 mm
- - 2 Flex zones of 263 x 390 mm
- - 1 Full Flex zone of 525 x 390 mm
- Direct functions with temperature sensors:
- Grilling, Deep frying, Pan frying, Keep warm, Griddle, QuickBoiling, Simmering and Melting
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7400 W



COLOR




 Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm






NEW

MAESTRO IZS 9660



- Induction hob
- FLEX with Slide Cooking induction system
- Touch Control Multislider, with safety lock
- Cooking timer
- 5 cooking combinations (4 + 1 Flex zone)
- -2 zones of 230 x 200 mm
- -1 Flex zone of 230 x 400 mm
- -1 double induction zone of Ø 180 / 280 mm
- SlideCooking function available in the Flex zone
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7400 W



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS


Height 63mm **Width** 900mm **Depth** 510mm

NEW

MAESTRO IZS 6560



- Induction hob
- FLEX DirectSense with Full Flex induction system
- Touch Control Multislider, with safety lock
- Cooking timer
- 4 cooking combinations (3 + 1 Flex zone)
- -2 zones of 230 x 200 mm
- -1 Flex zone of 230 x 400 mm
- -1 double induction zone of Ø 180 / 280 mm
- SlideCooking function available in the Flex zone
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7400 W



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS


Height 63mm **Width** 600mm **Depth** 510mm

NEW

MAESTRO ITS 6560



- Induction hob
- FLEX DirectSense with Full Flex induction system
- Touch Control Multislider, with safety lock
- Cooking timer
- 4 cooking combinations (3 + 1 Flex zone)
- -2 zones of 230 x 200 mm
- -1 Flex zone of 230 x 400 mm
- -1 double induction zone of Ø 180 / 280 mm
- SlideCooking function available in the Flex zone
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7400 W






COLOR

Glass Black

FRAME Slim Metal

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm




NEW

MAESTRO IZS 66700



- Induction hob
- FLEX DirectSense with Full Flex induction system
- Touch Control Multislider, with safety lock
- Cooking timer
- 5 cooking combinations (4 + 1 Flex zone)
- -2 zones of 230 x 200 mm
- -1 Flex zone of 230 x 400 mm
- -1 induction zone of Ø 210 mm
- SlideCooking function available in the Flex zone
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7.400 W



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS


Height 63mm Width 600mm Depth 510mm

NEW

TOTAL IZ 6420



- Urban Colors Edition
- Induction hob
- Touch Control Multislider, with safety lock
- Cooking timer
- 5 induction zones (4 zones + synchro)
- - Ø145 mm
- - Ø180 mm
- - Ø180 mm
- - Ø210 mm
- - Synchro function (2 simultaneous zones: Ø180 mm + Ø180 mm)
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7.400 W



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS


Height 50mm Width 600mm Depth 510mm

NEW

TOTAL IZ 6420



- Urban Colors Edition
- Induction hob
- Touch Control Multislider, with safety lock
- Cooking timer
- 5 induction zones (4 zones + synchro)
- - Ø145 mm
- - Ø180 mm
- - Ø180 mm
- - Ø210 mm
- - Synchro function (2 simultaneous zones: Ø180 mm + Ø180 mm)
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7.400 W



COLOR

Glass London brick brown

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm




NEW

TOTAL IZ 6420



- Urban Colors Edition
- Induction hob
- Touch Control Multislider, with safety lock
- Cooking timer
- 5 induction zones (4 zones + synchro)
- - Ø145 mm
- - Ø180 mm
- - Ø180 mm
- - Ø210 mm
- - Synchro function (2 simultaneous zones: Ø180 mm + Ø180 mm)
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7.400 W



COLOR

Glass Stone Grey

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS


Height 50mm Width 600mm Depth 510mm

NEW

TOTAL IZ 6420



- Urban Colors Edition
- Induction hob
- Touch Control Multislider, with safety lock
- Cooking timer
- 5 induction zones (4 zones + synchro)
- - Ø145 mm
- - Ø180 mm
- - Ø180 mm
- - Ø210 mm
- - Synchro function (2 simultaneous zones: Ø180 mm + Ø180 mm)
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7.400 W



COLOR

Glass Steam Grey

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS


Height 50mm Width 600mm Depth 510mm

NEW

TOTAL IZ 6420



- Urban Colors Edition
- Induction hob
- Touch Control Multislider, with safety lock
- Cooking timer
- 5 induction zones (4 zones + synchro)
- - Ø145 mm
- - Ø180 mm
- - Ø180 mm
- - Ø210 mm
- - Synchro function (2 simultaneous zones: Ø180 mm + Ø180 mm)
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7.400 W






COLOR

Glass White

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm



NEW

TOTAL IZ 6320



- Urban Colors Edition
- Induction hob
- Touch Control Multislider, with safety lock
- Cooking timer
- 3 induction zones:
 - Ø145 mm
 - Ø210 mm
 - Ø190/300 mm
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7400 W

NEW


TOTAL IZ 6320






- Urban Colors Edition
- Induction hob
- Touch Control Multislider, with safety lock
- Cooking timer
- 3 induction zones:
 - Ø145 mm
 - Ø210 mm
 - Ø190/300 mm
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7400 W

NEW

TOTAL IZ 6320



- Urban Colors Edition
- Induction hob
- Touch Control Multislider, with safety lock
- Cooking timer
- 3 induction zones:
 - Ø145 mm
 - Ø210 mm
 - Ø190/300 mm
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7400 W



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

Glass London brick brown

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm




COLOR

Glass Stone Grey

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm




NEW

TOTAL IZ 6320



- Urban Colors Edition
- Induction hob
- Touch Control Multislider, with safety lock
- Cooking timer
- 3 induction zones:
 - Ø145 mm
 - Ø210 mm
 - Ø190/300 mm
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7400 W



COLOR

 Glass Steam Grey

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS


Height 50mm Width 600mm Depth 510mm

NEW

TOTAL IZ 6320



- Urban Colors Edition
- Induction hob
- Touch Control Multislider, with safety lock
- Cooking timer
- 3 induction zones:
 - Ø145 mm
 - Ø210 mm
 - Ø190/300 mm
- Direct functions: Quick Boiling, Melting, Simmering and Keep warm
- Power Plus function
- Stop & GO function / Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 7400 W



COLOR

 Glass White

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS


Height 55mm Width 600mm Depth 510mm

NEW

TOTAL IZC 42300



- Induction hob
- Touch Control Domislider with safety lock
- Cooking timer
- 2 induction zones
 - 1 induction zone of Ø 260 mm
 - 1 induction zone of Ø 145 mm
- Direct functions: Simmering, Melting and Keep warm
- Power Plus function
- Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 3.500 W





COLOR

 Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 450mm Depth 510mm




NEW

MAESTRO IZS 34600



- Induction hob
- FLEX with Slide Cooking induction system
- Touch Control Domislider
- Cooking time programmer
- 4 induction zones (2 + Slide Flex + Flex combined)
- -1 Slide Flex zone of 230 x 400 mm
- -1 Flex zone of 230 x 400 mm
- -2 zones of 230 x 200 mm
- Slide Cooking function
- Direct functions: Simmering, Melting and Keep warm
- Power Plus function
- Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 3.500 W



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS


Height 63mm **Width** 300mm **Depth** 510mm

NEW

TOTAL IZC 32300



- Induction hob
- Touch Control Domislider with safety lock
- Cooking timer
- 2 induction zones
- -1 induction zone of Ø 210 mm
- -1 induction zone of Ø 145 mm
- Direct functions: Simmering, Melting and Keep warm
- Power Plus function
- Silence mode
- Optimised pan shape & size system
- Fast-Click easy installation
- Max. (nominal) power: 3.500 W



COLOR

Glass Black

FRAME Frontal Bevelled


EXTERNAL DIMENSIONS

Height 55mm **Width** 300mm **Depth** 510mm

NEW

MAESTRO TRC 83631

- Vitroc ceramic Hob
- Touch Control
- Cooking time timer
- 3 cooking zones
- -1 High Light cooking area of Ø 145 mm
- -1 High Light cooking area of Ø 180 mm
- -1 giant cooking zone with High Light triple circuit of Ø 145 / 210 / 270 mm
- Cooking booster function
- STOP & GO function
- Timer function with acoustic alarm and safety lock
- Max. (nominal) power: 5.700 W



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 63mm **Width** 800mm **Depth** 400mm



NEW

TOTAL GZC 96310



- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 1 double ring burner, 5.00 kW
- 1 fast burner, 2.80kW
- 2 semi-fast burners, 1.75 kW
- 1 auxiliary burner, 1.00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane

NEW

TOTAL GZC 95320






- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 1 double ring burner, 5.00 kW
- 1 fast burner, 2.80kW
- 2 semi-fast burners, 1.75 kW
- 1 auxiliary burner, 1.00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane

NEW

TOTAL GZC 95320



- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 1 double ring burner, 5.00 kW
- 1 fast burner, 2.80kW
- 2 semi-fast burners, 1.75 kW
- 1 auxiliary burner, 1.00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 900mm Depth 510mm

COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 900mm Depth 510mm

COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 900mm Depth 510mm




NEW

TOTAL GZC 85320



- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 1 double ring burner, 5,00 kW
- 1 fast burner, 2,80kW
- 2 semi-fast burners, 1,75 kW
- 1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 750mm Depth 510mm




NEW

TOTAL GZC 75330



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 5 gas burners
- -1 double ring burner, 4,00 kW
- -2 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional wok support
- Large cast iron grids
- Easy installation kit
- Type of Gas: Butane



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 700mm Depth 510mm




NEW

TOTAL GZC 75330



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 5 gas burners
- -1 double ring burner, 4,00 kW
- -2 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 700mm Depth 510mm



NEW

TOTAL GZC 75330



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 5 gas burners
- -1 double ring burner, 4,00 kW
- -2 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional wok support
- Large cast iron grids
- Easy installation kit
- Type of Gas: Butane

NEW

TOTAL GZC 75330






- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 5 gas burners
- -1 double ring burner, 4,00 kW
- -2 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural

NEW

TOTAL GZC 75330



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 5 gas burners
- -1 double ring burner, 4,00 kW
- -2 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional wok support
- Large cast iron grids
- Easy installation kit
- Type of Gas: Butane



COLOR

Glass London brick brown

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 700mm Depth 510mm

COLOR

Glass London brick brown

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 700mm Depth 510mm

COLOR

Glass Stone Grey

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 700mm Depth 510mm




NEW

TOTAL GZC 75330



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 5 gas burners
- -1 double ring burner, 4,00 kW
- -2 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural



COLOR

 Glass Stone Grey

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS


Height 50mm Width 700mm Depth 510mm

NEW

TOTAL GZC 75330



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 5 gas burners
- -1 double ring burner, 4,00 kW
- -2 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural



COLOR

 Glass White

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS


Height 50mm Width 700mm Depth 510mm

NEW

TOTAL GZC 64320



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane



COLOR

 Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm



NEW

TOTAL GZC 64320



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Auto-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural

NEW

TOTAL GZC 64320






- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Tempered glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane

NEW

TOTAL GZC 64320



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Tempered glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Auto-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

Glass London brick brown

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

Glass London brick brown

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm




NEW

TOTAL GZC 64320



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Tempered glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane



COLOR

Glass Stone Grey

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm




NEW

TOTAL GZC 64320



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Tempered glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Auto-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural



COLOR

Glass Stone Grey

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm




NEW

TOTAL GZC 64320



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Tempered glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Auto-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural




COLOR

Glass Steam Grey

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm



NEW

TOTAL GZC 64321



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Tempered glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Auto-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane

NEW

TOTAL GZC 64321






- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Tempered glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Auto-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural

NEW

TOTAL GZC 64300



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane



COLOR

Glass White

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

Glass White

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm



NEW

TOTAL GZC 64300



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 4 gas burners
- -1 double ring burner, 4,00 kW
- -1 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural

NEW

TOTAL GZC 63310






- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 3 gas burners
- -1 double ring burner, 4,00 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane

NEW

TOTAL GZC 63310



- Urban Colors Edition
- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 3 gas burners
- -1 double ring burner, 4,00 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm

COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 600mm Depth 510mm



NEW

TOTAL GZC 31330



- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 1 double ring burner, 5,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane

NEW

TOTAL GZC 31330






- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 1 double ring burner, 5,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural

NEW

TOTAL GZC 32300



- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 1 auxiliary burner, 1,00 kW
- 1 fast burner, 2,80kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Butane



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 300mm Depth 510mm

COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 300mm Depth 510mm

COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 300mm Depth 510mm




NEW

TOTAL GZC 32300



- Gas on Glass with ExactFlame and bevelled front
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 1 auxiliary burner, 1,00 kW
- 1 fast burner, 2,80kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Type of Gas: Natural



COLOR

Glass Black

FRAME Frontal Bevelled

EXTERNAL DIMENSIONS

Height 50mm Width 300mm Depth 510mm




NEW

EASY GBC 75030



- Gas on Glass Hob
- Front control knobs with ergonomic design
- Tempered Glass
- 3 gas burners
- -1 double ring burner, 3,50 kW
- -1 semi-fast burner, 1,75 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Large cast iron pan supports
- Easy installation kit
- Type of Gas: Butane



COLOR

Glass Black

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 50mm Width 700mm Depth 510mm




NEW

EASY GBC 75030



- Gas on Glass Hob
- Front control knobs with ergonomic design
- Tempered Glass
- 3 gas burners
- -1 double ring burner, 3,50 kW
- -1 semi-fast burner, 1,75 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Large cast iron pan supports
- Easy installation kit
- Type of Gas: Natural






COLOR

Glass Black

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 50mm Width 700mm Depth 510mm




NEW

EASY GBC 64000



- Gas on Glass Hob
- Front control knobs with ergonomic design
- Tempered Glass
- 4 gas burners
- -1 semi-fast burner, 1,75 kW
- -1 semi-fast burner, 1,40 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Large cast iron pan supports
- Easy installation kit
- Type of Gas: Butane



COLOR

Glass Black

FRAME C-edged glass

EXTERNAL DIMENSIONS


Height 50mm Width 600mm Depth 510mm

NEW

EASY GBC 64000



- Gas on Glass Hob
- Front control knobs with ergonomic design
- Tempered Glass
- 4 gas burners
- -1 semi-fast burner, 1,75 kW
- -1 semi-fast burner, 1,40 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Large cast iron pan supports
- Easy installation kit
- Type of Gas: Natural



COLOR

Glass Black

FRAME C-edged glass

EXTERNAL DIMENSIONS


Height 50mm Width 600mm Depth 510mm

NEW

EASY GBC 64003



- Gas on Glass Hob
- Lateral control knobs with ergonomic design
- Tempered Glass
- 4 gas burners
- -2 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Large cast iron pan supports
- Easy installation kit
- Type of Gas: Butane



COLOR


Glass Black

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 40mm Width 600mm Depth 435mm

HOBS




NEW

EASY GBC 64003



- Gas on Glass Hob
- Lateral control knobs with ergonomic design
- Tempered Glass
- 4 gas burners
- -2 semi-fast burners, 1,75 kW
- -1 fast burner, 2,80 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Large cast iron pan supports
- Easy installation kit
- Type of Gas: Natural




COLOR

Glass Black

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 40mm **Width** 600mm **Depth** 435mm




NEW

EASY GBC 63010



- Gas on Glass Hob
- Front control knobs with ergonomic design
- Tempered Glass
- 3 gas burners
- -1 double ring burner, 3,50 kW
- -1 semi-fast burner, 1,75 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Large cast iron pan supports
- Easy installation kit
- Type of Gas: Butane




COLOR

Glass Black

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm




NEW

EASY GBC 63010



- Gas on Glass Hob
- Front control knobs with ergonomic design
- Tempered Glass
- 3 gas burners
- -1 double ring burner, 3,50 kW
- -1 semi-fast burner, 1,75 kW
- -1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Large cast iron pan supports
- Easy installation kit
- Type of Gas: Natural



COLOR

Glass Black

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm

Modelo	IZF 68600	IZS 96600	IZS 65600	ITS 65600	IZS 66700	IZ 6420	IZ 6320	IZC 42300
--------	-----------	-----------	-----------	-----------	-----------	---------	---------	-----------

BUILT-IN DIMENSIONS

Width (mm)	560	860	560	560	560	560	560	420
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	63	63	63	63	63	50	50	50

COOKING ELEMENTS

COOKING ZONE -left front , (Type)	FlexZone	-	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	-	Single Zone	-	-	-	-	-	-
COOKING ZONE -left rear , (Type)	FlexZone	-	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	-
COOKING ZONE - center front , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	-	Single Zone	-	-	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (Type)	FlexZone	FlexZone	-	-	FlexZone	Single Zone	-	-
COOKING ZONE -right center, (Type)	-	-	Double Zone	Double Zone	-	-	Double Zone	-
COOKING ZONE -right rear, (Type)	FlexZone	FlexZone	-	-	FlexZone	Single Zone	-	Single Zone
COOKING ZONE -left front , mm	262.5 X 195	-	255x200	255x200	145	145	145	145
COOKING ZONE -left center , mm	-	280	-	-	-	-	-	-
COOKING ZONE -left rear , mm	262.5 X 195	-	255x200	255x200	210	210	210	-
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center, mm	-	145	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	262.5 X 195	228x212.5	-	-	228x200	180	-	-
COOKING ZONE -right center, mm	-	-	280 / 180	280 / 180	-	-	190 / 300	-
COOKING ZONE -right rear , mm	262.5 X 195	228x212.5	-	-	228x200	180	-	260
COOKING ZONE -left front, (W)	2400-3700	-	1850 - 2200	1850 - 2200	1400 - 1800	1400 - 1800	1400 - 1800	1250-1800
COOKING ZONE -left center, (W)	-	2300 - 3700	-	-	-	-	-	-
COOKING ZONE -left rear, (W)	2400-3700	-	1850 - 2200	1850 - 2200	2300 - 3200	2300 - 3200	2300 - 3200	-
COOKING ZONE -center front, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -center center, (W)	-	1100 - 1800	-	-	-	-	-	-
COOKING ZONE - center rear,(W)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (W)	2400-3700	1850 - 2200	-	-	1850 - 2200	1850 - 2500	-	-
COOKING ZONE -right center, (W)	-	-	2500 - 3700	2500 - 3700	-	-	2500 - 3700	-
COOKING ZONE -right rear, (W)	2400-3700	1850 - 2200	-	-	1850 - 2200	1850 - 2500	-	2250-3000

ELECTRICAL FEATURES

Maximum Nominal Power (W)	7400	7400	7400	7400	7400	7400	7400	3.500
Wire lenght (cm)	110	110	110	110	110	110	110	110

SAFETY SYSTEMS

Child Lock	✓	✓	✓	✓	✓	✓	✓	✓
Automatic safety disconnection	✓	✓	✓	✓	✓	✓	✓	✓
Residual heat indicator	✓	✓	✓	✓	✓	✓	✓	✓

Modelo	IZS 34600	IZC 32300	TRC 83631	GZC 96310	GZC 95320	GZC 85320	GZC 75330	GZC 64320
BUILT-IN DIMENSIONS								
Width (mm)	280	280	780	850	850	560	560	560
Depth (mm)	490	490	380	480	480	480	480	480
Height (mm)	63	55	63	50	50	50	50	50
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	-	-	-	AUXILIARY	-	-	SEMIRAPID	DOUBLE RING
COOKING ZONE -left center , (Type)	-	-	Single High Light	-	DOUBLE RING	DOUBLE RING	-	-
COOKING ZONE -left rear , (Type)	-	-	-	RAPID	-	-	SEMIRAPID	SEMIRAPID
COOKING ZONE - center front , (Type)	FlexZone	Single Zone	-	SEMIRAPID	SEMIRAPID	SEMIRAPID	-	-
COOKING ZONE -center center , (Type)	-	-	Single High Light	-	-	-	DOUBLE RING	-
COOKING ZONE -center rear , (Type)	FlexZone	Single Zone	-	SEMIRAPID	SEMIRAPID	SEMIRAPID	-	-
COOKING ZONE -right front , (Type)	-	-	-	DOUBLE RING	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY
COOKING ZONE -right center , (Type)	-	-	Triple High Light	-	-	-	-	-
COOKING ZONE -right rear , (Type)	-	-	-	SEMIRAPID	RAPID	RAPID	RAPID	RAPID
COOKING ZONE -left front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left center , mm	-	-	180	-	-	-	-	-
COOKING ZONE -left rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center front , mm	255x200	145	-	-	-	-	-	-
COOKING ZONE -center center , mm	-	-	145	-	-	-	-	-
COOKING ZONE -center rear , mm	255x200	210	-	-	-	-	-	-
COOKING ZONE -right front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right center , mm	-	-	145 / 210 / 270	-	-	-	-	-
COOKING ZONE -right rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left front , (W)	-	-	-	1000	-	-	1750	4000
COOKING ZONE -left center , (W)	-	-	1800	n.a	5000	5000	-	-
COOKING ZONE -left rear , (W)	-	-	-	2800	-	-	1750	1750
COOKING ZONE -center front , (W)	1750 - 2200	1250-1800	-	1400	1400	1750	-	-
COOKING ZONE -center center , (W)	-	-	1200	-	-	-	4000	-
COOKING ZONE - center rear ,(W)	1750 - 2200	2250-3000	-	1750	1750	1750	-	-
COOKING ZONE -right front , (W)	-	-	-	4000	1000	1000	1000	1000
COOKING ZONE -right center , (W)	-	-	1050 - 1950 - 2700	-	-	-	-	-
COOKING ZONE -right rear , (W)	-	-	-	1750	2800	2800	2800	2800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.500	3.500	5.700	12.700	11.950	12.300	11.300	9.550
Wire lenght (cm)	110	110	-	-	-	-	-	-
SAFETY SYSTEMS								
Child Lock	√	√	√	-	-	-	-	-
Automatic safety disconnection	√	√	√	-	-	-	√	-
Residual heat indicator	√	√	√	-	-	-	-	-

Modelo	GZC 64300	GZC 63310	GZC 31330	GZC 32300	GBC 75030	GBC 64000	GBC 64003	GBC 63010
BUILT-IN DIMENSIONS								
Width (mm)	560	560	280	280	560	560	575	570
Depth (mm)	480	480	490	490	490	490	405	480
Height (mm)	50	50	50	50	50	50	40	50
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	SEMIRAPID	AUXILIARY	-	-	AUXILIARY	SEMIRAPID	RAPID	AUXILIARY
COOKING ZONE -left center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , (Type)	SEMIRAPID	RAPID	-	-	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID
COOKING ZONE - center front , (Type)	-	-	-	AUXILIARY	-	-	-	-
COOKING ZONE -center center , (Type)	-	-	DOUBLE RING	-	DOUBLE RING	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	RAPID	-	-	-	-
COOKING ZONE -right front, (Type)	AUXILIARY	-	-	-	AUXILIARY	AUXILIARY	AUXILIARY	-
COOKING ZONE -right center, (Type)	-	DOUBLE RING	-	-	-	-	-	DOUBLE RING
COOKING ZONE -right rear, (Type)	RAPID	-	-	-	SEMIRAPID	RAPID	SEMIRAPID	-
COOKING ZONE -left front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center, mm	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	-	-	-	-	-	-	-	-
COOKING ZONE -right center, mm	-	-	-	-	-	-	-	-
COOKING ZONE -right rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left front, (W)	1400	1000	-	-	1000	1750	2800	1000
COOKING ZONE -left center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear, (W)	1750	2800	-	-	1750	1750	1750	1750
COOKING ZONE -center front, (W)	-	-	-	1000	-	-	-	-
COOKING ZONE -center center, (W)	-	-	5000	-	3500	-	-	-
COOKING ZONE - center rear,(W)	-	-	-	2800	-	-	-	-
COOKING ZONE -right front, (W)	1000	-	-	-	1000	1000	1000	-
COOKING ZONE -right center, (W)	-	4000	-	-	-	-	-	3500
COOKING ZONE -right rear, (W)	2800	-	-	-	1750	2800	1750	-
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	6.950	7.800	5.000	3.800	9.000	7.300	7.300	6.250
Wire lenght (cm)	-	-	110	-	-	-	-	-
SAFETY SYSTEMS								
Child Lock	-	-	-	-	-	-	-	-
Automatic safety disconnection	-	-	-	-	-	-	-	-
Residual heat indicator	-	-	-	-	-	-	-	-