

DFI 46950 XL Fully integrated dishwasher with DualCare program and Extra Drying function

















Beam On Floor

Eco Function

Third Cutlery Tray

Extra Dry function

Detergent detector system

Slidind Door

AquaLogic

DESCRIPTION

Fully integrated dishwasher with DualCare program and Extra Drying function

COLOURS



REFERENCE

REF. 114270002 EAN. 8434778013542



FEATURES

Built-in Dishwasher

Electronic control panel with display

Capacity: 15 plate settings Washing programs: 9

Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C

Motor Inverter

SmartSensor measure the level of dirtiness

MultiCleaner Sensor FlexiSet 4 lower basket Fast programs: 30 minutes

Special programs: GlassCare, DualCare, AutoClean, AutoProgram,

Intensive program, ECO program, 1-Hour, PreWash

Special functions: Half load, Express, PowerWash, ExtraDry

AquaStop and AquaSafe safety systems

Low salt and rinse indicator


Third sprayer Beam on floor

Push-up adjustable upper basket

Delay timer: 1-24 hours Noise level: 46 dBA

Adjustable back feet from front Sliding Detergent drawer SlidingDoor installation system

Column installation



DIMENSIONS

Product height (mm): 861 Product width (mm): 598 Product depth (mm): 550 Product length (mm): Net weight (Kg): 39,2

TECHNICAL DETAILS

FITTING MEASURES

Built-in niche height (cm): 86-91 cm

PRODUCT SHEET

Capacity (Place Settings): 15 Energy consumption (kWh/year): 270 Power consumption (Kwh): 0.94 Water consumption (litres/year): 2660 Water consumption (litres): 9.5 Standard program: Eco 50

Standard cycle duration (minutes): 245

Noise level (dB): 46 Certificates: CB; CE

POWER SUPPLY

Frequency (Hz): 50 Power rate (V): 220-240

Plug type: EU

Cable Connection Length (cm): 170 Maximum Nominal Power (W): 2100 Power of heating element (W): 1800 **FEATURES**

Type of installation: Built-in Control panel: Electronic buttons Control panel display: Yes Number of programs: 9

Number Of Washing Temperatures: 6

Beam on floor: Yes
Aqua-Logic: Yes
3 in 1 selector: Yes
Water softener: Yes
Microfilter: Yes

Installation in column: Yes

SAFETY SYSTEMS

Internal Leakage Control: Yes

Aquastop: Yes

CONTROL INDICATOR LIGHTS

Low Salt Aid indicator: Yes Low Rinse Aid indicator: Yes Selected program indicator: Yes

Remaining time: Yes

SPECIAL FUNCTIONS

Soak/Prewash program: Yes

Fast program: Yes

Fast program (minutes): 30 1 Hour program: Yes Economic program: Yes Intense program: Yes

Half load: Yes

Delayed Timer (h): 1-24 HOURS

EQUIPMENT

3rd Basket: Yes
3rd sprayer: Yes

Adjustable back feet from front: Yes

ENERGY LABEL

