

GFH 55 Built-in hood with push buttons control panel and 2 aluminum filters, 55cm





LED




GFH 55

TEKA

FEATURES

Built-in hood Push buttons control 3 speeds Free Outlet exhaust capacity (m3/h): 367 Max speed exhaust capacity (m3/h): 223 Min speed exhaust capacity (m3/h): 329 Max speed sound level (dBA): 52 Min speed sound level (dBA): 42 2 LED lamps 2 aluminium filters Anti-return valve included Optional Charcoal Filter: CNL 1C

TEKA GFH 55



DIMENSIONS


Product height (mm): 175 Product width (mm): 550 Product depth (mm): 310 Product length (mm): Net weight (Kg): 5

TECHNICAL DETAILS

FEATURES	Certificates: CE, CB, Rohs
	Ø Outlet (mm): 120
	Type of inner light: LED
	Inside light Consumption (W): 1,5
	Plug type: European plug
	Cable Connection Length (cm): 150
	Power rate (V): 230
	Frequency (Hz): 50
	Total hood power (W): 134
	Number of motors: 1
	Motor power (W): 130
	Air flow (Qmin) m3/h: 156
	Air flow (Qmax): 315
ACCESSORIES	Anti Return valve: Yes
	Outlet extension: no
	Optional Charcoal Filter: CNL 1C
MODELS	Number of filters: 2
HODELS	Number of Inters. 2

Filter description: Aluminium Control panel: Mechanical push bottons Number of speeds: 3

ENERGY LABEL



TEKA GFH 55