DPL 786 T Decorative horizontal hood with rim extraction and 3 speeds + 1 intensive



LED

LED

Perimeter extraction

Stop Delay Timer


DESCRIPTION	Decorative horizontal hood with rim extraction and 3 speeds + 1 intensive
LIFE STYLE	Maestro
COLOURS	
REFERENCE	REF. 40483130 EAN. 8421152157480

DPL 786 T

FEATURES

Decorative horizontal hood
Electronic control with display
Rim extraction
3 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 920
Intensive speed exhaust capacity (m3/h): 782
Max speed exhaust capacity (m3/h): 629
Min speed exhaust capacity (m3/h): 331
Intensive speed sound level (dBA): 65
Max speed sound level (dBA): 55
Min speed sound level (dBA): 45
1 LED lamp
2 Aluminum filters
Stop delay timer
Filter saturation indicator
Operating pilot light
Anti-return valve included
Outlet reduction included
Optional recirculation kit with tube cover installation:SET 1/N1
Optional Charcoal Filter: D4C

DPL 786 T



DIMENSIONS

Product height (mm): 690-1010
Product width (mm): 700
Product depth (mm): 480
Product length (mm):
Net weight (Kg): 14,02

TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs
Ø Outlet (mm): 150
Type of inner light: LED
Inside light Consumption (W): 6
Plug type: Schuko plug
Power rate (V): 220-240
Frequency (Hz): 50
Total hood power (W): 271
Number of motors: 1
Motor power (W): 265
Air flow (Qmin) m3/h: 320
Air flow (Qmax): 589
Air flow (Qboost): 722

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes
Outlet extension: No
Optional Charcoal Filter: C1RTK
Regenerative charcoal filter: R1RTK
Conventional recirculation kit (opt) - w/tube cover: CFH 15200

L3C
Regenerative recirculation kit (opt) - w/tube cover: RFH 15200 L3C

MODELS

Number of filters: 2
Filter description: inox panel(glass?); aluminum filters below
Control panel: Touch control Glas front White display
Stop delay timer: Yes
Filter saturation indicator: Yes
Number of speeds: 3+1

DPL 786 T

ENERGY LABEL

