# **DSH 685** 60cm Decorative Hood with Touch Control display and ECOPOWER motor



LED

LED

Stop Delay Timer


| | |
|---|---|
| **DESCRIPTION** | 60cm Decorative Hood with Touch Control display and ECOPOWER motor |
| **LIFE STYLE** | Total |
| **COLOURS** | |
| **REFERENCE** | REF. 40484200<br>EAN. 8421152157336 |

# DSH 685

## FEATURES

Decorative horizontal hood
Electronic control with display
3 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 920
Intensive speed exhaust capacity (m3/h): 740
Max speed exhaust capacity (m3/h):586
Min speed exhaust capacity (m3/h): 306
Intensive speed sound level (dBA): 60
Max speed sound level (dBA): 56
Min speed sound level (dBA): 42
1 LED lamp
2 Stainless Steel filter
Stop delay timer
Filer saturation indicator
Operating pilot light
Anti-return valve included
Outlet reduction included

# DSH 685




## DIMENSIONS

**Product height (mm):** 670-1000
**Product width (mm):** 600
**Product depth (mm):** 480
**Product length (mm):**
**Net weight (Kg):** 13,37

## TECHNICAL DETAILS

### FEATURES

**Certificates:** CE; CB; Rohs
**Ø Outlet (mm):** 150
**Type of inner light:** LED
**Inside light Consumption (W):** 6
**Plug type:** Schuko plug
**Power rate (V):** 220-240
**Frequency (Hz):** 50
**Total hood power (W):** 286
**Number of motors:** 1
**Motor power (W):** 280
**Air flow (Qmin) m3/h:** 305
**Air flow (Qmax):** 586
**Air flow (Qboost):** 735

### ACCESSORIES

**Anti Return valve:** Yes
**Outlet reduction:** Yes
**Outlet extension:** No
**Optional Charcoal Filter:** C1RTK
**Regenerative charcoal filter:** R1RTK
**Conventional recirculation kit (opt) - w/tube cover:** CFH 15200

L3C
**Regenerative recirculation kit (opt) - w/tube cover:** RFH 15200 L3C

**MODELS**

**Number of filters:** 2
**Filter description:** Stainless Steel filters
**Control panel:** Backlit electronic control with white display
**Stop delay timer:** Yes
**Filter saturation indicator:** Yes
**Number of speeds:** 3+1

# DSH 685

## ENERGY LABEL

