



DSH 785 Decorative hood with touch control display and EcoPower motor, 70cm



LED



Stop Delay
Timer

DESCRIPTION

Decorative hood with touch control display and EcoPower motor, 70cm

COLOURS



REFERENCE

REF. 40484201
EAN. 8421152157343



DSH 785

FEATURES

Decorative horizontal hood
Electronic control with display
3 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 920
Intensive speed exhaust capacity (m3/h): 740
Max speed exhaust capacity (m3/h): 586
Min speed exhaust capacity (m3/h): 306
Intensive speed sound level (dBA): 60
Max speed sound level (dBA): 55
Min speed sound level (dBA): 42
1 LED lamp
2 Stainless Steel filters
Stop delay timer
Filer saturation indicator
Operating pilot light
Anti-return valve included
Outlet reduction included

DIMENSIONS


Product height (mm): 670-1000

Product width (mm): 700

Product depth (mm): 480

Product length (mm):

Net weight (Kg): 14,02



TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs
Ø Outlet (mm): 150
Type of inner light: LED
Inside light Consumption (W): 6
Plug type: Schuko plug
Power rate (V): 220-240
Frequency (Hz): 50
Total hood power (W): 286
Number of motors: 1
Motor power (W): 280
Air flow (Qmin) m3/h: 305
Air flow (Qmax): 586
Air flow (Qboost): 735

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes
Outlet extension: No
Optional Charcoal Filter: C1RTK
Regenerative charcoal filter: R1RTK
Conventional recirculation kit (opt) - w/tube cover: CFH 15200

MODELS

L3C

Regenerative recirculation kit (opt) - w/tube cover: RFH 15200

L3C

Number of filters: 2

Filter description: Stainless Steel filters

Control panel: Backlit electronic control with white display

Stop delay timer: Yes

Filter saturation indicator: Yes

Number of speeds: 3+1



DSH 785

ENERGY LABEL

