



DLH 1186 T Decorative hood with touch control display and EcoPower motor, 120cm A+



LED



Stop Delay
Timer

DESCRIPTION

Decorative hood with touch control display and EcoPower motor, 120cm A+

COLOURS



REFERENCE

REF. 40487183
EAN. 8421152157459



DLH 1186 T

FEATURES

Decorative horizontal hood
Touch control
EcoPower motor
3 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 920
Intensive speed exhaust capacity (m3/h): 701
Max speed exhaust capacity (m3/h): 584
Min speed exhaust capacity (m3/h): 303
Intensive speed sound level (dBA): 60
Max speed sound level (dBA): 57
Min speed sound level (dBA): 53
1 LED lamp
4 Stainless Steel filters
Stop delay timer
Filter saturation indicator
Operating pilot light
Anti-return valve included
Outlet reduction included

DIMENSIONS


Product height (mm): 670-1000

Product width (mm): 900

Product depth (mm): 480

Product length (mm):

Net weight (Kg): 16,64



TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs
Ø Outlet (mm): 150
Type of inner light: LED
Inside light Consumption (W): 6
Plug type: Schuko plug
Power rate (V): 220-240
Frequency (Hz): 50
Total hood power (W): 271
Number of motors: 1
Motor power (W): 265
Air flow (Qmin) m3/h: 303
Air flow (Qmax): 584
Air flow (Qboost): 701

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes
Outlet extension: No
Optional Charcoal Filter: C1RTK
Regenerative charcoal filter: R1RTK
Conventional recirculation kit (opt) - w/tube cover: CFH 15200

MODELS

L3C

Regenerative recirculation kit (opt) - w/tube cover: RFH 15200

L3C

Number of filters: 4

Filter description: Stainless Steel filters

Control panel: Touch control Glas front White display

Stop delay timer: Yes

Filter saturation indicator: Yes

Number of speeds: 3+1



DLH 1186 T

ENERGY LABEL

