



DPS 786 Decorative hood with contour Rim extraction and EcoPower motor, 70cm A+



LED



Perimeter
extraction



Stop Delay
Timer

DESCRIPTION

Decorative hood with contour Rim extraction and EcoPower motor, 70cm A+

COLOURS



REFERENCE

REF. 40483016
EAN. 8421152157466



DPS 786

FEATURES

Decorative horizontal hood
Electronic control with display
Rim extraction
3 speeds + 1 intensive
Free Outlet exhaust capacity (m3/h): 920
Intensive speed exhaust capacity (m3/h): 782
Max speed exhaust capacity (m3/h): 629
Min speed exhaust capacity (m3/h): 331
Intensive speed sound level (dBA): 65
Max speed sound level (dBA): 55
Min speed sound level (dBA): 45
1 LED lamp
2 Aluminum filters
Stop delay timer
Filer saturation indicator
Operating pilot light
Anti-return valve included
Outlet reduction included
Optional recirculation kit with tube cover installation: SET 1/N1
Optional Charcoal Filter: D4C



DPS 786

DIMENSIONS


Product height (mm): 690-1010

Product width (mm): 900

Product depth (mm): 480

Product length (mm):

Net weight (Kg): 14,02



TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs

Ø Outlet (mm): 150

Type of inner light: LED

Inside light Consumption (W): 16

Plug type: Schuko plug

Power rate (V): 220-240

Frequency (Hz): 50

Total hood power (W): 271

Number of motors: 1

Motor power (W): 265

Air flow (Qmin) m³/h: 320

Air flow (Qmax): 589

Air flow (Qboost): 722

ACCESSORIES

Anti Return valve: Yes

Outlet reduction: Yes

Outlet extension: No

Optional Charcoal Filter: C1RTK

Regenerative charcoal filter: R1RTK

Conventional recirculation kit (opt) - w/tube cover: CFH 15200

L3C

Regenerative recirculation kit (opt) - w/tube cover: RFH 15200

L3C

MODELS

Number of filters: 2

Filter description: inox panel; aluminum filters bellow

Control panel: Backlit electronic control with white display

Stop delay timer: Yes

Filter saturation indicator: Yes

Time clock: Yes

Number of speeds: 3+1



DPS 786

ENERGY LABEL

