



DHT 97670 TOS WH Built-in ceiling hood with Rim extraction and FreshAir function



Remote Control



LED



Perimeter
extraction



Stop Delay
Timer



Fresh AIR

DESCRIPTION

Built-in ceiling hood with Rim extraction and FreshAir function

COLOURS



REFERENCE


REF. 113100004
EAN. 8434778019322



DHT 97670 TOS WH

FEATURES

Ceiling hood
Electronic control
FreshAir function
Rim extraction
Remote control
Brushless EcoPower Motor
4 speeds + 2 intensive
Free Outlet exhaust capacity (m3/h): 800
Max speed exhaust capacity (m3/h): 808
Min speed exhaust capacity (m3/h): 308
Intensive speed exhaust capacity (m3/h): 686
Max speed sound level (dBA): 67
Min speed sound level (dBA): 50
Intensive speed sound level (dBA): 74
3 LED lamps
Light intensity regulation
2 Aluminum filter
Stop delay timer
Filter saturation indicator
Operating pilot light
Outlet reduction optional
Optional recirculation kit without tube cover installation: RFC
60210 O1B
Optional Charcoal Filter: R1RES



DIMENSIONS

Product height (mm): 214

Product width (mm): 900

Product depth (mm): 600

Product length (mm):

Net weight (Kg): 25

TECHNICAL DETAILS

FEATURES

Certificates: CE; CB; Rohs

Ø Outlet (mm): 215x85

Type of inner light: LED

Inside light Consumption (W): 2.2

Plug type: Schuko

Cable Connection Length (cm): 150

Power rate (V): 220-240

Frequency (Hz): 50-60

Total hood power (W): 226.6

Number of motors: 1

Motor power (W): 220

Air flow (Qmin) m3/h: 317

Air flow (Qmax): 634

Air flow (Qboost): 808

ACCESSORIES

Outlet reduction : Optional

Regenerative charcoal filter: Accessory (Ceramic filter)

Regenerative recirculation kit (opt) - w/o tube cover: SET RFC
60210 01B

MODELS

Number of filters: 2
Filter description: Aluminum
Opening system: Piston
Control panel: Remote Control
Remote control: Yes
Stop delay timer: Yes
Filter saturation indicator: Yes
Number of speeds: 4+2
Fresh air function: Yes



DHT 97670 TOS WH

ENERGY LABEL

