

Teka
Kitchen appliances

PRODUCTS



Ovens pg 6



Compacts pg 20



Microwaves pg 26



Hobs pg 32



Hoods pg 46



Cold line pg 60



Laundry pg 72



Kitchen taps pg 80



Sinks pg98



Teka Group

Thousands of solutions. Millions of moments.

Teka Group belongs to the German Heritage B holding, being the consumption section specialist in kitchen and bath household appliances. Teka Group comprehends different worldwide leading brands, such as Teka, Küppersbusch, Intra, Mofem or Thor. The group, with more than 140 years of history, has become an international example of household appliances and sanitary manufacturing. Teka brand is one of the most important European manufacturer of stainless steel sinks, built-in kitchen appliances, and bath solutions As of today, Teka owns 15 factories and 4.000 workers around the world, with presence in more than 120 countries in five continents.





The kitchen is where life happens





Innovations thinking of you

iOven

Best results with just one touch

Find the right recipe from Monday to Sunday choosing among the 50 international recipes preset in a full colour screen design for your convenience. Watch pictures of every dish thanks to this innovating system and select what really suits your needs in that precisely moment with just the tip of your fingers.



MultiCook

Eat healthy without giving up tasty food

Multicook tray turns your oven in a steam one. Your food will keep all nutrients, vitamins and minerals without any oil, preserving flavour, texture and original aroma. With a wide range of accessories feel free to cook juicy food on individual trays or big pieces of meat on the grid. You can cook with water or even wine for a tasty touch but always with the healthiest results.

SurroundTemp

Uniform cooking

Smell of fresh baked cookies, everyone of them crunchy and baked right as it should. Multifunction SurroundTemp ovens guarantee an evenly distribution of the heat, even cooking at different levels. Get a surrounding heat effect in your dishes with the extra back resistance.

MeatProbe

Well-done recipes

Precise cooking point from the inside of every piece of food. You will get the right texture you are looking for in your dishes through a complete control of the cooking temperature, so you can easily get the most of your recipes. Perfect for meat, poultry and fish.





DualClean

Find more time for incredible moments

Pyrolysis or steam cleaning. Teka DualClean models have everything you need to clean your oven. For a daily routine, Hydroclean system, a helping hand for a fast and efficient cleaning with minimum energy consumption. If your last Sunday family meal with a roast beef was a success and you do need a deep cleaning, you can choose among three different pyrolysis levels. Reduce to ashes the dirt in your oven with just one touch. Cleaning an oven never was so easy.

Pyrolysis

The oven heats up to a very high temperature (almost 500°C), leaving only a thin layer of ash that can be easily wiped with a cloth once the oven is cooled. Forget about spending time with unhealthy products to keep the oven clean and ready for every use.

Hydroclean

When the water reaches high temperatures (steam), softens the grease adhered to the walls of the oven, and when it cools down allows to clean the oven easily, without effort. $90^{\circ}c + 4$ mint heating + 20' cooling down PRO: Automatic function ECO: Manual function



Minimum consumption cooking

We take care of your recipes to be perfect but also wants you to save energy and money. A+ energy rating with an energy saving up to 20% compared with A class. May all your wishes come true.



Cool Touch System®

Greatest safety in your kitchen

Full glass door with up to 4 glass panels to keep the outside temperature to a minimum. You can even touch the door because Teka goes beyond the legal requirement with lower temperatures.



EasyClean system

One of our goals is safety and our ovens can have up to 4 glasses on the door (CoolTouch system). And yes, we also can figure out how hard can be to clean a grease stain in the third glass. So we have created an easy



access system. Just push the side of the door panel and you will find the way into each glass for a complete cleaning.













IOVEN







- Multifunction SurroundTemp 18 Cooking functions
- HydroClean® PRO cleaning system • A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres • TFT 5" true color Touch control
- Cook personal assistant (50 recipes)
- MeatProbe
- · SlowCook function: low temperature cooking
- KeepWarm, bake bread, Quick heating, pizza, ferment, defrosting & ECO functions
- Children safety block
- · Automatic disconnection security system
- Triple glazed door
- SoftClose system
- 2 Plus-Extension telescopic guides, 5 cooking levels
- The SteamBox included
- · Anti-tip deep & baking tray and 2 reinforced grids Tangential ventilation
- Drop down maxi grill

HLF 940



HLB 840 W



- Multifunction oven (turbo)
- · Fingerprint proof Stainless steel
- 9 cooking functions + hydroclean pro
- Capacity gross/net: 77/91 litres

5 cooking levels

Cooling fan

Hydroclean enamel

A energy class

• Drop down grill maxi grill

Double lateral light (2 x 25 W)

Children's safety block option

· Automatic disconnection security system

• 50 mm deep tray, baking tray and reinforced grid

- Touch control programmer, white color
- Stainless steel fix knobs with black cover

• Chromed supports with 1 + 1 full extension telescopic

- Triple-glazed door
- · Quick heating · Children safety block
- · Full glass inner door
 - - Automatic disconnection security system
 - Double glazed door
 - 1 Plus-Extension telescopic guide, 5 cooking levels

• Multifunction SurroundTemp – 9 Cooking functions

• A+ Energy class: up to 20% less consumption

• Teka HydroClean®PRO cleaning system

Capacity, gross/net: 71/70 litres

· Touch Control with electronic timer

- Anti deep tray and reinforced grid
- · Dynamic ventilation

Powerfull SteakGrill (700°C)

STEAKMASTER

• SurroundTemp Multifunction oven – 12 cooking functions

- DualClean cleaning system: Pyrolytic selfcleaning (3 levels) + HydroClean® PRO cleaning system
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/63 litres
- TFT 4" true color Touch control
- 20 automatic programs for meat Personal cook assistant: 20 international recipes
- SlowCook: low temperature cooking
- Pizza, ferment, defrosting & ECO functions
- · Children safety block, timer and door
- Automatic disconnection security system
- · Full glass inner door
- Plus + Full Extension telescopic guides, 5 cooking levels Tangential ventilation
- Special cast iron grid for Steaks
- · Anti-tip deep tray and reinforced grid
- Tangential ventilation Plus with 2 speeds Optional: The SteamBox & cast aluminium tray
- · Knife + Guide included

HLB 860







- Teka HydroClean®PRO cleaning system · A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- True colour TFT 4 display with digital timer
- Personal cooking assistant (20 recipes)
- · SlowCook function: low temperature cooking · Automatic temperature and time suggestion for each
- function
- · Quick heating
- · Children safety block
- Automatic disconnection security system
- Triple glazed door
- SoftClose system
- 1 Plus-Extension telescopic guide, 5 cooking levels
- · Deep enamelled tray and reinforced grid

HLB 838






- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres • Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block
- Triple glazed door
- SoftClose system
- · Full glass inner door
- 1 Extension telescopic guide easy slide
- · Anti-tip deep tray and reinforced grid
- · Drop down grill

min 580


EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 559mm




EXTERNAL DIMENSIONS

Height 480mm Width 890mm Depth 560mm




EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 559mm




EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 559mm



EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 559mm



EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 559mm





HBB 635





- Hydroclean® PRO cleaning system
- Multifunction oven (strip)
- 8 cooking functions
- Mechanical preheating
- Fingerprint proof Stainless steel
- Capacity gross/net: 70/71 litres Stainless steel fix knobs with black cover
- 2-glazed door
- Touch control programmer and timer
- Full glass inner door
- Chromed supports Cooling fan
- Children's safety block option
- Deep tray, baking tray and standard cooking grid
- 110 cm connecting wire

HBB 605



- Mechanical hydroclean
- Multifunction oven (strip)
- Fingerprint proof Stainless steel
- 6 cooking functions
- Mechanical preheating
- Capacity gross/net: 71/70 litres
- Minute minder
- Stainless steel fix knobs with black cover 2-glazed door
- Full glass inner door Chromed supports
- Cooling fan
- Deep tray and cooking grid
- A energy classVoltage: 220/240V; Frequency: 50/60Hz





EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 559mm

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 559mm



The kitchen is where small things **become essential**

COMPACTS













HLC 847 C





- Multifunction + Microwave oven
- HydroClean® PRO cleaning system
- Multifunction SurroundTemp 16 cooking functions True colour TFT 4" display with digital timer
- Five cooking levels
- · Personal cooking assistant (20 pre-programmed recipes)
- · Automatic temperature and time suggestion for each function
- Slow cook function
- · Automatic fast heating
- · Microwave, Pizza, and ECO functions
- · Defrosting based on time and weight
- Triple glazed door SoftClose system
- Door opening security disconnection
- · Tangential ventilation

EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 559mm

Glass tray and reinforced grid (with anti-tip system)

HLC 847 SC








HLC 847 S




- · Multifunction + steam oven
- HydroClean® PRO cleaning system
- Multifunction SurroundTemp 15 cooking functions
- Steam cooking 30-100°C
- True colour TFT 4" display with digital timer
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 pre-programmed recipes)
- Automatic temperature and time suggestion for each function
- · Slow cook function & Automatic fast heating
- · Sterilization and regeneration functions
- MeatProbe
- 1 litre water tank
- Triple glazed door
- SoftClose system
- · Door opening security disconnection
- Tangential ventilation
- 2 Gastronorm with tray, deep tray, stainless steel perforated tray and reinforced grid (with anti-tip

- · Steam oven
- True colour TFT 4" display with digital timer
- Steam cooking 30-100ºC
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Personal cooking assistant (20 pre-programmed recipes)
- · Automatic temperature and time suggestion for each function
- 1 litre water tank
- · Sterilization and regeneration functions
- MeatProhe
- · Triple glazed door
- SoftClose system
- · Door opening security disconnection
- Tangential ventilation
- · 2 Gastronorm with tray
- Deep tray, stainless steel perforated tray and reinforced grid (with anti-tip system)



EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 559mm



EXTERNAL DIMENSIONS

Height 595mm Width 595mm Depth 559mm

HSC 644 S



- Slippery enamel
- Capacity, gross/net: 49/48 litres
- · Touch Control panel with LED display
- 1 cooking function
- Steam cooking 40-60-80-90-100º C
- Sterilization and regeneration
- Children's safety block
- · Automatic disconnection security system
- 1 liter water tank Triple glazed door
- Full glass inner door
- · Chromed guides
- 5 cooking heights
- 1 Gastronorm with tray
- Anti-tip deep tray, perforated stainless steel tray and reinforced grid
- Tangential ventilation

MLC 844




- Microwave + Grill 3 Cooking functions
- Capacity, gross/net: 45/44 litres
- 1400 W grill 0-90 min. Timer
- Quick start 30"
- chromed guides
- 5 Cooking heights
- 1 reinforced grids
- · Touch Control panel with LED display 5 power levels, 1000 W
- Automatic disconnection security system
- Tangential ventilation
- · Defrost by time and weight · Double Glazed door

MCL 32 BIS




- · Compact microwave + grill
- Fingerprint-proof Stainless steel
- Capacity: 32 litres
- Touch control panel
- 6 cooking functions
- Full glass inner door Triple glazed door
- Stainless steel inner cavity
- Double microwaves output
- Drop down grill: 1,500 W • Grill power: 1,500 W
- 6 power levels
- · Automatic defrost: time and weight · Integrated rotary turntable
- 1 metallic rack / 1 browning plate / 1 glass tray
- Children's safety block • Dimension mm: 455 x 595 x 542




EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 559mm



EXTERNAL DIMENSIONS Height 455mm Width 595mm Depth 537mm



EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 542mm

COMPACTS







CLC 835 MC



- Multi capsule(*) and Ground coffee (5 adapters included)
- Capacity: 1 cup
- Height adjustable cup support, 3 levels
- 3 functions (coffee, steam and hot water)
- Touch Control panel with TFT 4" display
- Pump power: 19 bar
- Retractable pipe for steam
- 2 Side storage compartments
- Storage drawer
- Liquid waste tray and waste bin
- Water tank capacity: 1 litre
- Descaling function
- · Temperature and quantity of coffee regulation: extra large, large, medium, small and infusions
- LED lighting

5 capsule adaptors (Nespresso®, Lavazza®, Caffitaly®, E.S.E. pod (Easy Serving Expresso), Coffee powder.


CLC 855 GM





- Urban Colors Edition
- Automatic built-in coffee machine
- Self-cleaning function · Intensity, temperature and coffee quantity regulation
- Electronic control display
- Telescopic rails for an easy pull out of the coffee maker 30 automatic programs
- Automatic LED lights
- · Capacity: 2 cups at once
- Easy removable container for coffee grounds
- 15 bar pump pressure
- Adjustable coffee, steam, and hot water pipes
- Integrated steel grinder for natural coffee beans (13
- different ground positions) Coffee beans container, 200 gr capacity
- Pre-grounded coffee container
- 1,8 litres water tank
- Automatic decalcifier

CP 15 GS

- · Plate warmer
- Push-pull opening system
- Telescopic drawer with anti-sliding material
- 6 place settings
- 10 cm. usable height • Temperature range 30°-80°C
- Illuminated switch on-off pilot
- Max. nominal power : 430 W
- To combine with Compact Ovens & Mwo







EXTERNAL DIMENSIONS

Height 455mm Width 595mm Depth 330mm

EXTERNAL DIMENSIONS

Height 455mm Width 592mm Depth 413mm

EXTERNAL DIMENSIONS

Height 140mm Width 595mm Depth 557mm



Cooking is **believing**

MICROWAVES



Creating unforgettable moments is easier and faster than ever

Easy installation

Frontal trim kit is included in the microwave for an Easy installation. The frame is already fixed to the microwave oven instead of the cabinet, so the assembly process is faster and we can get our new microwave ready in just 5 minutes and using 4 screws.

Memorize your favourite recipes

With Teka microwave ovens you can select different power memories and heating times so you can repeat your favourite recipes as many times as you wish.



Ceramic base

No boundaries in your kitchen

Your cooking will never have boundaries again. Teka microwaves bring you wide cooking surfaces to use bigger plates. You won't have to get another hot-but-cold dish again from the microwave thanks to our homogeneous heat system. Waves distribution comes from the lower ceramic part of the appliance and there is no need to use turntable plates. Microwave is completely flat inside so it is easier to clean and to reach any part of it where food stains may remain. We have as well an excellent efficiency.



Crunch plate

Real crispy microwave pizza

Crunch plate will give us the chance to cook easy and fast. You can do a potato omelette without turn it upside down, cook a quiche or even do some crunchy French fries. You can even have crispy pizzas thanks to the plate, reaching very high temperatures to turn the borders golden brown and crusty.











ML 822 BIS

- Microwave + grill
- Touch control panel with digital display
- Drop down grill: 1,200 W
- 5 power levels, 850 W
- Capacity: 22 litres
- Double glass door
- Ceramic base Three cooking functions
- 9 auto cook menus
- Quick start + 1 minute
- Timer 0-90 minutes
- Defrost by time and weight Stainless steel cavity
- Children's safety block
- · Electronic door opening
- Door opening LEFT (L-Left hinge) or
- Door opening RIGHT (R-Right hinge)
- Standard accessory: Rectangular grid
- Niche: 569 x 370/380 x 320 mm
- Cavity: 350 x 220 x 280 mm

ML 822 BIS W



- Microwave + grill
- Touch control panel with digital display
- Drop down grill: 1,200 W
- 5 power levels, 850 W
- Capacity: 22 litres
- Double glass door
- Ceramic base
- Three cooking functions • 9 auto cook menus
- Quick start + 1 minute
- Timer 0-90 minutes
- · Defrost by time and weight
- Stainless steel cavity
- Children´s safety block
- Electronic door opening
- Door opening LEFT (L-Left hinge) or
- Door opening RIGHT (R-Right hinge)
- Standard accessory: Rectangular grid
- Niche: 569 x 370/380 x 320 mm
- Cavity: 350 x 220 x 280 mm

ML 825 TFL





- Built-in microwave + grill without frame

- Capacity: 25 liters
- Stainless Steel inner cavity
- Turntable 31.5 cm
- Three cooking functions: (mwo, grill, mwo+grill)
- 8 auto-cooking menus

- Timer 0-95°

- Safety block



- · Glass control panel
- Double glass door
- Stainless Steel strip
- Electronic touch control
- 900 W / 1000 W Microwave/Grill power
- Quartz grill
- Five power levels

- · Multi-stage cooking programming (2 stages)
- Defrost by time and weight
- Quick start + 30"
- Standard accessories: 1 round grid

MWE 255 FI





- Built-in microwave + grill
- Fingerprint-proof stainless steel
- · Electronic control panel. White display
- Capacity: 25 litres
- Three functions: mwo, grill, mwo+grill
- Mwo output power: 900 W
- Grill power: 1000 W
- Maximum nominal power: 1450 W
- Cavity: Inox
- Five power levels
- Timer: 0 95 minutes
- 10 Auto Cook menus • Quick start +30 seconds
- Turntable 315 mm
- · Defrost by time and weight Children's's safety block


MWE 201 FI



- Built-in microwave + grill Electronic control panel. White display
- Capacity: 20 litres
- Three functions: mwo, grill, mwo+grill
- Mwo output power: 800 W • Grill power: 1,000 W
- Maximum nominal power: 1,250 W
- Cavity: Inox Five power levels
- Timer: 0 95 minutes
- 8 Auto cook menus Quickstart +30 seconds
- Turntable 245 mm
- · Defrost by time and weight
- Children's safety block







EXTERNAL DIMENSIONS Height 388mm Width 595mm Depth 400mm EXTERNAL DIMENSIONS Height 382mm Width 595mm Depth 345mm

EXTERNAL DIMENSIONS

Height 390mm Width 595mm Depth 334mm

EXTERNAL DIMENSIONS

Height 390mm Width 595mm Depth 334mm

EXTERNAL DIMENSIONS

Height 380mm Width 595mm Depth 390mm

30



Teka adds **soul** to your kitchen



iKnob

Satisfaction of complete control

Feel the power of absolute control. An induction hob unique in every sense thanks to an exclusive design combined with many features. Power and precision in just one control.

Slim frame with a professional and personal design with extra protection. Invisible print until you turn the hob and the control on. Intuitive back lighted LED icons to guide you through the cooking process you choose.

Quick Boiling function. Maximum power to boil water in a few seconds.

Heat maintenance function. Forget about those days when you dishes get cold while you were cooking the rest of the food. Now you can keep your plates warm until everything is perfectly cooked and ready to be served.



MultiSlider


Higher level of precision

Independent and direct control of each part of the hob to reach a higher precision level. Slide your finger or press the power you need. You will never be wrong with your recipes thanks to the new touch control slider.



Schott

We know you choose Teka because you choose quality. That is why we work hard everyday to make that claim our life philosophy, where durability and resistance are definitely important features. We make our highest demands come true with Schott glasses, a market leader known for quality.



Pre-programmed functions

Best results for your recipes

Melting	Simmering	Keep warm	iQuick Boiling
Perfect for melting chocolate or making caramel without the risk of getting burned.	Temperature is close to boiling for a better and gently treatment of your soups, creams	Recipes keep the perfect temperature point until they are served.	The hob reaches boiling point in the shortest time.

Cooking without limits

Flex area is designed to use every single corner of the cooking area with different shape pans. Perfect for grids, grill, TeppanYaki or rectangular recipients.















IT 6350 iknob

- 60 cm induction hob
- New slim metal frame
- iKNOB touch control
- Cooking time programmer
- Independent programmer of each cooking zone
- Power Plus Function
- · iQuick boiling & Keep warm function
- Stop&Go Function
- · Pan optimization system
- Power Management function
- Mute Function
- Pan detector
- Security blocking
- Residual heat indicators
- 3 cooking zones:
- I₁ induction Ø 145 mm • I₂ induction Ø 210 mm
- I₃ induction Ø 190/300 mm Total nominal power: 7,400 W

IT 6450 iknob

- 60 cm induction hob
- New slim metal frame
- IKNOB touch control
- Pan optimization system
- · Cooking time programmer (Independent programmer of each cooking zone)
- Synchro function
- iQuick boiling function
- Stop and go function
- · Keep warm function
- · Power plus function
- Power management function
- Mute function
- Pan detector
- 4 cooking zones:
- I₁ induction Ø 145mm • I₂ induction Ø 180mm
- I₃ induction Ø 180mm
- I₄ induction Ø 210mm
- Power function in all induction elements (I $_1$ /1,800W - $I_2/2,500W - I_3/2,500W - I_4/3,200W$
- Residual heat indicators

Total nominal power: 7,400 W

IRS 631 W

- · Induction hob Bevelled glass
- · White finish
- Touch control Slider with acoustic sensors and security blocking
- · Pan optimization system
- Low-temp function
- Electronic timer (possibility to programme all the zones at the same time)
- Pan detector
- I₁ induction Ø 145mm
- I₂ induction Ø 210mm
- l₃ induction dual zone Ø 180/280mm
- Power function in all induction elements (I $_1$ /1,800W -I₂/2,400 - 3,200W)
- · Residual heat indicators
- Total nominal power: 6,700 W
- Multilingual user manual (22 languages)
- Three-phase power cord

IR 321.1


- · Induction hob
- · Touch control panel
- Digital programming timer (99 minutes)
- · Pan detector and residual heat indicators
- Child safety lock
- Maximum nominal power: 3,000W

IR 6031 SR


- · Induction hob
- Schott Ceran glass top
- Bevelled edge
- Frontal touch control
- Residual heat indicator
- · Automatic safety switch off Over heat protection
- Digital timer
- 9 levels power
- 3 cooking zones :
- 1 induction element : 145mm 1 induction element : 180mm
- 1 induction element : 145mm / 240mm • Maximum nominal power : 7,100W


IR 721 SR

- · Induction hob
- Schott Ceran glass top
- Bevelled edge · Frontal touch control
- Residual heat indicator
- · Automatic safety switch off
- Over heat protection
- Digital timer
- 9 levels power
- 2 cooking zones :
 - 1 induction element : 180mm 1 induction element : 240mm
- Maximum nominal power : 5,200W

















EXTERNAL DIMENSIONS Height 430mm Width 730mm Depth 51.5mm

EXTERNAL DIMENSIONS

Height 515mm Width 605mm Depth 55mm

Height 515mm Width 605mm Depth 55mm

EXTERNAL DIMENSIONS

EXTERNAL DIMENSIONS Height 510mm Width 600mm Depth 50mm

Height 520mm Width 590mm Depth 50mm

EXTERNAL DIMENSIONS











IB 702

- 73cm induction hob
- Touch control panel
- 9 power settings
- Security blocking
- Cooking time programmer
- Residual heat indicator
- · Automatic safety switch off
- 2 cooking zones: 1 induction element (210 mm)
- 1 induction element (180 mm) • Maximum norminal power: 3,200W

VE 2

- Built in ceramic hob
- Touch control
- Residual heat indicator
- Child lock
- Auto disconnection
- 1-99 minutes digital timer
- 9 power level settings
- Front left: 1,800W; 200mm
- Rear left: 1,200W; 165mm Max nominal power: 3,000W

VTTC 60.1


- Ceramic hob
- Schott Ceran glass top
- Touch control panel
- Residual heat indicator
- Energy regulator
- 3 cooking zones :
- 2 high light Ø 200 mm (1,800W) 1 high light Ø 165 mm (1,200W)
- Maximum nominal power : 4,800W


VTCM 722


- Ceramic hob
- Schott Ceran glass top
- With aluminum frame
- Frontal touch control
- Residual hear indicator
- Digital timer
- 8 level power setting
- Child safety lock • 2 cooking zone :
- 2 triple circuit radian zone (2.3 kw)
- Maximum nominal power: 4.600W


VTCM 700.3


- Ceramic hob
- Slider control panel
- 12 power settings
- Security blocking
- Stop & go Function
- · Cooking time programmer Residual heat indicator
- · Automatic safety switch off
- 2 cooking zones
- 2 double high light 138 MM Ø – 1000 W
- 230 MM Ø 2200W
- Maximum nominal power: Limit to 3,200W











EXTERNAL DIMENSIONS

Height 430mm Width 730mm Depth 62mm

EXTERNAL DIMENSIONS Height 290mm Width 520mm Depth 41mm

EXTERNAL DIMENSIONS Height 520mm Width 590mm Depth 50mm

EXTERNAL DIMENSIONS Height 430mm Width 700mm Depth 70mm EXTERNAL DIMENSIONS Height 730mm Width 430mm Depth 52mm

HOBS













GK LUX 30.1 1G AI AL TR

- · Gas on glass built-in hob
- Tempered glass (8mm)
- 1 triple ring burners: 3.5kW
- Cast iron pan support
- · Individual auto ignition Auto lock safety device
- Black plastic knobs

GK LUX 86.1 2G AI AL 2TR

- · Gas on glass built-in hob
- Tempered glass (8mm)
- 2 triple ring burners: 3.5kW
- Cast iron pan support
- Individual auto ignition
- Fast ignition
- Auto lock safety device
- Black plastic knobs
- Gas type: LPG (2800 pa), Natural gas (2000 pa)

GVI 78 2G AI AL 2TR

- · Gas on glass built-in hob
- Tempered glass (8mm)
- 2 triple ring burners: 3.4kW
 Cast iron pan support

- · Individual auto ignition
- Fast ignition
- Auto lock safety device
- Black plastic knobs
- Gas type: LPG/Natural gas

GVI 86 3G AI AL 2TR


- · Gas on glass built-in hob
- Tempered glass (8mm)
- 2 triple ring burners: 3.4kW1 semi rapid burner: 1.2kW
- Cast iron pan support
- · Individual auto ignition
- Fast ignition
- Auto lock safety device
- Black plastic knobs
- Gas type: LPG/Natural gas


GSQ 78 2G AI AL


- · Gas on glass built-in hob
- Tempered glass (8mm)
- 2 triple ring brass burners: 5.2kW
 Cast iron square pan support
- Individual auto ignition
- Auto lock safety device Black plastic knobs
- Gas type: LPG/Natural gas
- FlexCut bottom


GSQ 82 3G AI AL


- · Gas on glass built-in hob
- Tempered glass (8mm)
- 2 triple ring brass burners: 5.2kW1 semi rapid burner: 1.3kW
- Cast iron square pan support
- · Individual auto ignition
- Auto lock safety device
- Black plastic knobs
- Gas type: LPG/Natural gas
- FlexCut bottom














EXTERNAL DIMENSIONS Height 520mm Width 300mm **EXTERNAL DIMENSIONS** Height 480mm Width 860mm **EXTERNAL DIMENSIONS** Height 450mm Width 780mm **EXTERNAL DIMENSIONS** Height 480mm Width 860mm **EXTERNAL DIMENSIONS** Height 450mm Width 780mm **EXTERNAL DIMENSIONS** Height 480mm Width 820mm HOBS





G 78 2G AI AL


- Gas on glass built-in hob


- Tempered glass (6mm)
 Brass burner cap
 triple ring burners: 5.0kW
- Enamel pan support
 Individual auto ignition
- Auto lock safety device
- Gas type: LPG/Natural gas

G 82 3G AI AL

- Gas on glass built-in hob

- Tempered glass (6mm)
 Brass burner cap
 Itriple ring burners: 5.0kW
 Isemi rapid burner: 1.0kW
- Enamel pan support
- Individual auto ignition
- Auto lock safety device
 Gas type: LPG/Natural gas





EXTERNAL DIMENSIONS Height 420mm Width 780mm EXTERNAL DIMENSIONS Height 420mm Width 820mm



Kitchen goes way beyond just preparing food

HOODS



Find out what innovation can make you feel

and harmony for your recipes in every corner of your kitchen saving money at the same time.

of your home. The hood is not just a noisy part of your kitchen, but something that keeps the atmosphere clean and fresh, creating harmony and a peaceful environment to cook or to share a piece of cake. Design is a priority with our hoods, that is why Teka creates exclusive and functional designs that goes along with the look of the rest of the appliances.


Quadro

Feel the quiteness in your kitchen

Quadro hood shows an unique vertical design to impress even the most demanding chefs. The hood is made of black glass and anodized aluminium with high durability. The perfect combination also has a white display and an elegant LED lighting distributed all along the cooking area. Because your expectations deserves only the best.

New hoods made thinking of you and your future.
Available in any kind of shape and size, eco-friendly but easy on your wallet, these hoods fits in your kitchen and in your life.





PERFECTA-4

The perfect balance between efficiency, design and productivity. An incomparable hood thanks to a full 4 A energy label: A class in energy efficiency, fluidynamic, lightning and also in grease filtering. The hood can extract up to 800 m3 and remove 98% of the grease with its 12 layers filters. And from the hood to the dishwasher, because the stainless steel filters are designed to be washable, so forget about how to keep them clean.

A Energy efficiency

Energy efficiency index (EEI) It is calculated from annual consumption and from energy standard consumption.

A Fluid Dynamic Efficiency

Efficiency of the extraction system, affected by different variables like the shape of the hoods.

A Lighting efficiency class

Indicates the efficiency with which the hood is able to illuminate the cooker hob.

A Grease filtering efficiency class

Indicates the efficiency with which the hood filters grease generated through cooking process.



What hood does my kitchen need?

Just calculate your kitchen's volume. For example 12m² with 2,5m height. That's how we get the total volume:

12m² x 2,5m = 30m³

Furniture has to be taken into consideration. Approx. 40%. Final total volume: 18m³ On the basis of the air is renovated 12 times per hour:

 $18m^3 \times 12$ renovations = $216m^3/h$

In a 12m² kitchen we need a hood with 216m³/h for an effective extraction



LED light bar

Led light has a very positive effect for the environment. It is called the ecologic lighting due to the lack of mercury or any other hazardous substances that can contribute to the greenhouse effect and increase global warming. LED had other many advantages as low energy consumption, so we can save energy, or the fact that they don't need a warm-up period and they don't produce heat. But LED bar will perfectly light you cooking zone so you can not miss a single thing of your recipes.



All sizes and shapes for every taste and need

Round and rectangular shapes, with glass or steel finish and with infinite benefits. And everything with an emblematic design to create the environment you are looking for in your kitchen.













DSI 90 AD

DZ 90 AD



CC 485

ECOPOWER

- Tubular island hood
- EcoPower motor
- Energy Efficiency class: A Touch control panel
- White digital display
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 920
- Qboost, m³/h: 771
- Max., m³/h: 525
- Min., m³/h: 305
- Noise (LwA) Boost Speed, dB: 78
- Noise (LwA) Max Speed, dB: 72 • Noise (LwA) Min Speed, dB: 50
- 2 LED lamps
- 1 stainless steel filter
- Stop delay timer
- Filter saturation indicator · Optional charcoal filters

DLH-985T

ECOPOWER

- · Ultraslim decorative hood
- EcoPower motor
- Energy Efficiency class: A
- 4A (Energy efficiency A, Fluid dynamic efficiency A, lighting efficiency A, grease filtering efficiency A)
- Touch control panel
- Operating Pilot Light
- · 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 795
- Qboost, m³/h: 740 Max., m³/h: 586
- Min., m³/h: 306
- Noise (LwA) Boost Speed, dB: 72
- Noise (LwA) Max Speed, dB: 68
- Noise (LwA) Min Speed, dB: 54 • 1 LED BAR
- 3 stainless steel filters (12 layers)
- · Stop delay timer
- Filter saturation indicator
- Optional charcoal filters

DLV 998 BK

ECOPOWER



- · Ultraslim decorative hood EcoPower motor
- Energy Efficiency class: A++
- Rim extraction Touch control panel
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 890 Qboost, m³/h: 815
- Max., m³/h: 626
- Min., m³/h: 264
- Noise (LwA) Boost Speed, dB: 65
- Noise (LwA) Max Speed, dB: 58
- Noise (LwA) Min Speed, dB: 37
- 1 LED bar
- 2 Glass panel; aluminum filter below Stop delay timer
- · Filter saturation indicator Optional charcoal filters


DVT 985 W

ECOPOWER


- · Vertical decorative hood
- Eco power
- Touch control panel
- · Rim extraction • 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet (m³/h): 895
- Max. (m³/h): 786
- Min. (m³/h): 303
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 52 dB
- LED ilumination 1 aluminium filter
- Stop delay timer
- Filter saturation indicator Optional charcoal filters

- Touch control panel
- 3 speeds with 2 LED lamps (1.5W) Exhaust capacity: 1,500m³/h
- Sound power level: 65 dBA
- Metal filters
- Invisible display Delay timer
- Optional recirculating or ducting system
- Kraftvoll technology


- · Touch control with digital display • 3 speeds with 2 LED lamps (1.5W)
- Exhaust capacity: 1,500m³/h
- Sound power level: 65 dBA
- Metal filters
- Delay timer
- Optional recirculating or ducting system
- Kraftvoll technology




EXTERNAL DIMENSIONS Width 400mm




EXTERNAL DIMENSIONS Width 900mm




EXTERNAL DIMENSIONS Width 900mm



EXTERNAL DIMENSIONS Width 600mm/700mm/900mm



EXTERNAL DIMENSIONS Width 895mm



EXTERNAL DIMENSIONS Width 895mm









- Touch control with digital display
- 3 speeds with 2 LED lamps (1.5W)
- Exhaust capacity: 1,500m³/h
- Sound power level: 65 dBA

DVS 90 AD

- Metal filters
- RIM extraction
- Delay timer
- Ducting system Kraftvoll technology

- · Oil cup hood
- Touch control
- · Level of speed: 3 speed
- 3 pcs of battle filters
- Noise level: 56dB
- Suction power: 1,800 m³/hr (Kraftvoll motor)
- 80mm thickness frontal panel
- Delay timer
- Timer
- Square charcoal filter
- · Alu ducting hose & cap

DBW 90 TO

- - · Oil cup hood Touch control

 - · Level of speed: 3 speed 3 pcs of baffle filters

 - Noise level: 56dB
 - Suction power: 1,800 m³/hr (Kraftvoll motor)
 - Round charcoal filter
 - Alu ducting hose & cap
 - 80mm thickness frontal panel
 - Delay timer
 - Timer







Island hood

DH2 90.1 AD


- Electronic control panel
- 3 speeds with 2 LED lamps (1.5W) • Exhaust capacity: 1,500m³/h
- Sound power level: 65dBA
- Metal filters
- Conventional extraction
- Optional recirculating or ducting system
- Kraftvoll technology

TL1 920 VR01


- 90cm pull-out compact hood
- Mechanical push button control
- 2 speeds with incandescent type lamps
- Exhaust capacity: 440m³/h
- Sound power level: 56 dBA
- Metal filters
- Double turbine motor
- Optional recirculating or ducting system

TL1 620 VR 01


- 60cm pull-out compact hood
- Mechanical push button control
- 2 speeds with incandescent type lamps
- Exhaust capacity: 440m³/h
- Sound power level: 49 dBA
- Metal filters
- Double turbine motor
- Stainless steel
- Optional recirculating or ducting system




EXTERNAL DIMENSIONS Width 900mm




EXTERNAL DIMENSIONS Width 895mm




EXTERNAL DIMENSIONS Width 895mm



Width 895mm





EXTERNAL DIMENSIONS

EXTERNAL DIMENSIONS Width 895mm

EXTERNAL DIMENSIONS Width 595mm






TLR2 62


- Re-circulation hood, 60 cm and 90cm
- Material: Inox SS body black painted
- 2 x 40W IO1 normal lamp
- 2 x 80W motor
- Air flow capacity: 440m³/h
- 2 speeds
- Control type: M04 rocky push button
 3 layers of aluminium grease filters
 Product size (L x W x H)mm:
 60cm: 595 x 161 x 300

TLR2 92

- Re-circulation hood, 90cm
- Material: Inox SS body black painted
- 2 x 40W IO1 normal lamp
- 2 x 80W motor
- Air flow capacity: 440m³/h
- 2 speeds

- 2 speeds
 Control type: M04 rocky push button
 3 layers of aluminium grease filters
 Product size (L x W x H)mm: 90cm: 895 x 161 x 300





EXTERNAL DIMENSIONS Width 595mm

EXTERNAL DIMENSIONS Width 595mm



Almost everything that matters to **us happens** in kitchen

COLD LINE



the heart of a home

Cooking for family and friends, a table talk after a long working day, and afternoon snack with the kids. That's how I take care of my beloved ones, putting together good times with delicious food, in the best and cosy environment. Some kitchens are so special that turns moments into unforgettable memories.

Connect with your kitchen through design

. St

A remarkable appearance French Door design. It takes care of all the details including a touch control display with white LED illumination, the perfect combination with the unique and exclusive black glass finish.

LongLife No Frost

Keep your food perfect: goal achieved. LongLife No Frost technology keeps every compartment at the perfect moisture level thanks to the three independent cooling circuits. Your food remains fresh for longer.







Gourmet Box

Precision is to keep food at perfect temperature

Your food remains fresh for longer at the perfect temperature. The latest technology of the 0°C box. Gourmet Box, a soft close telescopic drawer, allows you to choose the right temperature between -2 and 3°C through a touching display at the top. Welcome to wellness.



IonClean Technology

IonClean technology create negative ions that neutralise bacteria and bad smell particles. Air inside the fridge will be superb this way and always fresh and free of odours.




Motor inverter

Silence, durability and efficiency

Feel the peace at home. Less consumption and more silence with the inverter compressor. This motor produces less friction and it has a lower energy consumption, being more silence and long-lasting. Want to take care of stillness and quietness at your home, but we also want to save you money. Our refrigerators and freezers range is designed thinking about efficiency. Save more with the most advanced technology.

TempGuard

TempGuard Radar system controls and keeps the temperature thanks to sensors located inside. Any change is automatically fixed. Your fridge always at the real temperature your food needs.



From freezer to fridge in just one touch

Room enough to keep food cold or even freeze it, thanks to the compartment with adjustable temperature: from cold to frozen. You can set the temperature you want to from -18°C to 7°C and have a complete control of your food and appliance. At your service.

Complete flexibility to store your food

With the flexirack system, just pressing a side button, you can adjust the height of the door shelf anytime you need it!

Just on Touch away from your refreshing drink

Take drinks without opening the door with just one touch. Easy access to a special compartment for drinks avoiding open the whole refrigerator. The BarOnDoor goes beyond an intelligent design, thereby saving energy.

Feel the comfort saving money















RFD 77820 GBK

- · French Door Gourmet Refrigerator
- Motor inverter with high efficiency compressor
- · IonClean technology to neutralize bacteria and bad odours
- · LongLife No Frost with 3 independent circuits
- · Touch control with independent temperature regulator
- Chromed details
- Gourmet Box with telescopic guides and softclose, interior light, display, and Touch control with independent temperature regulator between -2 $^{\mbox{\scriptsize o}}$ and
- 2 VitaCare Box drawers with independent humidity control
- Top and back LED light
- TempGuard Radar technology
- · Interior LED light in freezer
- Pull-out telescopic softclose drawer with deep tray and two special drawers for meat and fish
- Pull-out telescopic softclose deep drawer with an upper tray with telescopic guides
- · Removable freezer drawers for easy cleaning

RLF 74911 SS

- · Full no frost side by side
- Integrated handle
- · Electronic touch control
- · Fingerprint-proof on door
- Infinite inverter
- 3D air cooling
- Interior LED light
- Vacation mode
- Child lock mode
- Super freezing & super cooling function
- Door alarm
- On door ice bar
- Fresh box
- Energy efficiency class: A++
- Annual consumption: 372 kWh/year
- Total gross capacity: 661 L
- Total net capacity: 605 L
- Fridge net capacity: 389 L Freezer net capacity: 216 L
- Noise level: 40 dBA
- Power rated: 170 W
- Current: 1.9A
- Cable length: 1750 mm

RLF 74920 WT SS

- Full no frost side by side Fingerprint-proof on door
- Metal handle
- · Automatic ice maker
- · Automatic water dispenser
- Interior LED light
- 4.5 L water tank Vacation mode
- · Child lock mode
- Super freezing & super cooling function
- Door alarm
- Fresh box
- Energy efficiency class: A++
- Annual consumption: 322 kWh/year
- Total gross capacity: 573 L
- Total net capacity: 490 L Fridge net capacity: 344 L
- Freezer net capacity: 156 L
- Noise level: 40 dBA
- Power rated: 188 W
- Current: 2.5A
- Cable length: 1750 mm

TGF 300 NF


- Easy handle
- Silver (Inox) color
- · No frost system
- Electronic control with LED display
- Interior LED light
- · Door open alarm
- Separate transparent crisper
- Twist ice cube maker
- Multi-air flow
- Energy class: A+
- · Energy consumption: 434 kWh/year
- Freezer gross capacity: 261 litres
- Noise level: 47 dBA

TSL 400 NF

- Easy handle
- Silver (Inox) color
- No frost system Electronic control with LED display
- Interior LED light
- · Door open alarm
- Separate transparent crisper Sealed box
- Multi-air flow
- High moisturizing patent • Energy class: A+
- Energy consumption: 248 kWh/year
- Fridge gross capacity: 355 litres Noise level: 45 dBA

NFM 420 S

- · No frost system
- Multi air flow system
- LED display VCM door body
- Reversible door Recessed handle
- · Ice maker (movable rotation)
- Humidity control
- Energy class: A+
- · Electronic control internal display
- Fridge capacity: 313 L
- Freezer capacity: 101 L



EXTERNAL DIMENSIONS

Height 1898mm Width 833mm Depth 685mm




EXTERNAL DIMENSIONS

Height 1788mm Width 895mm Depth 745mm




EXTERNAL DIMENSIONS

Height 1788mm Width 895mm Depth 745mm




EXTERNAL DIMENSIONS

Height 1855mm Width 595mm Depth 645mm



EXTERNAL DIMENSIONS

Height 1855mm Width 595mm Depth 635mm



EXTERNAL DIMENSIONS

Height 1723mm Width 700mm Depth 670mm






CI4 330WH

- Built-in Combi Refrigerator
- Energy class A+
- Net Volume 241 litres
- Easy fit
- Easy touch for temperature control
- Colling space for bottle
- Air flow system
- Freshness box
- Sliding box for pizza
- Bigger drawer for easy access
- Climate class: N/ST/T
- Energy consumption (kWh/24h): 0.778kWh/24h
- Rate voltage/Frequency: 220-240V/50HZ

RV 46D


- Dual temperature wine chiller
- Touch control panel with digital display

- 46 bottles capacity
 Tempered glass with stainless steel handle
- Auto defrosting
- Circulated cooling fan for balanced storage tempera-
- 6 piece wooden shelves with shelve stopperBlue LED light
- Temperature setting: 5°C 22°C
- Reversible door



EXTERNAL DIMENSIONS

Height 1776mm Width 560mm Depth 550mm



EXTERNAL DIMENSIONS

Height 820mm Width 595mm Depth 570mm

COLD LINE



Life is the sum of these moments that **surprise us**

LAUNDRY



SoftCare Drumb

The easiest way to break water resistance. Taking care of clothes in every washing, keeping the texture of your clothes and softness. The innovating Softcare design of the drum, made of dozens of small cubes, improves the gentle care wqvof your laundry during washing, drying and spinning. Woolmark certificate is

an universal quality seal to demonstrate our washers keep your clothes with most of the softness, even after many washings. Feel the freedom of washing your most delicate wool clothes.

Consumption and a lot to offer. New Inverter engines generation have less vibrations and noise and have improved durability, with an A+++ energy classification. a remarkable saving.



More capacity

For those who needs more than ordinary capacity, like big families, large clothes, curtains or rugs. Teka has a wide range of washing machines ready for you. The new washer and dryer can wash 10 kg. and the dry up to 7 kg. Everything in just one appliance with many features, designed to bring harmony to your home.

My cycle

We know each people has different needs. With "my cycle" you can choose your favourite program, changing types of clothes, temperatures, speed, etc. The washing machine memorize them and it's done! Find the right program in the control display and feel like this appliance was designed just for you. Because we do know everyone is unique and deserves appliances designed just for them.

Delay programming

We don't spend as much time at home as we would like to, so we need a little helper at houseworking. You can program Teka washers from 1 to 24 hours. Your laundry will be clean when you come back home from work or, if you have a night electricity plan, you can even program the washing machine during night to reduce consumption.













TKD 1610 WD

- Washing capacity: 10 kg
- Drying capacity : 7 kg
- Woolmark Apparel Care®
- BLDC Inverter Motor
- 16 washing programs
- 6 drying programmes Electronic control panel
- Digital display LCD
- Maximum spin speed : 1600 rpm
- Electronic washing management (Fuzzy Logic)
- Special Programs Wool, baby care and 15'
- Special program 1hour wash + Dry
- Fast program 15 minutes
- 32 cm wide crystal door
- Function buttons for : on/off, delayed programming, extra rinse, spinning selection, fast program and temperature
- Automatic water regulation
- Delay timer 1-24h
- Balance control system
- · Locking system in case of lack of water or electricity
- Foam control system
- Energy class A/A

TKD 1480

- · White with chromed door
- Washing capacity: 8kg
- · Washing programs: 16
- · Woolmark apparel care®
- Special programs wool, baby care and 15'
- Stainless steel drum
- Spinning speeds: 1400 1200 –1000 800 600 0
- Start delay program 1 24 hours
- 32cm wide crystal door
- Indicator pilots for: Selected temperature, Spinning speed, Time left and Special functions
- Fast program 15 minutes
- Energy efficiency class: A +++
- Spinning efficiency class: B
- Water consumption: 11,000 litres/year
- Energy consumption: 196 kWh/year

- Noise level (washing/spinning): 59/78 dBA

TKD 1490

- · Washing capacity: 9 Kg
- Inverter Motor
- · Washing Programs: 16
- Electronic control panel
- Digital display LCD
- Maximum spin speed : 1400 rpm
- Electronic washing managment (Fuzzy Logic)
- Special Programs Wool, baby care and 15'
- Fast program 15 minutes
- 32 cm wide crystal door
- · Function buttons for: temperature, spininnig speed, remaining time and special functions
- · Automatic water regulation
- Delay timer 1-24h
- · Balance control system
- · Locking system in case of lack of water or electricity
- Foam control system
- Energy class: A+++/B


TKS 890 H

· Heat pump condenser dryer

- 16 programs
- · Drying capacity: 8 Kg
- · Electronic control panel with display
- Delay timer 1-24h
- 4 Power levels
- · End of cycle alarm
- Humidity sensor
- · Anti-crease program
- Delicate clothing program
- · Cooling program
- Bi- direction rotation
- · Remaining time indicator
- Removable filter with saturation • LED indicators for: on/off, filter saturation and full tank
- Inner light
- Energy class: A++

TKS 850 C

- · Condenser dryer
- 16 programs
- · Drying capacity: 8 Kg
- · Electronic control panel with display
- Delay timer 1-24h
- 4 Power levels
- End of cycle alarm Speed dry function
- Humidity sensor
- Anti-crease program
- · Delicate clothing program
- Cooling program
- Bi- direction rotation Remaining time indicator
- Removable filter with saturation
- · LED indicators for: on/off, filter saturation and full tank
- Inner light
- Energy class: B



EXTERNAL DIMENSIONS


76

Height 850mm Width 595mm Depth 565mm




EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 565mm




EXTERNAL DIMENSIONS

Height 850mm Width 595mm Depth 565mm



EXTERNAL DIMENSIONS

Height 845mm Width 595mm Depth 622mm



EXTERNAL DIMENSIONS

Height 845mm Width 595mm Depth 615mm



Fully Integrated Dishwasher DW9 70 FI

- · Fully integrated dishwasher
- Electronic control panel with display
- Place Settings : 14
- Multifunctional third cutlery basket
- Third sprayer
- · washing programs : 8
- Washing temperatures: 45°, 50°, 55°, 60°, 65°C
- · beam on floor
- Dual half load
- SlidingDoor installation system Fast program 30 minutes
- Extra drying function
- Eco program
- Full AquaStop safety system
- Aqualogic
- Delay timer 1-24h
- Automatic adjusdable upper basket
- Back feet adjustment from front • Enery class : A+++/A
- Noise level: 44 dBA




Partially Integrated Dishwasher DW 605 S

- · Electronic control panel
- Place Settings : 12
- Washing programs : 6
- Washing temperatures : 40°, 50°, 55°, 60°, 65°C
- Full Aquastop
- · Delay timer 3-6-9h
- Half load program
- Fast program 40 minutes Eco program
- Adjustable upper basket
- Water softener
- Indicator pilots for : Selected program, lack of salt and rinse aid, delay timer
- Back feet adjustment from front
- Energy class: A++/A • Noise level : 49 dBA
- Power supply: 220/240V -50 Hz




Free Standing Dishwasher LP9 850

- · Electronic control panel with display
- Fingerprint proof stainless steel door
- Capacity: 14 settings
- 3er cutlery basket
- 3er sprayer
- 8 washing programs: Auto, intensive, normal, eco, glass, 90min, rapid & soak
- 5 washing temperatures
- Push up upper basket
- Auto wash program with aqualogic (water dirtiness sensor)
- Alternative wash
- Extra drying function & child lock
- Fast program 30 minutes
- Delay timer 1-24 hours
- · Sliding detergent drawer Height adjustable upper basket
- Indicator lights: Control pilot lights: On/Off; Low salt LED indicator; low rinse aid LED Indicator; selected program; remaining time & delay time
- Grey color baskets
- Stainless steel tub
- Electronic aquastop
- Energy/Drying effciency class: A+++/A
- Energy consumption: 237 kWh/year · Water consumption: 2,800 liters/year
- Noise level : 44 dBA




EXTERNAL DIMENSIONS

Height 815/865mm Width 598mm Depth 550mm



EXTERNAL DIMENSIONS

Height 815/865mm Width 598mm Depth 570mm



EXTERNAL DIMENSIONS

Height 845mm Width 598mm Depth 610mm



Experience **true emotions**

TekaPure®, Purifies water in depth

Water free of impurities, the particles will be trapped in the filter.

- **✓** Eliminates up to 95% of unpleasant water taste and odour.
- Removes the taste of chlorine and organic impurities.
- Filter operating capacity: 5800 litres or 1 year. Average water consumption per family of 4 people = 4.380 l/year (3 l/day per person).
- Quick and easy replacement of the cartridge system.
- The filter system takes up very little space under the sink, making it suitable for small spaces.
- ✓ Filter cartridge replacement available.
- Filter with NSF sanitary certification. System tested and Certified by NSF International according to ANSI/NSF Standard 42 for reduction of Chlorine Class I, taste and odour.





Teka ceramic discs

Longer taps life

All Teka cartridges use sintered ceramic discs with high resistance. These discs all have porous surfaces which retain grease longer, helping to achieve smoother, gentler movements which help to prolong the life of the taps. The operating gear is insulated from water giving therefore continuous lubrication.



Ceramic cartridge, Greater durability



Temperature limiter

Save the energy used to heat the water with the temperature regulator that is incorporated into the cartridge.



Water saving

The cartridge incorporates an adjustable flow gauge to save water every time you use the mixer.



Anti-Scalding

Forget about scalding caused by water at high temperatures. We take care of you and your loved ones.



^{*} Not all taps have temperature and flow regulators in the cartridge.











CUADRO PRO

- Mixer tap
- Swivel spout
- 3/8" Flexible inlet pipes
- Pull down shower with 2 sprays
- High resistant flexible spring
- Swivel spout
- 3/8" flexible inlet pipes

CUADRO PRO COMPACT

- Reduction height
- High resistant flexible spring

ARK PRO

- Swivel and flexible spout
- Pull-down shower 2 functions: normal & shower
- High resistant flexible spring

ARK (PULL-OUT)


- Swivel spout
- 1/2" flexible inlet pipes
- 1 function: normal spray


Mixer tap


IC


 Flat swivel spout Anti-scale aerator


- IC 915 (Black)
- Mixer tapFlat swivel spout
- Anti-scale aerator






















MB2 HIGH (HIGH SPOUT)



TEK

- Mixer tap
- LED-illuminated pull-down shower
- 1 function normal spray
- Touch control operating system
- Light colour changes according to water temperature
- Security stop in case of electricity failure
- Light indicate water temperature
- 5 water flow position

ELAN

- Flat swivel spout
- Anti-scale aerator


- COSMO
- Mixer tap
- Swivel spout
- Fixation on top of work surface for easier installation
 Ergonomic design
 1/2" flexible inlet pipes





- Mixer tapCast swivel spout
- Pull-out shower with 2 jets
- 1/2" flexible inlet pipes


- Mixer tapCast swivel spout
- Pull-out shower with 2 jets • 1/2" flexible inlet pipes


- **ARES** (HIGH SPOUT)
- Mixer tapFlat swivel spout
- Anti-scale aerator














KITCHEN TAPS





- Mixer tap
- Flat swivel spout
- Anti-scale aerator



INCA (HIGH SPOUT)

- Mixer tap
- Flat swivel spout
- Anti-scale aerator



ML (HIGH SPOUT)

- Mixer tap
- Flat swivel spout
- Anti-scale aerator



IN 995


- Mixer tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator


FORMENTERA 997


- Mixer ta
- Swivel and flexible spout
- Anti-scale aerator
- High resistant flexible rubber tubeStainless steel flexible hose
- ...
 - ihher tuhe N
- Pull-down shower 1 function: aerated spray


ARK 938


- Mixer tap
- Swivel spout
- Pull-out shower
- New extra resistant flexible hose
- Anti-scale aerator


















- Mixer tap
- With purifier filter system
- Sink mixer with filter function
- 2 independent waterways for (unfiltered and filtered water)



FOXTER (STAINLESS STEEL)

- Mixer tap
- Stainless steel
- 1/2" flexible inlet pipes
- 1 function: normal spray



OCEANO (STAINLESS STEEL)

- Mixer tap
- Stainless steel
- Flat swivel spout
- Anti-scale aerator




RONDELLA (STAINLESS STEEL)


- Mixer tap
 Staipless st
- Stainless steel
- 1/2"flexible inlet pipes
- 1 function: normal spray





MILANO (STAINLESS STEEL)


- Mixer tap
- Stainless steel
- Flat swivel spout
- Anti-scale aerator















EBRO

- Cold tapFlat swivel spout
- Anti-scale aerator



EBRO (WALL-MOUNTED)

- Cold tapFlat swivel spout
- Anti-scale aerator



TAGUS

- Cold tapFlat swivel spout
- Anti-scale aerator



AQUA

- Cold tapFlat swivel spout
- Anti-scale aerator




AQUA (WALL-MOUNTED)


- Cold tapFlat swivel spout Anti-scale aerator





FINO


- Cold tapFlat swivel spout
- Anti-scale aerator


















- Cold tapStainless steel
- Flat swivel spout Anti-scale aerator



LUXE

- Cold tapFlat swivel spout
- Anti-scale aerator



LUXE (WALL-MOUNTED)

- Cold tapFlat swivel spout
- Anti-scale aerator




ARIA


- Cold tapFlat swivel spout Anti-scale aerator


RKT


Cold tapFlat swivel spout Anti-scale aerator
















Meaningful moments are never forgotten





More than 90 years of experience in the manufacturing of sinks allows us to offer the best guarantee

Teka sinks are defined by their top quality, durability, extremely resistant austenitic stainless steel, ergonomic design, functionality, hassle free installation and excellent service. They are made in Europe and all our factories have the highest quality certifications and are environmentally friendly.

Sinks with unlimited lifetime warranty

At Teka, we are so confident in our quality standards that we offer an unlimited lifetime warranty on all of our stainless steel kitchen sink models for you to be completely at ease. Visit teka.com for more information.



50% less noise: maximum comfort and well-being

Is the kitchen sink one source of irritating noise that affects your family? New PureLine Teka sinks are the best in their class. They feature a design and low-noise component to make them extremely quiet. The sound-dampening pads are their best partner. They, together with their special distribution, are able to reduce water noise by 50%, when running or dripping into the sink, ensuring your comfort and convenience all day.

^{*} Warranty only applicable for residential products. Fitting excluded. All product exchanges and returns require Teka's express approval. Tap and accessories excluded..

Tegranite+, the hero of the kitchen

Los fregaderos Tegranite+ de Teka han evolucionado creando un área de trabajo perfecta para los chefs de la casa que buscan la innovación, la practicidad y lo funcional en la cocina.















STONE 90 B-TG 2B AUTO

- Inset installation
- Tegranite+ sink
- 2 bowls
- High resistance surface to impacts, thermal shocks and high temperatures
- · Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean
- 80% quartz and resins
- $3\frac{1}{2}$ " automatic basket waste with overflow and siphon
- 200 mm deep bowls
- 90 cm base unit

FORSQUARE 50.40 TG AUTO

- · Inset installation • Tegranite+ sink
- 1 bowl
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean
- 80% quartz and resins
- 3½ automatic basket waste with overflow and siphon
- 200 mm deep bowl
- 60 cm base unit

FORSQUARE 72.40 TG AUTO

- · Inset installation
- Tegranite+ sink
- 1 bowl
- High resistance surface to impacts, thermal shocks and high temperatures
 - · Excellent UV resistance against decoloring
 - Bacteria-free surface very easy to clean
 - Inset installation
 - 80% quartz and resins
 - 3½" automatic basket waste with overflow and siphon
 - 200 mm deep bowl
 - 80 cm base unit

SQUARE 50.40 TG

· Undermount installation


- Tegranite+ sink
- 1 bowl
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean
- Undermount installation
- 80% quartz and resins
- * $3^{1}/_{2}$ " manual basket waste with overflow and siphon
- · 200 mm deep bowl
- 60 cm base unit


SQUARE 72.40 TG


- 1 bowl
- High resistance surface to impacts, thermal shocks and high temperatures
- 80% quartz and resins
- $3^{1/2}$ " manual basket waste with overflow and siphon
- 200 mm deep bowl
- 80 cm base unit

SQUARE 2B 760 TG


- · Undermount installation
- Tegranite+ sink
- 2 bowls
- High resistance surface to impacts, thermal shocks and high temperatures
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean
- Undermount installation
- 80% quartz and resins
- 3½" manual basket waste with overflow and siphon
















· Undermount installation • Tegranite+ sink


- · Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean

• 200 mm deep bowls 80 cm base unit









EXTERNAL DIMENSIONS

Length 860mm Width 510mm Height 200mm



Length 570mm Width 500mm Height 200mm

EXTERNAL DIMENSIONS

Length 790mm Width 500mm Height 200mm

EXTERNAL DIMENSIONS

Length 540mm Width 440mm Height 200mm

400

500

540

R5

495

EXTERNAL DIMENSIONS

Length 760mm Width 440mm Height 200mm

EXTERNAL DIMENSIONS

Length 760mm Width 435mm Height 200mm

















FLEXLINEA R15 45.40

TR 3400

- · Disposer feed: Continuous feed
- Motor HP: 3/4
- Voltage: 220-240
- Frequency: 50Hz
- Motor speed without load (R.P.M): 4,400
- Motor speed with standard load (R.P.M): 2,700
- Overload protector: Manual reset type
- Accessories: Exclude bottle trap
- Capacity of the chamber: 1,100 ml
- Sound level without load: 63 dB
- Product dimension (mm) (LxWxH): 215 x 215 x 400
- Package dimension (mm) (LxWxH): 246 x 246 x 437
- Net weight: 5.3kg
- Gross weight: 5.825kg



ZENIT R15 1B

- Inset installation
- 1bowl
- 18/10 Stainless steel
- · Easy clean radius R15 corners
- 3½ SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowls
- Thick steel sheet
- 60 cm base unit

- Inset installation
- 2 bowls
- 18/10 Stainless steel
- Easy clean radius R15 corners

ZENIT R15 2B 86


- * $3^{1/2}$ " SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowls
- Thick steel sheet • 90 cm base unit


- · Inset installation
- PureLine stainless steel sink
- 1 bowl
- 3-in-1 installation possibilities: undermount, top or flush
- 18/10 Stainless steel
- · Easy clean radius R15 corners


FLEXLINEA R15 71.40


- · Inset installation
- PureLine stainless steel sink
- 1 bowl
- 3-in-1 installation possibilities: undermount, top or flush
- 18/10 Stainless steel
- Easy clean radius R15 corners


- · Inset installation
- PureLine stainless steel sink
- 1 bowl
- 3-in-1 installation possibilities: undermount, top or flush
- 18/10 Stainless steel
- Easy clean radius R15 corners



































FLUSH







UNDERMOUNT



FLUSH

EXTERNAL DIMENSIONS

Length 490mm Width 440mm Depth 200mm

EXTERNAL DIMENSIONS

Length 215mm Width 215mm Height 400mm

EXTERNAL DIMENSIONS

Length 600mm Width 520mm Depth 200mm

EXTERNAL DIMENSIONS

Length 860mm Width 520mm Depth 200mm

106







- Inset installation
- Material: 18/10 stainless steel
- Overall measurements in mm: 800 x 500 (Depth: 230)
- Built-in dimensions in mm: 780 x 480
- Thickness: 1.2mm





INOXTEEL 2B

- Inset installation
- Material: 18/10 stainless steel
- Overall measurements in mm: 890 x 500 (Depth: 220)
- Built-in dimensions in mm: 866 x 476
- Thickness: 0.8mm





- Inset installation
- Material: 18/10 stainless steel
- Overall measurements in mm: 640 x 480 (Depth: 250)
- Built-in dimensions in mm: 608 x 448
- Thickness: 0.8mm





INTRO 82


- · Inset installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 820 x 500 (Depth: 200)
- Built-in dimensions in mm: 790 x 470 (R15)
- Thickness: 1.2mm








INTRO 60


- Inset installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 600 x 500 (Depth: 200)
- Built-in dimensions in mm: 570 x 470 (R15)
- Thickness: 1.2mm





























EXTERNAL DIMENSIONS

Length 820mm Width 500mm Depth 200mm

EXTERNAL DIMENSIONS

Length 600mm Width 500mm Depth 200mm





108

EXTERNAL DIMENSIONS

Length 890mm Width 500mm Depth 220mm













BE 2B 845 RHD









- · Under worktop installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 845 x 470 (Depth: 250) Built-in dimensions in mm: 793 x 418
- Thickness: 1.0mm

- Under worktop installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 879 x 470 (Depth: 250)
- Built-in dimensions in mm: 853 x 418
- Thickness: 1.0mm

• Under worktop installation


ARQ 2B 840


- Material: made of 18/10 stainless steel
- Overall measurements in mm: 840 x 430 (Depth: 220)
- Built-in dimensions in mm: 790 X 380
- Thickness: 1.2mm


- · Under worktop installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 760 x 440 (Depth: 220)
- Built-in dimensions in mm: 710 x 380
- Thickness: 1.2mm


- Under worktop installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 700 x 450 (Depth: 220)
- Built-in dimensions in mm: 650 x 400
- Thickness: 1.2mm


- Under worktop installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 542 x 413 (Depth: 220)
- Built-in dimensions in mm: 500 x 371 Thickness: 1.2mm
































EXTERNAL DIMENSIONS

Length 845mm Width 470mm Depth 180mm

EXTERNAL DIMENSIONS

Length 879mm Width 470mm Depth 180mm

EXTERNAL DIMENSIONS

Length 840mm Width 430mm Depth 220mm

EXTERNAL DIMENSIONS

Length 760mm Width 430mm Depth 220mm

EXTERNAL DIMENSIONS

Length 700mm Width 450mm Depth 220mm

EXTERNAL DIMENSIONS

Length 542mm Width 413mm Depth 220mm







- Under worktop installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 430 x 430 (Depth: 220)
- Built-in dimensions in mm: 400 x 400
- Thickness: 1.2mm





BE 50 40

- · Under worktop installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 522 x 422 (Depth: 155)
- Built-in dimensions in mm: 496 x 396
- Thickness: 0.7mm





BE 40 40.18

- Under worktop installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 433 x 433 (Depth: 180)
- Built-in dimensions in mm: 401 x 401
- Thickness: 0.7mm





BE 34 37


- Under worktop installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: 365x 395 (Depth: 155)
- Built-in dimensions in mm: 335 x 365
- Thickness: 0.7mm








BE 39


- Under worktop installation
- Material: made of 18/10 stainless steel
- Overall measurements in mm: Ø 390 (Depth: 180)
- Built-in dimensions in mm: Ø 385
- Thickness: 0.7mm


























EXTERNAL DIMENSIONS

Length 430mm Width 430mm Depth 220mm

EXTERNAL DIMENSIONS

Length 522mm Width 422mm Depth 155mm

EXTERNAL DIMENSIONS

Length 433mm Width 433mm Depth 180mm

EXTERNAL DIMENSIONS
Length 365mm Width 395mm Depth 115mm

EXTERNAL DIMENSIONS
Width Ø 390 Depth 180mm

