

**TEKA**



2020 Vol. 1

---

PRODUCT CATALOG

# The iOven

## Best results with just one touch

The ultimate technology in ovens. An exclusive design with **all the latest features**:



**iOVEN**  
RRP RM11,800



**Cooking assistant:**  
50 recipes



**Full touch  
control**



**MeatProbe**



**HydroClean**



**The Steam Box**



**Full extension  
telescopic guides for  
a 100% extraction**



**HLF 940** *Maestro* NEW



SOFTCLOSE

WISH

- 9 cooking functions
- 91/77 litres
- Triple glazed door
- Double lateral light

RRP RM 9,200



**HLB 860**



SOFTCLOSE

WISH

- 12 cooking functions + 20 recipes
- 71/70 litres
- True color TFT 4
- Triple glazed door
- Soft close system

RRP RM 8,300



**HLB 840 W** *Maestro*



SOFTCLOSE

WISH

- 9 cooking functions
- 71/70 litres
- A+ energy class; up to 20% less consumption
- Dynamic ventilation

RRP RM 6,500



**HLB 838**



SOFTCLOSE

WISH

- 9 cooking functions
- 71/70 litres
- A+ energy class; up to 20% less consumption
- Triple glazed door
- Soft close system

RRP RM 6,290  
NOW PRICE RM 5,300



**HBB 635**



SOFTCLOSE

WISH

- 8 cooking functions
- 71/70 litres
- Double glazed door
- Minute Minder

RRP RM 3,800



**HBB 605**



SOFTCLOSE

WISH

- 6 cooking functions
- 71/70 litres
- Minute Minder

RRP RM 2,860



**MCL 32 BIS**

- 32 litres
- Triple glazed door
- 6 cooking functions

RRP RM 6,750



**ML 822 BIS W** *Maestro*

- 22 litres
- 9 auto cook menu + 3 cooking functions
- Ceramic base

RRP RM 5,900



**ML 825 TFL**

- 25 litres
- Quartz grill
- 8 auto cook menu + 3 cooking functions

RRP RM 4,800



**ML 822 BIS** *Maestro*

- 22 litres
- 9 auto cook menu + 3 cooking functions
- Ceramic base

RRP RM 4,200



**MWE 255 FI**

- 25 litres
- 10 auto cook menu + 3 cooking functions

RRP RM 3,350



**MWE 201 FI**

- 20 litres
- 8 auto cook menu + 3 cooking functions

RRP RM 2,440

## ■ COMPACTS



**HLC 847 SC** *Maestro* **NEW**



- Multifunction + Steam oven
- 15 cooking functions + 20 pre-programmed recipes
- Triple glazed door
- Meatprobe

**RRP RM 9,600**

**HLC 847 C** *Maestro* **NEW**



- Multifunction + oven
- 16 cooking functions + 20 pre-programmed recipes
- Triple glazed door

**RRP RM 8,800**

**HLC 847 S** *Maestro* **NEW**



- Steam oven
- 20 pre-programmed recipes
- Triple glazed door
- Meatprobe

**RRP RM 8,200**

**HSC 644 S**



- 49/48 litres
- Steam cooking 30-100°C
- 1 litre water tank
- Sterilization and regeneration functions

**RRP RM 6,800**



**MLC 844** *Maestro*

- 45 Litres
- MWO, Grill, MWO + Grill

**RRP RM 5,600**



**CLC 855 GM** *Maestro*

- 3 functions(coffee, steam & hot water)
- 30 automatic programs

**RRP RM 14,800**



**CLC 835 MC**

- Multi capsules and Ground coffee
- 5 capsule adaptors (Nespresso®, Lavazza®, Caffitaly®, E.S.E. pod (Easy Serving Espresso), Coffee powder.

**RRP RM 8,900**



**CP-15 GS** *Maestro*

- Telescopic plate warmer
- Glass front with fingerprint proof stainless steel frame
- 6 serving plates

**RRP RM 3,900**

### WHAT OVEN TRAY TO USE IN EACH RECIPE?



**NON-STICK ALUMINUM TRAY**  
Cakes or pastries, traditional cookies, cookies, muffins and bread.



**CERAMIC OR MUD TRAY**  
All kinds of salty and sweet recipes.



**MULTICOOK KIT FOR STEAM COOKING**  
Meat, fish, mollusks, vegetables and rice.



**STAINLESS MOLDS**  
Sweet or salty cakes.



**VOLCANIC STONE AND CHROMED GRILL**  
Meat on the stone.



**GLASS TRAY**  
All kinds of salty and sweet recipes.

**ZWILLING J.A.HENCKELS**

**OVEN + MICROWAVE** **or** **BUILT-IN STEAMER** **or** **COFFEE MACHINE**

**3 PC STAINLESS STEEL worth RM1,499**

\* While stocks last

**NEW**  
**STEAKMASTER**  
**RRP RM9,900**

**STEAKMASTER**

## RESTAURANT QUALITY STEAK

Introducing SteakMaster  
The first & unique oven for preparing  
the Perfect Steak



The perfect Steak at home

Ready in 5 minutes of cooking time

Ultra-powerful grill that reach up to 700°

DualClean. Double cleaning system: Pyrolysis + HydroClean

## ■ HOBS

Discover the new **iKnob**  
Feel the precision in your hands



**IT 6350 iKnob *Maestro***

- 3 cooking zone
- D: 605(W) x 515(D)
- BID: 560(W) x 490(D)
- Maximum nominal power 7.4 kW

**RRP RM 5,900**



**IT 6450 iKnob *Maestro***

- 4 cooking zone
- D: 605(W) x 515(D)
- BID: 560(W) x 490(D)
- Maximum nominal power 7.4 kW

**RRP RM 5,500**



**IRS 631 W *Maestro***

- D: 600(W) x 510(D)
- BID: 560(W) x 490(D)
- Maximum nominal power: 6.7 kW

**RRP RM 5,500**

**CGW LUX 60 3G AI AL TR CI *Maestro***

- Electrical auto-ignition (LPG/NG)
- D: 610(W) x 512(D)
- BID: 570(W) x 480(D)
- Triple brass burners: 4.0 kW

**RRP RM 3,460**



**IR 6031 SR**

- D: 590(W) x 520 (D)
- BID: 560(W) x 490 (D)
- Maximum nominal power: 7.1 kW

**RRP RM 5,390**



**IR 721 SR**

- D: 730(W) x 430 (D)
- BID: 695(W) x 395 (D)
- Maximum nominal power: 5.2 kW

**RRP RM 4,550**



**IB 702**

- D: 730(W) x 430(D)
- BID: 695(W) x 410(D)
- Maximum nominal power: 5.2 kW

**RRP RM 3,800**



**IR 321.1**

- D: 290(W) x 510 (D)
- BID: 270(W) x 490 (D)
- Maximum nominal power: 3.0 kW

**RRP RM 3,120**



**VTTC 60.1**

- D: 590(W) x 520 (D)
- BID: 570(W) x 500 (D)
- Maximum nominal power: 4.8 kW

**RRP RM 3,300**



**VTCM 700.3**

- D: 730 (W) x 430 (D)
- BID: 695 (W) x 410 (D)
- Maximum nominal power: 3.2kW

**RRP RM 2,800**



**VTCM 722**

- D: 700(W) x 430 (D)
- BID: 675(W) x 395 (D)
- Maximum nominal power: 3.2kW

**RRP RM 2,750**



**VE 2**

- D: 290 (W) x 520(D)
- BID: 270 (W) x 500 (D)
- Maximum nominal power: 3.0kW

**RRP RM 2,230**

## ■ HOBS



**GVI 86 3G AI AL 2TR**

- Battery auto-ignition (LPG/NG)
- D: 860 (W) x 480 (D)
- BID: 685 (W) x 400 (D)
- Triple brass burners: 3.4kW
- 1 Burner: 1.2kW

**RRP RM 2,200**



**GVI 82 3G AI AL 3TR**

- Battery auto-ignition (LPG/NG)
- D: 820 (W) x 480 (D)
- BID: 685 (W) x 400 (D)
- Triple brass burners: 3.4kW
- 1 Burner: 1.2kW

**RRP RM 2,000**



**GVI 78 2G AI AL 2TR**

- Battery auto-ignition (LPG/NG)
- D: 780 (W) x 450 (D)
- BID: 685 (W) x 400 (D)
- Triple brass burners: 3.4kW

**RRP RM 1,800**



**GVI 75 2G AI AL 2TR**

- Battery auto-ignition (LPG/NG)
- D: 750 (W) x 450 (D)
- BID: 685 (W) x 400 (D)
- Triple brass burners: 3.4kW

**RRP RM 1,700**



**G 82 3G AI AL**

- Battery auto-ignition (LPG/NG)
- D: 820(w) x 480 (D)
- BID: 680 (w) x 380 (D)
- Triple brass burners : 5.0kW
- 1 burner: 1.0kW

**RRP RM 1,500**



**G 78 2G AI AL**

- Battery auto-ignition (LPG/NG)
- D: 780(w) x 420 (D)
- BID: 650 (w) X 350 (D)
- Triple brass burners : 5.0kW

**RRP RM 1,200**



**GK LUX 30.11G AI AL TR**

- Battery auto-ignition (LPG/NG)
- D: 300(W) x 510 (D)
- BID: 265(W) x 475 (D)
- Triple brass burners: 5.0 kW

**RRP RM 1,060**



**GSQ 823 AI AL**

- Battery auto-ignition (LPG)
- D: 820(w) x 480 (D)
- BID: 680-740 (w) X 380-410 (D)
- Triple brass burners : 5.2kW
- 1 burner: 1.3kW

**RRP RM 2,200**



**GSQ 782 AI AL**

- Battery auto-ignition (LPG)
- D: 780(w) x 450 (D)
- BID: 680-740 (w) X 380-410 (D)
- Triple brass burners : 5.2kW

**RRP RM 1,900**



- Teka FlexiCut bottom extend to cover different needs of glass sizes
- Hi-power efficiency brass burner resistant 800 degree with 5.2kW 600 degree coating surface
- Fully sealed bottom air burner system prevent water spillages inside.
- Bottom structural engineering design ensure strong basement to support life-time reliability performance.
- High quality metal knob

## ■ HOODS



Island hood  
**CC 485** *Maestro*



Chimney hood  
**DLH-985T** *Maestro*



Chimney hood  
**DLV 998 BK** *Maestro*



Chimney hood  
**DVT 985W** *Maestro*

### ECOPOWER

- Exhaust capacity: Free outlet, m<sup>3</sup>/h: 771
- Optional recirculating or ducting system

**RRP RM 7,800**

### ECOPOWER

- Exhaust capacity: Free outlet, m<sup>3</sup>/h: 740
- Optional recirculating or ducting system

**RRP RM 5,900**

### ECOPOWER 37 dB

- Exhaust capacity: Free outlet, m<sup>3</sup>/h: 815
- Optional recirculating or ducting system

**RRP RM 5,900**

### ECOPOWER A

- Exhaust capacity: Free outlet, m<sup>3</sup>/h: 786
- Optional recirculating or ducting system

**RRP RM 5,900**

## What hood does my kitchen need?

Just calculate your kitchen's volume. For example 12m<sup>2</sup> with 2.5m height. That's how we get the total volume:  
**12m<sup>2</sup> x 2.5m = 30m<sup>3</sup>**

Furniture to be taken into consideration. Approx. 40%. Final total volume: 18m<sup>3</sup>. On the basis of the air is renovated 12 times per hour.  
**18m<sup>3</sup> x 12 renovations = 216m<sup>3</sup>/h**

In a 12m<sup>2</sup> kitchen we need a hood with 216m<sup>3</sup>/h for an effective extraction



## ■ HOODS

# KRAFTVOLL TECHNOLOGY

up to 1,800m<sup>3</sup> /hour  
of smoke extraction for an amazing ventilation




Smoke protection for fresher air



- Less vibration
- Increased stability
- More durable



To remove odour



- For easy cleaning
- 5 layer hygienic filtration process



Island hood  
**DH2 90.1 AD**



Chimney hood  
**DVS 90 AD**

- Exhaust capacity: 1,500m<sup>3</sup>/h
- Optional recirculating or ducting system

**RRP RM 6,250**

- Exhaust capacity: 1,500m<sup>3</sup>/h
- Ducting system

**RRP RM 4,200**



Chimney hood  
**DZ 90 AD**



Chimney hood  
**DSI 90 AD**

- Exhaust capacity: 1,500m<sup>3</sup>/h
- Optional recirculating or ducting system

**RRP RM 3,300**

- Exhaust capacity: 1,500m<sup>3</sup>/h
- Optional recirculating or ducting system

**RRP RM 3,100**



Telescopic hood  
**TLR2 62**

- Exhaust capacity: 440m<sup>3</sup>/h
- Optional recirculating or ducting system

**RRP RM 1,100**



Telescopic hood  
**TLR2 92**

- Exhaust capacity: 440m<sup>3</sup>/h
- Optional recirculating or ducting system

**RRP RM 1,680**



Telescopic hood  
**TL1 920 VR 01**

- Exhaust capacity: 500m<sup>3</sup>/h
- Optional recirculating or ducting system

**RRP RM 1,330**



Telescopic hood  
**TL1 620 VR 01**

- Exhaust capacity: 500m<sup>3</sup>/h
- Optional recirculating or ducting system

**RRP RM 910**




Chimney hood  
**DHW 90 TO**

- Exhaust capacity: 1,800m<sup>3</sup>/h
- Buffer filters
- Optional recirculating or ducting system

**RRP RM 4,100**




Chimney hood  
**WISHI KRAFTVOLL**



Choose  
design.  
Choose  
wellness.

**Your fridge guardian.**

The **TempGuard Radar** The TempGuard Radar system controls and keeps the temperature thanks to sensors located inside. Any change is automatically fixed. Your fridge always at the real temperature your food needs.



**Keep your food perfect:  
goal achieved.**

**LongLife No Frost** technology keeps every compartment at the perfect moisture level thanks to **the three independent cooling circuits**. Your food remains fresh for longer.



**Mmm... smells good!**

**IonClean technology** create negative ions that neutralise bad smell particles. Air inside the fridge will be superb this way and always fresh and free of odours.

**From farm to table.**

**VitaCareBox drawer** has a personalised moisture control to keep your fruit and vegetables always fresh, preserving all their vitamins and nutrients for longer.

**Precision is to keep food at perfect temperature.**

**Gourmet Box**, a soft close telescopic drawer allows you to choose the right temperature between -2 and 3°C through a touching display at the top.



**RFD 77820 GBK**

• Total gross capacity: 537 litres

**RRP RM 10,990**



**RLF 74911 SS**

**NEW**

• Total gross capacity: 661 litres

**RRP RM 6,190**



**NFM 680 X**

**NEW**

• Total gross capacity: 585 litres

**RRP RM 8,590**



**NFM 420 S**

• Total gross capacity: 414 litres

**RRP RM 4,800**



**TGF 300 NF**

• Total gross capacity: 261 litres

**RRP RM 7,200**



**TSL 400 NF**

• Total gross capacity: 355 litres

**RRP RM 5,890**



**CI4 330WH**

• Total gross capacity: 241 litres

**RRP RM 7,900**



**RV 46 D**

• Dual temperature

• High E glass door

• Capacity: 46 bottles

**RRP RM 6,490**

## ■ LAUNDRY



Washer dryer  
**TKD 1610 WD**  
WOOLMARK APPAREL CARE

- (10kg/7kg)

RRP RM 5,300



Washer  
**TKD 1490**

- (9kg)

RRP RM 4,200



Washer  
**TKD 1480**  
WOOLMARK APPAREL CARE

- (8kg)

RRP RM 3,600



Dryer  
**TKS 890H**  
WOOLMARK APPAREL CARE

- (8kg, Heat pump condenser)

RRP RM 4,250

Dryer  
**TKS 850 C**

- (8kg, Condenser)

RRP RM 2,950



LAUNDRY  
**SET &  
SAVE**

**TKD 1480**  
+  
**TKS 850C**

Package Price  
**RM 5,250**  
RRP RM 6,550

**TKD 1490**  
+  
**TKS 850C**

Package Price  
**RM 5,750**  
RRP RM 7,150


**TKD 1480**  
+  
**TKS 890H**

Package Price  
**RM 6,280**  
RRP RM 7,850

**TKD 1490**  
+  
**TKS 890H**

Package Price  
**RM 6,780**  
RRP RM 8,450

## ■ DISHWASHERS




### Third cutlery tray

With an exclusive third tray to get extra flexibility. You can put it in different positions to load anything you may need, so you can get better cleaning results.



### Sliding door

You can install doors up to **800 mm length** without any problem with the kitchen plinth thanks to our innovating system. When the dishwasher is open, the new sliding door system lift the door without hitting the plinth. Perfect integration and harmony in your kitchen.



### BeamOnFloor

Our dishwashers are so quiet you don't even realize when they are working. We have added a blue light to our integrated dishwasher, where the front panel is hidden, so you can know when they are washing or drying without interrupting the cycle. Smart solutions for your daily life.



### 14 place settings

Suitable for families with up to 7 members. One place setting consists of a dinner plate, dessert plate, single glass, soup bowl, tea cup with saucer, knife, spoons and fork.



Fully integrated  
**DW9 70 FI**

- Place Settings : 14

RRP RM 4,290



Partial integrated  
**DW 605 S**

- Place Settings : 12

RRP RM 5,400



Free standing  
**LP9 850**

- Place Settings : 14

RRP RM 4,800



Waste disposal  
**TR 3400**

- 0.75 HP

RRP RM 1,750

## SINKS

### PureLine Zenit RS15, multifunction workstation

The new Zenit RS15 sinks are distinguished by their versatility, and, above all, because they bring order in your kitchen.



#### Complimentary accessories

##### ZENIT RS 1B

- Inset installation
- 18/10 Stainless steel
- 60 cm base unit

RRP RM 3,290



##### ZENIT RS 2B 86

- Inset installation
- 18/10 Stainless steel
- 90 cm base unit


RRP RM 4,280



## SINKS

### PureLine FlexLinea RS15, a new range with multiple possibilities


The new FlexLinea RS15 sinks offer distinction and versatility at all levels.



Undermount



Top mount



Flash mount



3 in 1 installation

##### FLEXLINEA RS15 71.40

- D: 760 X 430 X 220
- BID: 710 X 380

RRP RM 3,050



3 in 1 installation

##### FLEXLINEA RS15 50.40

- D: 760 X 430 X 220
- BID: 710 X 380

RRP RM 2,790



3 in 1 installation

##### FLEXLINEA RS15 45.40

- D: 760 X 430 X 220
- BID: 710 X 380

RRP RM 1,990

## SINKS



Undermount  
**BE LINEA R10 72 40**

- D: 760 x 440 x 184
- BID: 717 x 397

**RRP RM 3,050**



Undermount  
**BE LINEA R10 40 40**

- D: 440 x 440 x 184
- BID: 420 x 420

**RRP RM 1,990**



Undermount  
**BE 2B 845 RHD**

- D: 845 x 470 x 250
- BID: 793 x 418

**RRP RM 2,190**



Undermount  
**BE 2B 880 R**

- D: 879 x 470 x 250
- BID: 853 x 418

**RRP RM 2,050**



Undermount  
**ARQ 2B 840**

- D: 840 x 430 x 220
- BID: 790 x 380

**RRP RM 2,090**



Undermount  
**ARQ 2B 760**

- D: 760 X 430 X 220
- BID: 710 X 380

**RRP RM 2,020**



Undermount  
**ARQ 70 45**

- D: 700 x 450 x 220
- BID: 650 x 400

**RRP RM 1,390**



Undermount  
**ARQ 54 41**

- D: 542 x 413 x 220
- BID: 500 x 371

**RRP RM 1,190**



Undermount  
**ARQ 43 43**

- D: 430 x 430 x 220
- BID: 400 x 400

**RRP RM 1,090**



Undermount  
**BE 50 40**

- D: 522 X 422 X 155
- BID: 496 X 396

**RRP RM 560**



Undermount  
**BE 40 40.18**

- D: 433 x 433 x 180
- BID: 401 x 401

**RRP RM 570**



Undermount  
**BE 34 37**

- D: 365 x 395 x 155
- BID: 335 x 365

**RRP RM 460**



Undermount  
**BE 39**

- D: 0390 x 180
- BID: 0385

**RRP RM 650**



Top mount  
**INOXTEEL JUMBO**

- D: 800 x 500 x 230
- BID: 780 x 480

**RRP RM 1,190**



Top mount  
**INOXTEEL 2B**

- D: 890 x 500 x 220
- BID: 866 x 476

**RRP RM 1,490**



Top mount  
**EBRO 1B**

- D: 640 x 480 x 250
- BID: 608 x 448

**RRP RM 790**



Top mount  
**INTRO 82**

- D: 820 x 500 x 200
- BID: 790 x 470

**RRP RM 1,790**



Top mount  
**INTRO 60**

- D: 600 x 500 x 200
- BID: 570 x 470

**RRP RM 1,490**



## GRANITE SINKS



**Scratch-proof Surface**

High resistance surface to impacts, thermal shocks and high temperatures.



**Colour Intensity**

Excellent UV resistance, long colour durability. Its specific method in colouring granite-particles provides higher resistance against decolorising.



**Hygiene**

The material's ultra-fine, non-porous finish makes it impossible for foods and liquids to stick to the surface, eliminating bacteria and food contaminants.



**Food Safe**

Additionally to its non-porous surface, Tegranite+ have an anti-bacterial protection enriched by Silver ions which reheat bacterial microorganisms.



Tegranite+ features an odorless, stain-resistant and non-porous finish so the rigors of everyday use vanish without a trace.



Inset  
**STONE 90 B-TG 2B**

- D: 860 X 510
- BID: 840 X 480

**RRP RM 2,500**



Inset  
**FORSQUARE 72.40 TG**

- ED: 790 x 500
- B: 720 x 400 x 200
- BID: 770 x 480

**RRP RM 2,390**



Inset  
**FORSQUARE 50.40 TG**

- ED: 570 X 500
- D: 500 X 400 X 200
- BID: 550 X 480

**RRP RM 1,990**



Undermount  
**SQUARE 2B 760 TG**

- ED: 760 x 435
- B: 343 x 395 x 200
- BID: 715 x 390

**RRP RM 2,490**



Undermount  
**SQUARE 72.40 TG**

- ED: 760 x 440
- B: 720 x 400 x 200
- BID: 715 x 395

**RRP RM 2,190**



Undermount  
**SQUARE 50.40 TG**

- ED: 540 x 440
- B: 500 x 400 x 200
- BID: 495 x 395

**RRP RM 1,990**



## ■ TAPS

<b>EBRO</b> (Cold Tap)	<b>EBRO (WALL-MOUNTED)</b> (Cold Tap)	<b>TAGUS</b> (Cold Tap)	<b>TAGUS (WALL MOUNTED)</b> (Cold Tap)	<b>FINO PLUS</b> (Cold Tap)
• Code: 16.119.02.00	• Code: 16.120.02.00	• Code: 16.137.02.00	• Code: 16.136.02.00	• Code: 74995TM00
<b>RRP RM 290</b>	<b>RRP RM 270</b>	<b>RRP RM 480</b>	<b>RRP RM 450</b>	<b>RRP RM 620</b>
<b>FINO</b> (Cold Tap)	<b>LUXE</b> (Cold Tap)	<b>LUXE (WALL MOUNTED)</b> (Cold Tap)	<b>AQUA</b> (Cold Tap)	<b>AQUA (WALL MOUNTED)</b> (Cold Tap)
• Code: K-8405	• Code: 16.143.02.00	• Code: 16.144.02.00	• Code: 16.141.02.00	• Code: 16.140.02.00
<b>RRP RM 480</b>	<b>RRP RM 480</b>	<b>RRP RM 440</b>	<b>RRP RM 540</b>	<b>RRP RM 530</b>
<b>ARIA</b> (Cold Tap)	<b>TEK</b> (Mixer)	<b>CUADRO PRO</b> (Mixer)	<b>CUADRO PRO COMPACT</b> (Mixer)	<b>ARK PRO</b> (Mixer)
• Code: 16.142.02.00	• Code: 75.902.04.00	• Code: 38.9319.02	• Code: 38.9317.02	• Code: 23.939.12.10
<b>RRP RM 560</b>	<b>RRP RM 5,670</b>	<b>RRP RM 2,790</b>	<b>RRP RM 2,690</b>	<b>RRP RM 1,790</b>
<b>IC BLACK</b> (Mixer)	<b>IC</b> (Mixer)	<b>COSMO</b> (Mixer)	<b>MC 10 PLUS</b> (PULL-OUT) (Mixer)	<b>ARK (PULL-OUT)</b> (Mixer)
• Code: 33.915.02.ON	• Code: 33.915.02.10	• Code: 18.1512.02	• Code: 97.9318.02	• Code: 23.938.12.10
<b>RRP RM 2,490</b>	<b>RRP RM 1,990</b>	<b>RRP RM 1,040</b>	<b>RRP RM 1,590</b>	<b>RRP RM 1,190</b>
<b>ARES (HIGH SPOUT)</b> (Mixer)	<b>ALAIOR (HIGH SPOUT)</b> (Mixer)	<b>INCA (HIGH SPOUT)</b> (Mixer)	<b>ML (LOW SPOUT)</b> (Mixer)	<b>FOXTER (Mixer)</b> (STAINLESS STEEL)
• Code: 23.915.02.10	• Code: 55.995.02.10	• Code: 53.912.12.10	• Code: 81.9113.62	• Code: 74998TM00
<b>RRP RM 890</b>	<b>RRP RM 790</b>	<b>RRP RM 590</b>	<b>RRP RM 490</b>	<b>RRP RM 1,590</b>

## ■ TAPS

<b>RONDELLA</b> (Mixer) (STAINLESS STEEL)	<b>OCEANO</b> (Mixer) (STAINLESS STEEL)	<b>MILANO</b> (Mixer) (STAINLESS STEEL)
Code: 74938TM00	Code: 74915TM00	Code: 74914TM00
<b>RRP RM 1,390</b>	<b>RRP RM 650</b>	<b>RRP RM 590</b>




**Enjoy drinking water with the new TekaPure® sink mixers.**

Remove unpleasant taste, odour and organic impurities thanks to its advanced water filter systems.

- Improves in 95% water taste and odour
- Removes chlorine taste and organic impurities
- **Filter operative capacity: 5800 litres or 1 year**  
Average water consumption per family of 4 people = 4.380 l/year (3 l/day per person).
- Quick and easy replacement of the cartridge system
- The filter system takes up very little space under the sink making it suitable to be installed in the very reduced spaces
- Filter cartridge replacement available
- Filter with NSF sanitary certification  
System Tested and Certified by NSF International according to ANSI/NSF Standard 42 for reduction of Chlorine Class I, taste and odour

- 1 Left handle to operate the filtered water.
- 2 Right handle to operate unfiltered tap water.
- 3 Two independent waterways, one for unfiltered tap water and one for filtered water.



\* While stocks last

## TAPS



### COLOUR YOUR LIFE



**FORMENTERA 997**



RRP RM 1,590



**ARK 938**



RRP RM 1,290



**IN 995**




RRP RM 790




PURE AND SIMPLE

## TECHNICAL DRAWINGS


iOVEN / HBB 635 / HBB 650 / HLB 860 / HLB 838




HLB 940




HLB 840




MCL 32 BIS




ML 822 BIS / ML 822 BIS W




ML 825 TFL




MWE 255 FI




MWE 201 FI




HLC 847 SC / HLC 847 C / HLC 847 S / HSC 644 S / MLC 844




CLC 855 GM



CLC 835 MC




CP 15 GS




## ■ TECHNICAL DRAWINGS


STEAKMASTER




IT 6350 iknob / IT 6450 iknob




CGW LUX 60 3G AI AL TR CI




IRS 631 W




IR 6031 SR




IR 721 SR




IB 702




IR 321.1




VTTC 60.1




VTCM 700.3



VTCM 722




VE 2




## ■ TECHNICAL DRAWINGS


GVI 86 3G AI AL 2TR / GVI 82 3G AI AL 3TR / GVI 78 2G AI AL 2TR / GVI 75 2G AI AL 2TR




G 82 3G AI AL




G 78 2G AI AL




GK LUX 30.1 1G AI AL TR




G5Q 82 3G AI AL




G5Q 78 2G AI AL




CC 485




DLH-985T




DLV 998 BK




DVT 985 W



TLR2 62 / TLR2 92



## ■ TECHNICAL DRAWINGS




## ■ TECHNICAL DRAWINGS


[D- Dimension (mm)] [BID - Built-in Dimension (mm)- (Length x Width x Depth)] [ED- External Dimension (mm)] [B- Bowl Dimension (mm)]

[D- Dimension (mm)] [BID - Built-in Dimension (mm)- (Length x Width x Depth)] [ED- External Dimension (mm)] [B- Bowl Dimension (mm)]

## ■ TECHNICAL DRAWINGS



## ■ TECHNICAL DRAWINGS




[D- Dimension (mm)] [BID - Built-in Dimension (mm)- (Length x Width x Depth)] [ED- External Dimension (mm)] [B- Bowl Dimension (mm)]


[D- Dimension (mm)] [BID - Built-in Dimension (mm)- (Length x Width x Depth)] [ED- External Dimension (mm)] [B- Bowl Dimension (mm)]

## ■ TECHNICAL DRAWINGS


EBRO




EBRO (WALL-MOUNTED)




TAGUS




TAGUS (WALL MOUNTED)




FINO PLUS




FINO




LUXE




LUXE (WALL MOUNTED)




AQUA




AQUA (WALL MOUNTED)



ARIA




TEK




## ■ TECHNICAL DRAWINGS


CUADRO PRO




CUADRO PRO COMPACT




ARK PRO




IC BLACK




IC




COSMO




MC 10 PLUS (PULL-OUT)




ARK (PULL-OUT)




ARES (HIGH SPOUT)




ALAIOR (HIGH SPOUT)



INCA (HIGH SPOUT)



ML (LOW SPOUT)




## ■ TECHNICAL DRAWINGS


FOXTER (S/S)




RONDELLA (S/S)




OCEANO (S/S)




MILANO (S/S)




05 201




FORMENTERA 997



ARK 938



IN 995



**TEKA**

Authorized Dealer:

 [teka.com.my](http://teka.com.my)  [tekamalaysia](#)

TEKA KÜCHENTECHNIK (MALAYSIA) SDN. BHD. HEAD OFFICE & SHOWROOM  
10, Jalan Kartunis U1/47, Temasya Industrial Park, 40150 Shah Alam, Selangor, Malaysia  
Tel : 03-76201600 Fax : 03-76201626