



Teka microwaves ovens are your best ally in the kitchen when you WISH to save time without forsaking flavour.



RANGE OVERVIEW







_Maestro __Total __Easy

TEKA MICROWAVE OVENS

The best when you need to cook quick or in a easy way

TODAY'S FAST-PACED LIFESTYLE SOMETIMES MEANS WE have no time to spend on cooking. With the new WISHMICROWAVES, YOU WILL NEVER HAVE TO GIVE UP DELICIOUS RESULTS.





ALL COMPLETELY ALIGNED

Teka microwave ovens neat and stylish design with an anti-fingerprint stainless steel finishing, combined perfectly in a trendy column with our WISH ovens, an interesting solution in any kitchen environment! Shapes, colours and sizes are carefully designed to achieve what we call the "Teka look".



LEFT-HANDED OR RIGHT-HANDED?

Our Electronic Door Opening System is available in left and right-hinged versions depending on your side opening requirements. L versions are left-hinged allowing them to open towards the left, while R models open from left to right.





EXQUISITE COOKING

Teka microwave ovens enhance cooking results and reduce compartment condensation. A tangential fan located at the top creates a Forced Ventilation System that extracts the fumes and hot air generated during cooking, improving the final appearance of your meals.



EASY TO INSTALL

All Teka 20 litre integrated microwaves include a frontal trim kit that is easy to install and uninstall. The frame is fixed to the microwave oven instead of the cabinet, so the assembly process is really fast and easy, taking just 5 to 10 minutes and using only 4 screws!



DOUBLE MICROWAVE INPUT

The heat waves are spread more evenly thanks to this system, even inside the food. They emit the microwaves from two different points, above and below the magnetron gun. It complements the action of the integrated rotary turntable and minimizes cold zones.



MEMORIZE YOUR FAVOURITE RECIPES

Teka microwave ovens allow you to select different power memories and heating times, so you can repeat your favourite recipes as many times as you desire with the same result.



CRUNCH FUNCTION

Brown all sorts of food with only a spoonful of oil! The ferrite teel browning plate guarantees crisp and even cooking results in a healthier way.



CERAMIC BASES, EXQUISITE COOKING

Ceramic bases let you cook faster while reducing energy consumption. The cooking area is also more spacious and the compartment is easier to clean. Replacing the traditional rotary turntable, a ceramic base also offers consistent wave distribution that provides the best cooking results.



EASY-TO-CLEAN DROP-DOWN GRILL

Cleaning a microwave oven has never been so easy!.

The drop-down grill provides easy access to the top of the cavity, making it easier to keep the inside of your microwave spic-and-span.




DRINKS, PIZZA OR CHICKEN?

Your recipes will be ready in a flash. Teka microwave ovens feature direct access menus for drinks, pizza and chicken. Thanks to these options your microwave adapts to any kind of food. Up to 9 direct access menus.

WISHMICROWAVES

Minimum consumption, highly accurate and very easy to use




CROWAVES

MAESTRO

TOTAL

EASY

Domestic appliances for those who like going one one step further. For those who will not settle for being like the rest Designed for those who demand everything of their appliances, for everyone in the house. Maximum effectiveness in any situation. For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.





OVEN + MICROWAVE? YES, A COMBI

A high capacity multifunction oven or a microwave? No need to choose when you can have both at the same time. They offer the usual multifunction oven features with the power of a Teka microwave, all in one single appliance.

MULTIFUNCTION OVENS THAT COOK AT THE TOUCH OF A BUTTON

Just relax! Our compact multifunction ovens have all the benefits of the programmed recipes as well as many other functions.

Choose the kind of food: chicken, lamb, fish, cakes, pizza, etc., select the weight and it's ready to eat! The cooking assistant of Teka Maestro ovens will cook your meal automatically with the best results.



REAL SAVINGS

WISH ovens reduce energy consumption by up to 20% compared to previous models. Highly efficient, they have a lot to offer and reduce the carbon footprint.



REAL CLEAN

Hydroclean®

The real Eco-cleaning solution, Thanks to the electronic time set-up and just with a glass of water your oven will be clean in 24 minutes with hardly any effort.



CODE: 40587602

WISHHLC 844C



Combi Multifunction Turbo + Microwave

HydroClean® ECO cleaning system

Slippery enamel

Capacity, gross/net: 41/40 litres

Touch Control panel with LED display

11 cooking functions

Quick start 30"

2.500 W maxigrill

Microwave combinations, pizza and ECO functions

Defrost by time and weight

Children safety block

Automatic disconnection security system

Triple glazed door

Chromed guides

5 Cooking heights

Anti-tip glass tray and reinforced grid

Tangential ventilation

COLOR

Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS

♦ 455 mm **♦** 595 mm **Ø** 559 mm



CODE: 40584400

WISHMLC 844



Microwave + grill

Slippery enamel

Capacity, gross/net: 45/44 litres

Touch Control panel with LED display

3 cooking functions

Quick start 30"

5 Power levels, 1.000 W

1.400 W grill

0-90 min. Timer

Defrost by time and weight

Automatic disconnection security

system

Double Glazed door

Chromed guides

5 Cooking heights

1 reinforced grid

Tangential ventilation



CODE: 40586800

WISH M S C 6 4 2

________TOTAL



Microwave + grill

Slippery enamel

Capacity, gross/net: 45/44 litres

Minute minder

3 cooking functions

Electromechanical control panel

5 Power levels, 1.000 W

1.400 W grill

0-60 min. Timer

Defrost by time

Automatic disconnection security

system

Double Glazed door

Chromed guides

5 Cooking heights

1 reinforced grid

Tangential ventilation

COLOR

Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

MICROWAVES



CODE: 40586035

NEW FEKG

CODE: 40584302

WISHMWR 32 BIA BB

_TOTAL



Microwave + grill

Capacity, gross/net: 38/32 litres

Stainless steel cavity

Minute minder

3 cooking functions

5 Power levels, 1.000 W

1.500 W drop down grill

0-60 min. Timer

Keep warm & pizza functions

Defrost by time

Automatic disconnection security system

Triple glazed door

2 round grid with feet and browning plate

Integrated rotary turntable, 32 cm

Tangential ventilation

WISH M L 822 BIS L



Microwave + Grill

Capacity: 22 litres

Electronic Control panel with LED display

Electronic door opening

5 power levels, 850 W

9 direct access menus

3 cooking functions

Quick start 30"

Drop down grill, 1200 W

0-90 min. Timer

Automatic defrosting by time and weight

Children safety block

Double glazed door

Stainless steel inner cavity

Ceramic base

Browning plate & Reinforced grid

Tangential ventilation

Left door opening

COLOR

Beige / Brass

EXTERNAL DIMENSIONS

COLOR

Fingerprint proof stainless steel / White

EXTERNAL DIMENSIONS

◆ 390 mm ◆ 595 mm ② 334 mm



CODE: 40584300

NEW PERSON PERSO

CODE: 40584200

WISHML 822 BIS L





WISHML 820 BIS





Microwave + Grill

Capacity: 22 litres

Electronic Control panel with LED display

Electronic door opening

5 power levels, 850 W

9 direct access menus

3 cooking functions

Quick start 30"

Drop down grill, 1200 W

0-90 min. Timer

Automatic defrosting by time and weight

Children safety block

Double glazed door

Stainless steel inner cavity

Ceramic base

Browning plate & Reinforced grid

Tangential ventilation

Left door opening

Microwave + Grill

Capacity: 20 litres

Touch Control panel with TFT white display

5 power levels, 700 W

3 direct access menus

1 memory

3 cooking functions

Quick start 30"

0-90 min. Timer

Automatic defrosting by time and weight

Children safety block

Double glazed door

Stainless steel inner cavity

Quartz Grill, 1000 W

1 round grid

Left door opening

COLOR

Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS

♦ 390 mm **♦** 595 mm **②** 334 mm

COLOR

Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS

♦ 390 mm **♦** 595 mm **②** 325 mm

MICROWAVES



CODE: 40584100



CODE: 40584102

WISHMS 622 BIS L

















WISHMS 622 BI



_TOTAL











Microwave + Grill

Capacity: 22 litres

Touch Control panel with LED display

Electronic door opening 5 power levels, 850 W

2 direct access menus

3 cooking functions

Quick start 30"

Drop down grill, 1200 W

0-90 min. Timer

Automatic defrosting by time and weight

Children safety block

Double glazed door

Stainless steel inner cavity

Ceramic base

Reinforced grid

Tangential ventilation

Left door opening

Microwave

Capacity: 22 litres

Electromechanical controls

Electronic door opening

5 power levels, 850 W

1 cooking function

0-60 min. Timer

Automatic defrosting by time

Double glazed door

Stainless steel inner cavity

Ceramic base

Tangential ventilation

Left door opening

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

♦ 390 mm **♦** 595 mm **②** 334 mm

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS



CODE: 40584010



CODE: 40584000

WISHMS 620 BIS

















WISHMB 620 BI

_____EASY











Microwave + Grill

Capacity: 20 litres

Touch Control panel with TFT white display

5 power levels, 700 W

3 direct access menus

1 memory

3 cooking functions

Quick start 30"

0-90 min, Timer

Automatic defrosting by time and weight

Children safety block

Double glazed door

Stainless steel inner cavity

Quartz Grill, 1000 W

1 round grid

Left door opening

Microwave

Capacity: 20 litres

Electromechanical controls

5 power levels, 700 W

1 cooking function

0-60 min, Timer

Automatic defrosting by time

Double glazed door

Stainless steel inner cavity

Left door opening

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

♦ 390 mm **♦** 595 mm **②** 325 mm

COLOR

Fingerprint proof stainless steel / White

EXTERNAL DIMENSIONS

♦ 390 mm **♦** 595 mm **②** 325 mm




PRODUCT FICHE ACCORDING TO COMMISSION DELEGATED REGULATION (EU) NO 65/2014


| MODELS | HLC 844 C | MLC 844 | MSC 642 | MWR 32 BIA BB |
|--|---|-------------------|---|---|
| Energy Efficiency Index (EEI) | - | - | - | - |
| Energy Efficiency Class | - | - | - | - |
| Energy cosumption per cycle in conven- tional mode (kWh) | - - | - | - | - |
| Energy consumption per cycle in fan-forced convection mode (kWh) | - | - | - | - |
| Number of cavities | 1 | 1 | 1 | 1 |
| Heat source | Eléctrica | Eléctrica | Eléctrica | Eléctrica |
| Volume (I) | 40 | 44 | 44 | 38 |
| DIMENSIONS | | | *************************************** | |
| External, mm | 455x595x 559 | 455x595x 559 | 455x595x 559 | 455x595x472 |
| Inner cavity, mm | 232x475x365 | 232x475x405 | 232x475x405 | 210x420x390 |
| | | | н | |
| CLEANING SYSTEMS | | | | |
| Dual Clean Dual Clean | - | - | - | - |
| Pyrolytic | - | - | - | - |
| HydroClean® Esmalte | Slippory | Slippery | - Slippony | <u>-</u> |
| LSMaice | Slippery | Slippery | Slippery | |
| FEATURES | | | | |
| Туре | Combi MF Turbo + Microwave | Microwave + grill | Microwave + grill | Microwave + grill |
| Stainless steel (fingerprint proof) | •/Black | •/Black | • | Beige / Bright cream - Brass |
| Cooking functions | 11 | 3 | 3 | 3 |
| Temperature regulator | 50-250° | - | - | - |
| Touch Control | • / LED display | • / LED display | Minute minder | Minute minder |
| LED ring iluminated knobs | - | - | - | - |
| SoftClose | | - | | - |
| Recipes | | - | | - |
| Meat probe | | - | = | = |
| SlowCook: low temperature cooking | - | - | - | - |
| Tangential ventilation | | 0 | | 0 |
| Express quick heating | - | - | - | - |
| Telescopic guides | - | - | - | - |
| Drop-down grill | - | - | - | • |
| Light | 25W | 25W | 25W | 20W |
| SAFETY SYSTEMS | | | | |
| Glazed door | 3 | 2 | 2 | 3 |
| Automatic disconnection security system | • | • | • | • |
| Children safety block, timer and door | • | - | - | - |
| Grill protection | • | • | • | - |
| Anti-tip tray system | • | • | | - |
| ACCESORIES | | | | |
| MultiCook /cast aluminium tray | - | - | - | - |
| Anti-tip baking / deep tray (50 mm) | glass | - | = | |
| Anti-tip reinforced / cooking grid | • | • | • | 2 round grip with feet, browning plate and turntable |
| POWER CONSUMPTION | | | | |
| Turbo, W | 1,600 | - | - | - |
| Grill / Maxi grill, W | -/2500 | 1.400 | 1.400 | 1.500 |
| Traditional, W | 2.100 | - | = | = |
| Multifunction motor, W | 30 | - | - | - |
| Bottom heat, W | - | - | - | - |
| Cooling fan motor, W | 18 | 18 | 18 | 35 |
| Mwo power, W | 1000 | 1000 | 1000 | 1000 |
| ELECTRICAL FEATURES | | | | |
| Voltage, V | 220-240 | 220-240 | 220-240 | 220-240 |
| Frequency, HZ | 50 | 50 | 50 | 50 |
| | *************************************** | | | |
| Maximum connection rating, W | 3.400 | 3.200 | 3.200 | 3.300 |

 $¹⁾ In a scale embracing from A (more efficient) to G (less efficient). Commission directive 2002/40/EC, According to Norm EN50304; 2014 update 65/2014. \\ Models that are steam only or including microwave not subject to legislation. Subject to change without notice.$


| MODEL | ML 822 BIS L | ML 820 BIS | MS 622 BIS L | MS 622 BI | MS 620 BIS | MB 620 BI |
|---|--------------------------------------|---------------------------------------|--------------------------------------|----------------------------|---------------------------------------|------------------------------|
| Туре | Microwave + Grill | Microwave + Grill | Microwave + Grill | Microwave | Microwave + Grill | Microwave |
| Volume, I | 22 | 20 | 22 | 22 | 20 | 20 |
| DIMENSIONS | | | | | | |
| Height, mm | 390 | 390 | 390 | 390 | 390 | 390 |
| Width, mm | 595 | 595 | 595 | 595 | 595 | 595 |
| Depth, mm | 334 | 325 | 334 | 334 | 325 | 325 |
| nner height, mm | 280 | 210 | 280 | 280 | 210 | 210 |
| Inner width, mm | 350 | 305 | 350 | 350 | 305 | 305 |
| Inner depth, mm | 220 | 280 | 220 | 220 | 280 | 280 |
| FEATURES | | | | | | |
| Stainless steel (fingerprint proof) | • / Black | • / Black | • | • | • | • / White |
| Control | Electronic Control panel with LED | Touch Control panel with TFT white | Touch Control panel with LED display | Electromechanical controls | Touch Control panel with TFT white | Electromechanica controls |
| Electronic door opening | display• | display - | • | • | display | _ |
| Cooking functions | 3 | | | 1 | | 1 |
| Grill | Grill | Grill (Quartz) | Grill | - | Grill (Quartz) | - |
| Microwave | Microwave | Microwave | Microwave | Microwave | Microwave | Microwave |
| Microwave+Grill | Microwave+Grill | Microwave+Grill | Microwave+Grill | - | Microwave+Grill | - |
| Microwave power levels | 5 | 5 | 5 | 5 | 5 | 5 |
| Direct access menu | 9 | 3 | 2 | _ | 3 | - |
| Memories | | 1 | | | 1 | |
| Defrosting by weight | | | | | | |
| | | - | - | | - | |
| Defrosting by time | .70" | . 70" | . 70" | • | . 70" | |
| Quick start | +30" | +30" | +30" | | +30" | |
| Minute minder | 0-90' | 0-90' | 0-90' | 0-60' | 0-90' | 0-60' |
| Drop-down grill | • | | • | - | - | - |
| Stainless steel cavity | • | • | • | • | • | • |
| Ceramic base | • | - | • | • | - | - |
| Turntable | - | 24 cm | - | - | 24 cm | 24 cm |
| Tangential ventilation | 0 | - | | • | - | - |
| Door opening | Left | Left | Left | Left | Left | Left |
| SAFETY SYSTEMS | | | | | | |
| Glazed door | Double | Double | Double | Double | Double | Double |
| Automatic disconnection security system | • | • | | • | • | • |
| Children safety block, timer and | • | • | | | 0 | - |
| daarGrill protection | • | _ | • | _ | _ | - |
| Safety thermostat | 0 | • | | • | • | |
| ACCESORIES | | | | | | |
| Grid with feet | 1 | 1 Round | 1 | - | 1 Round | - |
| Browning plate | • | - | - | - | - | - |
| POWER CONSUMPTION | | | | | | |
| Grill / Maxi grill, W | 1200 | 1000 | 1200 | _ | 1000 | - |
| Microwave power | 850 | 700 | 850 | 850 | 700 | 700 |
| ELECTRICAL FEATURES | | | | | | |
| Voltage, V | 220-240 | 220 - 240 | 220-240 | 220-240 | 220 - 240 | 220 - 240 |
| Frequency, HZ | 50 | 50 | 50 | 50 | 50 | 50 |
| | 2500 | 1100 | 2500 | 1400 | 1100 | 1100 |
| Maximum connection rating, W | 2300 | 1100 | 2300 | 1400 | 1100 | 1100 |



HLC 844 C MLC 844 MSC 642



MWR 32 BIA BB



ML 822 BIS MS 622 BIS MS 622 BI

