




Home Appliances

Sultanate of Oman
2024 - 2025

TEKA
TECHNIK & KOCHEN

100
YEARS



www.teka.com

HOME APPLIANCES

Our company	02
Teka Group	04
Brand values	06
Design	08
Our Range	
Infinity G1 Edition	10
Ovens	22
Microwaves	44
Coffee machine	58
Hobs	64
Free Standing Cookers	90
Hoods	94
Cold Line	120
Dishwashers	130
Laundry	140



100 YEARS OF INNOVATION

1924

The company is founded in Haiger, Germany, specializing in **agricultural machinery**.



1928

Willi Thielmann builds a new factory in Haiger, where the **first enamelled ovens** are produced and marketed.

1942

Three new factories are built in Germany due to the high demand of **stainless-steel** products.

1939

The success of the ovens makes it necessary to expand production by building a new plant at the factory.

1926

Lighting and energy systems start to be manufactured.

1955

Helmut Klein joins the company as factory manager for the production of stainless-steel sinks.

1959

Production of stainless-steel **gas hobs** begins in Haiger, Germany.

1964

The factory in Santander, Spain, is inaugurated, where **stainless-steel sinks** begin to be produced.

1965

The group starts manufacturing **washing machines, stoves and ovens** in the Zaragoza plant.



1968



Teka's **first built-in sink**, a pioneer product in the industry worldwide, has arrived.

1970

Teka starts producing gas hobs in Santander.

1975

Teka manufactures the first extractor hood in Santander.

1977

The production of **electric ovens** begins.

1983

Teka is the first European brand to manufacture **glass ceramic hobs**. They start to be produced in Germany and Spain.



2014

Teka reaches 75 million sinks sold and consolidates its position as the second largest manufacturer in the world.

2021

Launch of three worldwide exclusive Teka innovations: **SteakMaster**, **MaestroPizza** and **AirFry** ovens.



2004

Production of vitroceramic, induction and gas hobs begins in Italy and Turkey.

1989


Teka begins to produce and commercialize kitchen **taps**.

2024

Teka reaches **100 years** of history with more than 300 million products sold worldwide.

1984

Teka starts producing **microwaves** in Portugal and becomes a pioneer in Europe.



1992

Launch of the first **decorative** extractor hood.

2016

Teka consolidates its position as a leading brand in Portugal, a market in which 1 out of every 3 kitchen appliances sold is Teka.

2022

Infinity G1 is launched, an exclusive edition designed by ItalDesign Giugiaro studio.



1990

Mexico's factory opens, where new sink models are produced due to its high demand in America.

1978

Teka patents worldwide the **first built-in cooktop** and launches the first built-in gas cooktops on the market.





A dramatic, low-key photograph of a hand sifting flour. The hand is in the upper left, with flour falling in a fine, glowing stream against a dark background. Below, a large, rustic loaf of bread sits on a textured surface, with several stalks of wheat in the foreground. The scene is lit from the side, creating strong highlights and deep shadows.

TEKA | GROUP

*Thousands of solutions.
Millions of moments.*

Teka Group comprehends different worldwide leading brands, such as Teka, Küppersbusch, Intra or Thor. The group, with more than 140 years of history, has become an international example of household appliances manufacturing. As of today, Teka owns 15 factories and 4.000 workers around the world, with presence in more than 120 countries in five continents.

TEKA


Küppersbusch
FÜR KÜCHEN MIT STIL

intra
SCANDINAVIAN DESIGN

 **THOR**



Made for your
lifestyle



We work to make your life easier, and to design products to be the perfect complement for your kitchen.

As we truly believe that the kitchen is the heart of our homes and our lives, we create products to be in harmony with your lifestyle. To help you choose the products that better suit you, we have created three different lifestyle product categories, to facilitate the search and comparison of products, and so that you can find the one that is right for you.

MAESTRO

The **MAESTRO** range products are designed for the most demanding ones. For those in love with the kitchen, who want the latest innovations, and who enjoy high-quality cuisine at home. With this range, you will get the most out of your gastronomic skills, and you will have at your disposal the best options for your appliances.

TOTAL

The **TOTAL** range is made for those who love to cook and do not want to give up having the best options at their fingertips.

An option designed for those who want the best results with the minimum consumption.

EASY

The **EASY** range is designed for those looking for convenient, functional appliances, with good performance and at a fair price. Simple but smart solutions affordable for everyone.

Pure lines and
essential forms





WORLDWIDE **NOVELTY**

Infinity | G1 Edition

VELVET FEELING, A TOUCH LIKE NO OTHER

Feel the difference and get an exclusive composition out of your kitchen.

With its unique black matt finishing, copper details, and advanced cooking functions, our new Infinity | G1 Edition 60cm Oven promises an experience at the next level.

**Black matt finishing**

And a velvet touch that won't stop surprising you time after time.

**Temperature**

Ideal temperature for the perfect homemade pizza with its MaestroPizza function.

**Discover the complete edition**

Get the most out of your Infinity | G1 Edition 60cm oven, by matching it with the rest of the products of the edition.



SCAN AND
DISCOVER



Infinity | G1 Edition comes to life through the mutual work of two remarkable brands: **Teka** and **Italdesign Giugiaro**. Bringing together the 50+ experience of Italdesign Giugiaro, the acclaimed design and engineering automotive company, and Teka's vast knowledge of creating kitchen products.



Italdesign Giugiaro is a leading company founded in 1968, which has designed, inspired, developed, and manufactured the most innovative solutions for the automobile industry and related fields worldwide, such as Nikon cameras or motorcycles, e-bikes for Ducati, automobiles for Lamborghini, Ferrari, Maserati, and DeLorean Motor Company, amongst other renowned brands.






Ref. 111000057



Ref. 111160027

HLB 85-G1

NEW



- Infinity | G1 Edition
 - Designed in Italy by Giugiaro Italdesign
 - Multifunction SurroundTemp oven
 - Up to 340°C in cavity for perfect pizza finish
 - Temperature range for traditional recipes: 50-250°
 - Exclusive matte black finishing
 - 8 cooking functions
 - Pyrolysis self-cleaning system and automatic HydroClean system
 - Touch control display with knobs
 - Electronic timer (Delay/Start function)
 - Chrome supports with 5 cooking levels
 - Removable quadruple glazed door
 - Automatic disconnection security system
 - SoftClose system
 - Children safety lock
 - Manual quick preheating
 - Anti-tip deep tray, baking tray and reinforced grid
 - Special pizza stone included
 - Capacity (gross/net): 71 / 70 litres
- إصدار مجموعة إنفينيتي جي 1
 - تصميم إيطالي من قبل شركة إيتاالديزاين جيوجيارو
 - فرن متعدد الوظائف بتقنية درجة الحرارة المحيطة (سيراوند تيمب)
 - يتميز بتجفيف يصل إلى 340 درجة مئوية للحصول على أفضل شكل للبيتزا
 - نطاق درجة الحرارة للوصفات التقليدية: 50-250 درجة
 - ملمس خارجي مميز باللون الأسود المطفي
 - مزود بعدد 8 وظائف للطهي
 - نظام التنظيف الذاتي بالتحلل الحراري ونظام هايدرو كلين الآلي
 - شاشة تحكم تعمل باللمس مع مقابض مؤقتة إلكترونية (وظيفة التأخير/البدء)
 - دعامات الكروم مع 5 مستويات للطهي
 - باب زجاجي رباعي قابل للإزالة
 - نظام فصل آلي لتوفير الأمان
 - نظام سوفت كلوز
 - خاصية قفل الأمان للأطفال
 - التسخين المسبق اليدوي السريع
 - صينية عميقة مانعة للانقلاب، وصينية مخبوزات وشبكة معززة
 - يحتوي على حجر تسوية بيتزا خاص
 - السعة (الإجمالي/الصافي): 71 / 70 لتر

COLOR

Black Matt

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm

MLC 84-G1 BM

NEW



- Urban Colors Edition
 - Microwave + Grill
 - 3 cooking functions
 - Capacity (gross/net): 45 / 44 litres
 - 5 power levels + 1000 W microwave power
 - 1400 W grill
 - Defrost by time and weight
 - Touch control display with knobs
 - Electronic timer (Delay/Start function)
 - Chrome supports with 5 cooking levels
 - Removable double glazed door
 - Automatic disconnection security system
 - Reinforced grid
- مجموعة أوريان كولورز
 - ميكروويف وشواية
 - مزود بعدد 3 وظائف للطهي
 - السعة (الإجمالي/الصافي): 45/44 لترًا
 - 5 مستويات للطاقة + طاقة الميكروويف 1000 واط
 - قدرة الشواية 1400 واط
 - تسخين الطعام حسب الوقت والوزن
 - شاشة تحكم تعمل باللمس مع مقابض مؤقتة إلكترونية (وظيفة التأخير والتشغيل)
 - دعامات من الكروم مع 5 مستويات للطهي
 - باب زجاجي مزدوج قابل للإزالة
 - نظام فصل آلي لتوفير الأمان
 - شبكة معززة

COLOR

Black Matt

FRAME Frameless

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 559mm



Ref. 112030012

ML 82 INFINITY G1

NEW



- Infinity | G1 Edition
 - Designed in Italy by Giugiaro Italdesign
 - Built-in Microwave + Grill
 - Exclusive matte black finishing
 - Ceramic base with uniform heating
 - 3 cooking functions
 - 5 power levels, 850 W
 - Grill power: 1200 W
 - Defrost by time and weight
 - Touch control display with knobs and minute minder
 - Double glazed door with left opening
 - Electronic door opening
 - Automatic disconnection when open door
 - Incandescent inner light
 - Dropdown grill
 - Quick start
 - Capacity (gross/net): 22 / 21.56 litres
 - Stainless steel cavity
 - Crunch plate included
- إصدار مجموعة إنفينيتي جي 1
 - تصميم إيطالي من قبل شركة Giugiaro Italdesign
 - ميكروويف مدمج + شواية
 - ملمس خارجي مميز باللون الأسود المطفي
 - قاعدة من السيراميك مع القدرة على التسخين بالتساوي
 - مزود بعدد 3 وظائف للطهي
 - 5 مستويات للطاقة، ٨٥٠ واط
 - قدرة الشواية: ١٢٠٠ واط
 - تسخين الطعام حسب الوقت والوزن
 - شاشة تحكم تعمل باللمس مع مقابض وخاصة التنبيه كل دقيقة
 - باب زجاجي مزدوج مع فتحة يسارية
 - فتح الباب إلكترونياً
 - فصل تلقائي عند فتح الباب
 - إضاءة داخلية ساطعة
 - شواية منسدلة
 - خاصية البدء السريع
 - القدرة (الإجمالي / الصافي): ٢٢ / ٢١,٥٦ لتر
 - تجويف من الفولاذ المقاوم للصدأ
 - يحتوي على طبق طحن

COLOR

Black Matt

PRODUCT DIMENSIONS

Height 390mm Width 595mm Depth 334mm





Ref. 111630007

CLC 85-G1 GM INFINITY

NEW



- Infinity | G1 Edition إصدار مجموعة إنفينيتي جي ١
- Automatic built-in coffee machine ماكينة تحضير قهوة ذاتية مدمجة
- Self-cleaning function مزودة بوظيفة التنظيف الذاتي
- Intensity, temperature and coffee quantity regulation تنظيم الكثافة ودرجة الحرارة وكمية القهوة
- Electronic control display شاشة تحكم إلكترونية
- Telescopic rails for an easy pull out of the coffee maker قضبان متداخلة لسهولة السحب من ماكينة تحضير القهوة
- 30 automatic programs مزودة بعدد ٣٠ برنامج آلي
- Automatic LED lights السعة: كوبين في المرة الواحدة
- Capacity: 2 cups at once وعاء سهل الإزالة للقهوة المطحونة
- Easy removable container for coffee grounds قدرة ضغط المضخة ١٥ بار
- 15 bar pump pressure مصابيح إضاءة ليد التلقائية
- Adjustable coffee, steam, and hot water pipes أنابيب القهوة والبخار والماء الساخن قابلة للتعديل
- Integrated steel grinder for natural coffee beans (13 different ground positions) مطحنة فولاذية متكاملة لحبوب القهوة الطبيعية (١٣ وضعيات للطحن مختلفة)
- Coffee beans container, 200 gr capacity وعاء حبوب القهوة سعة ٢٠٠ جرام
- Pre-grounded coffee container وعاء القهوة المطحونة مسبقًا
- 1.8 litres water tank خزان مياه سعة ١,٨ لتر
- Automatic decalcifier مزيل الرواسب الكلسية الذاتي

COLOR

Black Matt

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 411mm



Ref. 112930056

DVI 88 INFINITY G1

NEW



- Infinity | G1 Edition إصدار مجموعة إنفينيتي جي ١
- Decorative vertical hood شفاط عمودي بتصميم جذاب
- Touch control with display شاشة تحكم تعمل باللمس
- FreshAir function خاصية تنقية الهواء
- 3 speeds + 1 intensive ٣ سرعات + مكثف
- Intensive speed exhaust سعة سرعة المكثف للعدم (متر مكعب/ساعة): ٦٩٦
- Max speed exhaust capacity (m3/h): 696 سعة الحد الأقصى لسرعة العادم (متر مكعب/ساعة): ٥٥٨
- Min speed exhaust capacity (m3/h): 558 سعة الحد الأدنى لسرعة العادم (متر مكعب/ساعة): ٢٩٠
- Min speed exhaust capacity (m3/h): 290 مستوى الصوت لسرعة المكثف (ديسيبل): ٦٩,٩
- Intensive speed sound level (dBA): 69.9 الحد الأقصى لسرعة مستوى الصوت (ديسيبل): ٦٦,٥
- Max speed sound level (dBA): 66.5 الحد الأدنى لسرعة مستوى الصوت (ديسيبل): ٥١,٤
- Min speed sound level (dBA): 51.4 ١ مصباح LED
- 1 LED lamp عدد ٢ فلتر من الألومنيوم
- 2 Aluminium filters مؤقت تأخير الإيقاف
- Stop delay timer مؤشر تشبع الفلتر
- Filter saturation indicator مُدرج صمام مانع للرجوع
- Anti-return valve included مُدرج خاصية تقييد المخرج
- Outlet reduction included

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #137 - 138

COLOR

Black Matt

PRODUCT DIMENSIONS

Width 800mm



90 CM



Ref. 112500061

IBF 95-G1 MST BM

NEW



- 90 cm Flex Induction hob
 - SlideCooking function
 - 9 Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
 - Touch Control MultiSlider
 - 5 cooking zones
 - 1 zone Ø 320/180 mm
 - 2 zones Ø 228 x 200 mm
 - 1 zone Ø 215 mm
 - 1 zone Ø 150 mm
 - Ceramic glass surface
 - Auto-lock safety system
 - Cooking timer
 - Power plus
 - Child lock
 - Residual heat indicator
 - Power management
 - Easy installation kit
 - Maximum nominal power 10.800 W
- موقد طهي بتقنية اللمس المرن من فليكس مقاس ٩٠ سموظيفة SlideCooking
 - ٩ وظائف مباشرة مع مستشعرات درجة الحرارة: الطهي على طريقة كونفيت، السلق، الشواء، القلي، القلي العميق، الغليان السريع، الطبخ على نار هادئة، فك التجميد، الاحتفاظ بحرارة الطعام
 - مزود بمفاتيح تحكم مالتى سلايدر تعمل باللمس
 - ٥ مناطق طهي
 - منطقة حث مغناطيسي ١٨٠/٣٢٠ مم
 - منطقة حث مغناطيسي ٢٢٨ x ٢٠٠ مم
 - منطقة حث مغناطيسي ٢١٥ مم
 - منطقة حث مغناطيسي ١٥٠ مم
 - سطح زجاجي سيراميك
 - نظام أمان القفل التلقائي
 - مؤقت الطهي
 - وظيفة باور بلاس
 - خاصية قفل الأمان للأطفال
 - مؤشر الحرارة المتبقية
 - نظام إدارة الطاقة
 - مجموعة سهلة التركيب
 - الحد الأقصى للطاقة التشغيلية ١٠,٨٠٠ واط

COLOR



Black Matt

FRAME C-edged glass

PRODUCT DIMENSIONS

Height 53mm Width 900mm Depth 510mm

90 CM



Ref. 112570237

GBC 95-G1 GBC BM (E5)

NEW



- Infinity | G1 Edition
 - Designed in Italy by Giugiaro Italdesign
 - Gas on Glass hob
 - Exclusive matte black finishing
 - Frontal mechanical control panel with ergonomic design
 - 5 cooking zones
 - 1 double ring burner, 3,50 kW
 - 1 fast burner, 2,80 kW
 - 1 semi fast burner, 1,75 kW
 - 1 semi fast burner, 1,40 kW
 - 1 auxiliary burner, 1,00 kW
 - Ceramic glass surface
 - Auto ignition
 - Auto-lock safety system
 - Cast iron grids
 - Easy installation kit
 - Maximum nominal power 10450 W
 - Optional: Wok support
- إصدار مجموعة إنفينيتي جي ١
 - تصميم إيطالي من قبل شركة إيتالديزاين جيوجيارو
 - موقد طهي غاز بسطح زجاجي ملمس خارجي مميز باللون الأسود المطفي
 - لوحة تحكم آلية أمامية بتصميم مريح
 - ٥ مناطق للطهي
 - شعلة مزدوجة، ٣,٥٠ كيلو واط
 - شعلة سريعة، ٢,٨٠ كيلو واط
 - شعلة شبه سريعة، ١,٧٥ كيلو واط
 - شعلة شبه سريعة، ١,٤٠ كيلو واط
 - شعلة مساعدة، ١,٠٠ كيلو واط
 - سطح زجاجي سيراميك
 - خاصية الإشعال الذاتي
 - نظام أمان القفل التلقائي
 - شبكات شواء مصنوعة من الحديد
 - مجموعة سهلة التركيب
 - الحد الأقصى للطاقة التشغيلية ١٠٤٥٠ واط
 - اختياري: يستخدم مع المقلاة

COLOR



Black Matt

FRAME C-edged glass

PRODUCT DIMENSIONS

Height 98mm Width 900mm Depth 510mm




70 CM



Ref. 112570210

Cutout 60cm



Ref. Structure 111600003

Ref. Glass 111490016

GBC 75 INFINITY G1

NEW



- Infinity | G1 Edition
 - Designed in Italy by Giugiaro Italdesign
 - Gas on Glass hob
 - Exclusive matte black finishing
 - Frontal mechanical control panel with ergonomic design
 - 5 cooking zones
 - 1 double ring burner, 3,50 kW
 - 1 fast burner, 2,80 kW
 - 1 semi fast burner, 1,75 kW
 - 1 semi fast burner, 1,40 kW
 - 1 auxiliary burner, 1,00 kW
 - Ceramic glass surface
 - Auto ignition
 - Auto-lock safety system
 - Cast iron grids
 - Easy installation kit
 - Maximum nominal power 10450 W
 - Optional: Wok support
- إصدار مجموعة إنفينيتي جي 1
 - صمم في إيطاليا من قبل جيوجيارو إيتال ديزاين
 - موقد طهي غاز بسطح زجاجي
 - ملمس خارجي مميز باللون الأسود المطفي
 - لوحة تحكم آلية أمامية بتصميم مريح
 - ٥ مناطق للطهي
 - شعلة مزدوجة، ٣,٥٠ كيلو واط
 - شعلة سريعة، ٢,٨٠ كيلو واط
 - شعلة شبه سريعة، ١,٧٥ كيلو واط
 - شعلة شبه سريعة، ١,٤٠ كيلو واط
 - شعلة مساعدة، ١,٠٠ كيلو واط
 - سطح زجاجي سيراميك
 - خاصية الإشعال الذاتي
 - نظام أمان القفل التلقائي
 - شبكات شواء مصنوعة من الحديد
 - مجموعة سهلة التركيب
 - الحد الأقصى للطاقة التشغيلية ١٠٤٥٠ واط
 - اختياري: يستخدم مع المقلاة

CP 150 GS / KIT VS CP G1

NEW

- Infinity | G1 Edition
 - Plate warmer
 - Temperature range: 30°-80°
 - 6 plates setting: 6 dinner plates (24 cm), 6 deep plates (10 cm), and 3 serving platters (17, 19 and 32 cm) or 20 dinner plates (28 cm) or 40 tea cups or 80 coffee cups.
 - Pull out telescopic drawer
 - Push-pull opening system
 - Anti-sliding base
 - Frontal Glass not included:
- إصدار مجموعة إنفينيتي جي 1
 - مزود بمنشف الصحون
 - نطاق درجة الحرارة: ٣٠ درجة - ٨٠ درجة مئوية
 - ٦ من إعداد الأطباق: ٦ أطباق عشاء (٢٤ سم) و ٦ أطباق عميقة (١٠ سم) و ٣ أطباق تقديم (١٧ و ١٩ و ٣٢ سم) أو ٢٠ طبق عشاء (٢٨ سم) أو ٤٠ فنجان شاي أو ٨٠ فنجان قهوة.
 - درج تلسكوبي قابل للسحب
 - مزود بنظام فتح بالدفع والسحب
 - مزود بقاعدة مانعة للانزلاق
 - الزجاج الأمامي غير متضمن:

COLOR

Black Matt
FRAME C-edged glass

PRODUCT DIMENSIONS

Height 50mm Width 700 mm Depth 510mm

PRODUCT DIMENSIONS

Height 140mm Width 595mm Depth 559mm





STEAM



Ovens

The best moments are born
in the kitchen



Safety first

In Teka we know that, even with the comfort and convenience that our products bring into your life, safety comes first for you and your family.

For us, safety is non-negotiable as well, and we provide with several options to take care of you and your loved ones.



Door lock

Block the door for as long as you need, for maximum safety. This safety system is available in all pyrolytic ovens.



Child lock

Block the control panel to keep the oven functioning on check.





SoftClose

Say goodbye to annoying noises thanks to the soft open and close door of the oven. An extra of durability and security (your fingers will be happy about it too).



Cool front

We go beyond regulation with the minimal door temperature thanks to up to 4 removable glasses on door.



Ovens

The kitchen is where
life happens

MAESTRO							
	TFT 4"	TOUCH CONTROL DISPLAY LED					
MULTIFUNCTION	HYDROCLEAN PRO	 STEAKMASTER	 HLB 8600 BK	 HLB 8600 WH	 HLB 85-G1	 HLB 8400 FBK	 HLF 940
					 HLB 8510 P BK	 HLB 8300	 HLB 8416 Airfry
CONVENTIONAL	HYDROCLEAN ECO						
GAS							

MAESTRO

Domestic appliances for those who like going one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum effectiveness in any situation.

EASY

For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.

TOTAL		EASY
TOUCH CONTROL DISPLAY LED	MECHANICAL	MECHANICAL



HSB 646 55 AIRFRY



HSB 6350 55



HSF 900



HBB 605



HBB 535



HSF 924 G



HSF 930 G



HSF 930 G BK



HSB 740

SPECIAL OVENS

STEAKMASTER



Temperature

Grill that reaches up to 700°C for a perfect finish.

20

Auto. Programs

20 automatic programs, special for each meat cut.



Cast Iron Grid

The perfect grill for meat at its best.



Pyrolytic Oven

Hygiene with the power of heat.

Ref. 111000093

MAESTRO STEAKMASTER



- SurroundTemp Multifunction oven
- 12 cooking functions
- DualClean cleaning system: Pyrolytic selfcleaning + HydroClean® PRO
- Enamel Slippery
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/63 litres
- TFT 4" true color Touch control
- LED illuminated knobs
- Personal cook assistant: 20 international recipes
- Automatic Express preheating
- SlowCook: low temperature cooking
- Children safety block, timer and door
- Automatic disconnection security system
- 4 removable glazed door
- SoftClose system
- Full glass inner door
- 2 Plus-Extension telescopic guide, 5 cooking levels
- Special cast iron grid for Steaks
- Tangential ventilation Plus with 2 speeds
- 50/60 Hz

- فرن متعدد الوظائف بتقنية درجة الحرارة المحيطة (سيراوند تيمب)
- ١٢ وظيفة طهي
- نظام التنظيف الثنائي: التنظيف الذاتي بالتحلل الحراري + هايدرو كلين برو
- طلاء المينا المنزلق
- فئة كفاءة الطاقة A+: قدرة استهلاك أقل بنسبة تصل إلى ٢٠٪
- السعة: الإجمالي/الصافي: ٦٣/٧١ لترًا
- شاشة الكريستال السائل ذات الترانزستور الرقيق مقاس ٤ بوصة ملونة تعمل باللمس
- مقابض مضاءة بتقنية LED
- مساعد الطهي الشخصي: ٢٠ وصفة عالمية
- التسخين التلقائي السريع
- وظيفة الطهي البطيء: الطبخ على درجة حرارة منخفضة
- خاصية قفل أمان للأطفال ومؤقت وباب
- نظام فصل آلي لتوفير الأمان
- ٤ أبواب زجاجية قابلة للإزالة
- نظام سوفت كلوز
- باب داخلي زجاجي كامل
- ٢ مجرى تلسكوبي إضافي، ٥ مستويات للطهي
- شبكة من الحديد الخام المطلي خاصة لشرائح اللحم
- تهوية عرضية إضافية مع سرعتين
- ٦٠/٥٠ هرتز

COLOR



Black Glass

FRAME Frameless

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 559mm

MAESTROPIZZA OVEN

Become a Pizza Legend

**Temperature**

The perfect temperature to cook pizza with epic results.

**Speed**

Your pizza ready in only 3 minutes.

**Pizza Stone**

For a crunchy finish, as in a wood oven.

**Pizza Peel**

Everything you need to cook like a real chef.

Ref. 111000046

MAESTRO HLB 8510 P BK MAESTRO PIZZA

- MaestroPizza oven
- Urban Colors Edition
- Multifunction SurroundTemp oven
- 8 cooking functions
- Up to 340°C in cavity for perfect pizza finish
- Temperature range for traditional recipes: 50-250°
- Capacity (gross/net): 71/70 litres
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- 1 Plus Extension Telescopic guides
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Manual quick heating
- Anti-tip deep tray, baking tray and reinforced grid
- Special pizza stone included

- فرن مايسترو بيتزا
- مجموعة أوران كولورز
- فرن متعدد الوظائف بتقنية درجة الحرارة المحيطة (سيراوند تيمب)
- مزود بعدد ٨ وظائف للطهي
- يتميز بتجويف يصل إلى ٣٤٠ درجة مئوية للحصول على أفضل شكل للبيتزا
- نطاق درجة الحرارة للوصفات التقليدية: ٥٠-٢٥٠ درجة
- السعة (الإجمالي/الصافي): ٧١/٧٠ لتر
- نظام التنظيف الذاتي بالتحلل الحراري ونظام هابيدرو كلين الآلي
- شاشة تحكم تعمل باللمس مع مقابض
- مؤقت إلكتروني (وظيفة التأخير/البداية)
- دعائم الكروم مع ٥ مستويات للطهي
- مجرى تلسكوبي إضافي
- باب زجاجي رباعي قابل للإزالة
- نظام سوفت كلوز
- نظام فصل آلي لتوفير الأمان
- خاصية قفل الأمان للأطفال
- التسخين اليدوي السريع
- صينية عميقة مانعة للانقلاب، وصينية مخبوزات وشبكة معززة
- يحتوي على حجر تسوية بيتزا خاص

COLOR

Black Glass

FRAME Infinity glass

PRODUCT DIMENSIONS

Height 595mm **Width** 595mm **Depth** 559mm

OVENS

AIRFRY OVEN



AirFry function
Special function for oil-free crunchy finish.



FryMaster Box
Die cut tray that allows an even heat circulation.



Surroundtemp
An additional rear electrical resistance.



Oil-free
Ideal for French fries, nuggets & chicken wings.

Ref. 111000048

MAESTRO HLB 8416 AIRFRY

NEW



- Multifunction SurroundTemp oven
- 9 cooking functions
- Special FryMaster Box to cook without oil
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- SoftClose system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

- فرن متعدد الوظائف بتقنية درجة الحرارة المحيطة (سيراوند تيمب)
- مزود بعدد ٩ وظائف للطهي
- صندوق (فراي ماستر) المميز للطهي بدون زيت
- شاشة تحكم تعمل باللمس مع مقايض
- مؤقت إلكتروني (وظيفة التأخير/البدا)
- دعامات الكروم مع ٥ مستويات للطهي
- باب زجاجي ثلاثي قابل للإزالة
- نظام سوفت كلوز
- خاصية قفل الأمان للأطفال
- التسخين المسبق اليدوي السريع
- صينية عميقة مانعة للانقلاب
- السعة (الإجمالي/الصافي): ٧١ / ٧٠ لتر

Ref. 111010035

TOTAL HSB 646 SS AIRFRY



- AirFry oven
- Multifunction SurroundTemp oven
- 9 cooking functions
- Special FryMaster Box to cook without oil
- Automatic HydroClean system
- Capacity (gross/net): 71/70 litres
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- 1 Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- A+ Energy class

- فرن إير فراي
- فرن متعدد الوظائف بتقنية درجة الحرارة المحيطة (سيراوند تيمب)
- مزود بعدد ٩ وظائف للطهي
- صندوق (فراي ماستر) المميز للطهي بدون زيت
- نظام هايديرو كلين ذاتي
- السعة (الإجمالي/الصافي): ٧١ / ٧٠ لتر
- شاشة تحكم تعمل باللمس مع مقايض
- مؤقت إلكتروني (وظيفة التأخير والبدا)
- دعامات الكروم مع ٥ مستويات للطهي
- مجرى تلسكوبي إضافي
- باب زجاجي مزدوج قابل للإزالة
- خاصية قفل الأمان للأطفال
- وظيفة التسخين المسبق اليدوي السريع
- صواني عميقة وصواني مخبوزات مانعة للانقلاب
- فئة كفاءة الطاقة A+

COLOR

Black Glass

FRAME Frameless

PRODUCT DIMENSIONS

Height 595mm **Width** 595mm **Depth** 559mm

COLOR

Stainless Steel

FRAME Frameless

PRODUCT DIMENSIONS

Height 595mm **Width** 595mm **Depth** 559mm



Ref. 111000057

MAESTRO HLB 85-G1**NEW**

- Infinity | G1 Edition
- Designed in Italy by Giugiaro Italdesign
- Multifunction SurroundTemp oven
- Up to 340°C in cavity for perfect pizza finish
- Temperature range for traditional recipes: 50-250°
- Exclusive matte black finishing
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable quadruple glazed door
- Automatic disconnection security system
- SoftClose system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray, baking tray and reinforced grid
- Special pizza stone included
- Capacity (gross/net): 71 / 70 litres
- إصدار مجموعة إنفينيتي جي 1
- تصميم إيطالي من قبل شركة إيتالديزاين جيوجيارو
- فرن متعدد الوظائف بتقنية درجة الحرارة المحيطة (سيراوند تيمب)
- يتميز بتجفيف يصل إلى ٣٤٠ درجة مئوية للحصول على أفضل شكل للبيتزا
- نطاق درجة الحرارة للوصفات التقليدية: ٥٠-٢٥٠ درجة
- ملمس خارجي مميز باللون الأسود المطفي
- مزود بعدد ٨ وظائف للطهي
- نظام التنظيف الذاتي بالتحلل الحراري ونظام هايدرو كلين الآلي
- شاشة تحكم تعمل باللمس مع مقابض مؤقت إلكتروني (وظيفة التأخير/البداية)
- دعائم الكروم مع ٥ مستويات للطهي
- باب زجاجي رباعي قابل للإزالة
- نظام فصل آلي لتوفير الأمان
- نظام سوفت كلوز
- خاصية قفل الأمان للأطفال
- التسخين المسبق اليدوي السريع
- صينية عميقة مانعة للانقلاب، وصينية مخبوزات وشبكة معززة
- يحتوي على حجر تسوية بيتزا خاص
- السعة (الإجمالي/الصافي): ٧١ / ٧٠ لتر

COLOR

Black Matt

PRODUCT DIMENSIONS**Height** 595mm **Width** 595mm **Depth** 537+22mm



Ref. 111000071



Ref. 111000072

MAESTRO HLB 8600 BK

MAESTRO HLB 8600 WH



- Multifunction SurroundTemp
- 12 Cooking functions
- Teka HydroClean@PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- True colour TFT 4 display with digital timer
- Personal cooking assistant (20 recipes)
- SlowCook function: low temperature cooking
- Automatic temperature and time suggestion for each function
- Quick heating
- Children safety block
- Automatic disconnection security system
- Triple glazed door
- SoftClose system
- 1 Plus-Extension telescopic guide, 5 cooking levels
- Deep enamelled tray and reinforced grid
- Tangential ventilation

- فرن متعدد الوظائف بتقنية درجة الحرارة المحيطة (سيراوند تيمب)
- مزود بعدد ١٢ وظيفة للطهي
- نظام تنظيف هايدرو كلين برو من تيك
- فئة كفاءة الطاقة A+: قدرة استهلاك أقل بنسبة تصل إلى ٢٠٪
- السعة، الإجمالي/الصافي: ٧١/٧٠ لتر
- شاشة الكريستال السائل ذات الترانزستور الرقيق مقاس ٤ بوصة ملونة مع مؤقت رقمي
- مساعد الطهي الشخصي (٢٠ وصفة)
- وظيفة الطهي البطيء: الطهي بدرجة حرارة منخفضة
- درجة الحرارة التلقائية واقتراح الوقت لكل وظيفة
- التسخين السريع
- خاصية قفل الأمان للأطفال
- نظام فصل آلي لتوفير الأمان
- باب زجاجي ثلاثي
- نظام سوفت كلوز
- مجرى تلسكوبي إضافي، ٥ مستويات للطهي
- صينية عميقة مطلية بالمينا وشبكة معززة
- التهوية العرضية

COLOR

☒ Black Glass ☐ White Glass

FRAME Frameless

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 559mm



Ref. 111000077

MAESTRO HLB 8400 FBK

NEW



- Multifunction oven
- Exclusive black finishing
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- SoftClose system
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

- فرن متعدد الوظائف
- ملمس خارجي مميز باللون الأسود المطفي
- مزود بعدد ٩ وظائف للطهي
- نظام الهايدرو كلين الذاتي
- شاشة تحكم تعمل باللمس مع مقايض
- مؤقت إلكتروني (وظيفة التأخير/البدء)
- دعائم الكروم مع ٥ مستويات للطهي
- باب زجاجي مزدوج قابل للإزالة
- نظام فصل آلي لتوفير الأمان
- نظام سوفت كلوز
- التسخين المسبق اليدوي السريع
- صينية عميقة مانعة للانقلاب
- السعة (الإجمالي/الصافي): ٧١ / ٧٠ لتر

COLOR

Black Glass

FRAME Frameless

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 537+22mm



Ref. 111000053

MAESTRO HLB 8300

NEW



- Multifunction
- 6 Cooking functions
- HydroClean® PRO cleaning system
- A+ Energy class: up to 20% less consumption
- Capacity, gross/net: 71/70 litres
- Touch Control panel with LED display
- Express preheating
- ECO & defrosting functions
- Children safety block
- Double removable glazed door
- Fully glass inner doors
- 1 telescopic guide easy slide
- Dynamic ventilation
- Optional Multicook and cast aluminium tray
- Anti-tip deep tray and cooking grid

- فرن متعدد الوظائف
- مزود بعدد ٦ وظائف للطهي
- مزود بنظام التنظيف هايدرو كلين برو
- فئة كفاءة الطاقة A+: قدرة استهلاك أقل بنسبة تصل إلى ٢٠٪
- السعة، الإجمالي / الصافي: ٧١ / ٧٠ لتر
- لوحة تحكم تعمل باللمس مع شاشة LED
- التسخين المسبق السريع
- وظائف فك التجميد ووظيفة توفير الطاقة الصديقة للبيئة
- خاصية قفل الأمان للأطفال
- باب زجاجي مزدوج قابل للإزالة
- باب داخلي زجاجي كامل
- مجرى تلسكوبي إضافي قابل للتمديد ومنزلق
- تهوية ديناميكية
- صينية طهي متعددة الاستخدامات
- وصينية من الألومنيوم المصبوب، اختياري
- صينية عميقة مانعة للانقلاب وشبكة طهي

COLOR

Black Glass

FRAME Frameless

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 559mm



Ref. 111010069



Ref. 41560050

TOTAL HSB 6350 SS

NEW



- Multifunction oven
- 8 cooking functions
- Automatic HydroClean system
- Mechanical control knobs
- Electronic timer
- Chrome supports with 5 cooking levels
- Easy slide telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

- فرن متعدد الوظائف
- مزود بعدد ٨ وظائف للطهي
- نظام الهايدرو كلين الذاتي
- مقابض تحكم آلية
- مؤقت إلكتروني
- دعائم الكروم مع ٥ مستويات للطهي
- أدلة تلسكوبية منزلق
- باب زجاجي مزدوج قابل للإزالة
- التسخين المسبق اليدوي السريع
- صينية عميقة مانعة للانقلاب
- السعة (الإجمالي/الصافي): ٧١ / ٧٠ لتر

EASY HBB 605



- Multifunction
- 6 Cooking functions
- HydroClean® ECO cleaning system
- A Energy class
- Capacity, gross/net: 71/70 litres
- Minute minder
- Express preheating function
- ECO and defrosting functions
- Double removable glazed door
- Full glass inner door
- Dynamic ventilation
- Anti-tip deep & baking tray and cooking grid
- Dynamic ventilation
- Optional Multicook tray

- فرن متعدد الوظائف
- مزود بعدد ٦ وظائف للطهي
- نظام التنظيف (هايدرو كلين) الموفر للطاقة
- فئة كفاءة الطاقة A
- السعة، الإجمالي / الصافي: ٧١ / ٧٠ لترًا
- مزود بخاصية التنبيه كل دقيقة
- وظيفة التسخين المسبق السريع
- وظائف تفكيك التجميد ووظيفة توفير الطاقة المديقة للبيئة
- باب زجاجي مزدوج قابل للإزالة
- باب داخلي زجاجي بالكامل
- خاصية التهوية الديناميكية
- مزود بصينية عميقة مانعة للانقلاب
- وصينية مخبوزات وشبكة طهي
- مزود بخاصية التهوية الديناميكية
- مزود بصينية متعددة الطهي، اختياري

COLOR

Stainless Steel

FRAME Frameless

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 559mm

COLOR

Stainless Steel

FRAME Frameless

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 559mm



Ref. 41560040

EASY HBB 535



- Conventional
 - 3 Cooking functions
 - HydroClean® ECO cleaning system
 - A Energy class
 - Capacity, gross/net: 77/76 litres
 - Minute minder
 - Double removable glazed door
 - Full glass inner door
 - Dynamic ventilation
 - Anti-tip deep tray and cooking grid
 - Optional Multicook tray
- فرن تقليدي
 - مزود بعدد ٣ وظائف للطهي
 - مزود بنظام التنظيف هايدرو كلين الموفر للطاقة
 - فئة كفاءة الطاقة A
 - السعة، الإجمالي / الصافي: ٧٦/٧٧ لترًا
 - مزود بخاصية التنبيه كل دقيقة
 - باب زجاجي مزدوج قابل للإزالة
 - باب داخلي زجاجي بالكامل
 - خاصية التهوية الديناميكية
 - صينية عميقة مانعة للانقلاب وشبكة طهي
 - صينية متعددة الطهي، اختياري

COLOR

 Stainless Steel

FRAME Frameless

PRODUCT DIMENSIONS

Height 595mm **Width** 595mm **Depth** 559mm

TOTAL
HSB 6350 SS
MS 622 BIS L



Ref. 41592226

MAESTRO HLF 940



- Multifunction SurroundTemp
- 9 Cooking functions
- Hydroclean® PRO cleaning system
- A Energy class
- Capacity, gross/net: 91/77 litres
- 1 Plus + 1 Full Extension telescopic guides
- Children safety block
- Dynamic ventilation
- Anti-tip deep & baking tray and cooking grid
- Touch Control panel
- Triple glazed door
- Full glass inner door
- Drop down maxi grill
- Automatic disconnection security system

- فرن متعدد الوظائف بتقنية درجة الحرارة المحيطة (سيراوند تيمب)
- مزود بتسعة وظائف للطهي
- مزود بنظام التنظيف (هايدرو كلين برو)
- فئة كفاءة الطاقة A
- السعة، الإجمالي / الصافي: ٩١/٧٧ لترًا
- دلائل تلسكوبية إضافية + ١ كامل
- خاصية قفل الأمان للأطفال
- خاصية التهوية الديناميكية
- مزود بصينية عميقة مانعة للانقلاب
- وصينية مخبوزات وشبكة طهي
- مزود بلوحة تحكم تعمل باللمس
- باب زجاجي ثلاثي
- باب داخلي زجاجي بالكامل
- شواية ماكسي منسدلة
- نظام فصل آلي لتوفير الأمان

COLOR

Black Glass

FRAME Frameless

PRODUCT DIMENSIONS

Height 480mm Width 890mm Depth 560mm



Ref. 41592225

TOTAL HSF 900



- Hydroclean® ECO cleaning system
- 7 Cooking functions
- A Energy class
- Capacity, gross/net: 91/77
- Tangential ventilation
- Triple glazed door
- Anti-tip deep & baking tray and cooking grid
- Minute minder
- Drop down maxi grill
- Full glass inner door

- مزود بنظام التنظيف (هايدرو كلين) الموفر للطاقة
- مزود بعدد ٧ وظائف للطهي
- فئة كفاءة الطاقة A
- السعة، الإجمالي / الصافي: ٩١/٧٧ لتر
- خاصية التهوية العرضية
- مزود بباب زجاجي ثلاثي
- مزود بصينية عميقة مانعة للانقلاب
- وصينية مخبوزات وشبكة طهي
- خاصية التنبيه كل دقيقة
- مزود بشواية ماكسي منسدلة
- مزود بباب داخلي زجاجي بالكامل

COLOR

Stainless Steel

FRAME Stainless steel

PRODUCT DIMENSIONS

Height 480mm Width 890mm Depth 560mm



Ref. 41596123

TOTAL HSF 924 G

GAS OVEN **NEW**

- Multifunction gas oven with electric grill
- 5 Cooking functions
- B Energy class
- Capacity Gross/Net: 88/69 litres
- Black Knob timer with stop programmer
- Double glazed door
- Full glass inner door
- Chromed guides, 5 cooking levels
- Automatic gas oven ignition
- Deep tray and cooking grid
- Tangential ventilation
- Gas typology: LPG (butane/propane)
- Nozzles to natural gas

- فرن غاز متعدد الوظائف مع شواية كهربائية
- مزود بعدد ٥ وظائف للطهي
- فئة كفاءة الطاقة B
- السعة، الإجمالي / الصافي: ٨٨/٦٩ لترًا
- مؤقت بمقبض أسود مع مبرمج إيقاف باب زجاجي مزدوج
- مجرى من الكروم، مع ٥ مستويات للطهي
- إشعال فرن الغاز ذاتيًا
- مزود بصينية عميقة وشبكة طهي
- خاصية التهوية العرضية
- تصنيف الغاز: غاز البترول المسال (البيوتان / البروبان)
- فوهات للغاز الطبيعي

COLOR

Stainless Steel

FRAME Stainless steel

PRODUCT DIMENSIONS

Height 595mm Width 898mm Depth 549mm



Ref. 41596124

TOTAL HSF 930 G

GAS OVEN



- Multifunction gas oven with gas grill
- 4 Cooking functions
- B Energy class
- Capacity Gross/Net: 88/64 litres
- Black Knob timer with stop programmer
- Double glazed door
- Full glass inner door
- Chromed guides, 5 cooking levels
- Automatic gas oven ignition
- Deep tray and cooking grid
- Tangential ventilation
- Gas typology: LPG (butane/propane)
- Nozzles to natural gas

- فرن غاز متعدد الوظائف مع شواية غاز
- مزود بعدد ٤ وظائف للطهي
- فئة كفاءة الطاقة B
- السعة، الإجمالي / الصافي: ٨٨/٦٤ لترًا
- مؤقت بمقبض أسود مع مبرمج إيقاف باب زجاجي مزدوج
- باب داخلي زجاجي بالكامل
- مجرى من الكروم، مع ٥ مستويات للطهي
- إشعال فرن الغاز ذاتيًا
- مزود بصينية عميقة وشبكة طهي
- خاصية التهوية العرضية
- تصنيف الغاز: غاز البترول المسال (البيوتان / البروبان)
- فوهات للغاز الطبيعي

COLOR

Stainless Steel

FRAME Stainless steel

PRODUCT DIMENSIONS

Height 595mm Width 898mm Depth 549mm

OVENS



Ref. 111110000



Ref. 111040002

TOTAL HSF 930 G BK

GAS OVEN



- Multifunction gas oven with gas grill
- 4 cooking functions
- B Energy class
- Capacity (gross/net): 88/64 litres
- Mechanical control knobs
- Mechanical timer
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- 1 Anti-tip deep tray

- فرن غاز متعدد الوظائف مع شواية غاز
- مزود بعدد ٤ وظائف للطهي
- فئة كفاءة الطاقة B
- السعة، الإجمالي / الصافي: ٨٨ / ٦٤ لترًا
- مقابض تحكم آلي
- مؤقت آلي
- مجرى من الكروم، مع ٥ مستويات للطهي
- باب زجاجي مزدوج قابل للإزالة
- نظام فصل آلي لتوفير الأمان
- مزود بصينية عميقة مانعة للانقلاب

COLOR

Black

FRAME Black

PRODUCT DIMENSIONS

Height 595mm Width 898mm Depth 549mm

TOTAL HSB 740 G

GAS OVEN

NEW



- Multifunction oven
- Gas oven with electric grill
- 5 cooking functions
- Mechanical control knobs
- Mechanical timer
- Chrome supports with 5 cooking levels
- Telescopic guides basic
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 60 litres

- فرن متعدد الوظائف
- فرن غاز بشواية كهربائية
- ٥ وظائف للطهي
- مقابض التحكم الميكانيكية
- توقيت ميكانيكي
- مجرى من الكروم، مع ٥ مستويات للطهي
- أدلة تلسكوبية أساسية
- باب زجاجي مزدوج قابل للإزالة
- التسخين اليدوي السريع
- مزود بصينية عميقة مانعة للانقلاب
- السعة (الإجمالية/الصافية): ٧١ / ٦٠ لتر


COLOR

Stainless Steel

FRAME Frameless

PRODUCT DIMENSIONS

Height 595mm Width 595mm Depth 543+22mm



Ref. 111600003

MAESTRO CP 150 GS

- Plate warmer
 - Temperature range: 30°-80°
 - 6 plates setting: 6 dinner plates (24 cm), 6 deep plates (10 cm), and 3 serving platters (17, 19 and 32 cm) or 20 dinner plates (28 cm) or 40 tea cups or 80 coffee cups.
 - Pull out telescopic drawer
 - Push-pull opening system
 - Anti-sliding base
- منشف الصحون
 - نطاق درجة الحرارة: ٣٠ درجة - ٨٠ درجة مئوية
 - ٦ من إعداد الأطباق: ٦ أطباق عشاء (٢٤ سم) و ٦ أطباق عميقة (١٠ سم) و ٣ أطباق تقديم (١٧ و ١٩ و ٣٢ سم) أو ٢٠ طبق عشاء (٢٨ سم) أو ٤٠ فنجان شاي أو ٨٠ فنجان قهوة.
 - درج تلسكوبي قابل للسحب
 - مزود بنظام فتح بالدفع والسحب
 - مزود بقاعدة مانعة للانزلاق

COLOR

 Stainless Steel

PRODUCT DIMENSIONS

Height 140mm **Width** 595mm **Depth** 559mm



Ref. 111890003

MAESTRO KIT VS/CP COLOR WH

- Frontal Panel
 - Urban Colors Edition
- اللوحة الأمامية
 - مجموعة أوريان كولورز

COLOR

 White Glass



Ref. 111890002

MAESTRO KIT VS/CP COLOR BK

- Frontal Panel
 - Urban Colors Edition
- اللوحة الأمامية
 - مجموعة أوريان كولورز

COLOR

 Black Glass



Ref. 111490016

MAESTRO KIT VS/CP MB INFINITY G1

NEW

- Frontal Panel
 - Infinity G1 Edition
- اللوحة الأمامية
 - إصدار إنفينيتي جي ١

COLOR

 Matt Black

OVENS

MODEL	Infinity G1	SteakMaster	HLB 8600 WH HLB 8600 BK	HLB 8416 Airfry	MaestroPizza HLB 8510 P BK
INNER CAVITY DIMENSIONS					
Height (mm)	364	364	364	364	364
Width (mm)	475	475	475	475	475
Depth (mm)	402	402	402	402	402
Volume Net (L)	70	63	70	70	70
ELECTRICAL FEATURES					
Maximum Nominal Power (W)	3.552	3.518	3.215	2215	3.552
Bottom Heating Element (W)	1.050	1.050	1.150	1150	1.050
Grill (W)	1.400	2.400	1.400	1400	1.400
Maxigrill (W)	2.450	3.540	2.500	2500	2.450
Turbo (W)	2.000	2.000	2.000	2000	2.000
Multifunction motor (W)	25	25	22	22	25
Inner Light	25	2x25	25	25	25
Cooling fan motor (W)	30	30	18	18	30
Cable connection length (cm)	150	150	150	110	190
SAFETY SYSTEMS					
Automatic disconnection security system	✓	✓	✓	-	✓
Children safety	✓	✓	✓	-	✓
Grill protection	✓	✓	✓	✓	✓
Full glazed door	4	4	3	3	4
CLEANING SYSTEMS					
Hydroclean ECO	-	-	-	-	-
Hydroclean PRO	✓	✓	✓	✓	✓
Pyrolytic	✓	✓	-	-	✓
Crystal Clean Enamel	✓	✓	✓	✓	✓
ENERGY EFFICIENCY					
Energy Efficiency Class	A+	A	A+	A+	A+

MODEL	HLB 8400 FBK	HLB 8300	HSB 646 SS	HSB 6350 SS
INNER CAVITY DIMENSIONS				
Height (mm)	364	364	364	364
Width (mm)	475	475	475	475
Depth (mm)	402	402	402	402
Volume Net (L)	70	70	70	70
ELECTRICAL FEATURES				
Maximum Nominal Power (W)	3.215	2.593	3.215	2615
Bottom Heating Element (W)	1.150	1.150	1.150	1150
Grill (W)	1.400	1.400	1.400	1.400
Maxigrill (W)	2.500	-	2.500	2.500
Turbo (W)	2.000	-	2.000	-
Multifunction motor (W)	22	22	22	22
Inner Light	25	25	25	25
Cooling fan motor (W)	18	18	18	18
Cable connection length (cm)	110	110	150	110
SAFETY SYSTEMS				
Automatic disconnection security system	-	-	-	-
Children safety	✓	✓	-	-
Grill protection	✓	✓	✓	✓
Full glazed door	2	2	2	2
CLEANING SYSTEMS				
Hydroclean ECO	-	-	-	-
Hydroclean PRO	✓	✓	✓	✓
Pyrolytic	-	-	-	-
Crystal Clean Enamel	✓	✓	✓	✓
ENERGY EFFICIENCY				
Energy Efficiency Class	A+	A+	A+	A+


TECHNICAL FEATURES

MODEL	HBB 605	HBB 535	HLF 940	HSF 900
INNER CAVITY DIMENSIONS				
Height (mm)	364	364	318	318
Width (mm)	475	475	639	639
Depth (mm)	402	441	380	380
Volume Net (L)	70	76	77	77
ELECTRICAL FEATURES				
Maximum Nominal Power (W)	2.615	2.593	3.553	2.848
Bottom Heating Element (W)	1.150	1.150	1.055	1.055
Grill (W)	1.400	1.400	1.700	1.700
Maxigrill (W)	–	–	2.750	2.750
Turbo (W)	–	–	2.400	–
Multifunction motor (W)	22	–	30	30
Inner Light	25	25	25	25
Cooling fan motor (W)	18	18	18	18
Cable connection length (cm)	110	110	110	110
SAFETY SYSTEMS				
Automatic disconnection security system	–	–	✓	–
Children safety	–	–	✓	–
Grill protection	✓	✓	✓	✓
Full glazed door	2	2	3	2
CLEANING SYSTEMS				
Hydroclean ECO	✓	✓	–	✓
Hydroclean PRO	–	–	✓	–
Pyrolytic	–	–	–	–
Crystal Clean Enamel	✓	✓	✓	✓
ENERGY EFFICIENCY				
Energy Efficiency Class	A	A	A	A


MODEL	HSF 924 G	HSF 930 G / HSF 930 G BK	HSB 740
INNER CAVITY DIMENSIONS			
Height (mm)	308	280	342
Width (mm)	615	615	475
Depth (mm)	388	388	402
Volume Net (L)	69	64	60
ELECTRICAL FEATURES			
Maximum Nominal Power (W)	1.998	1.531	70
Bottom Heating Element (W)	4.000	4.000	2.350
Grill (W)	19	–	1.9
Maxigrill (W)	–	–	–
Turbo (W)	–	–	27
Multifunction motor (W)	30	30	27
Inner Light	25	25	25
Cooling fan motor (W)	18	18	18
Cable connection length (cm)	110	110	–
SAFETY SYSTEMS			
Automatic disconnection security system	–	–	–
Children safety	–	–	–
Grill protection	✓	✓	–
Full glazed door	2	2	2
CLEANING SYSTEMS			
Hydroclean ECO	–	–	–
Hydroclean PRO	–	–	–
Pyrolytic	–	–	–
Crystal Clean Enamel	✓	✓	✓
ENERGY EFFICIENCY			
Energy Efficiency Class	B	B	A+

OVENS


INSTALLATION DIAGRAM




INFINITY G1 · STEAKMASTER · HLB 8510 · HLB 8600 · HLB 8400 FBK
 HLB 8416 · HLB 8300 · HSB 646 SS · HSB 6350 SS ·
 HBB 605 · HBB 535 · HSB 740 G



HLF 940 · HSF 900



HSF 924 G · HSF 930 G



CP 150 GS



Microwaves

The kitchen is where family
memories are homemade

Cooking meals to share **was never so fast and easy**

Ceramic base

Don't get another hot-but-cold dish thanks to our homogeneous heat system. Waves distribution comes from the lower ceramic base with no need to use turntable plates.

Our microwaves have wide cooking surfaces to use bigger plates, and a completely flat cavity, easier to clean and to reach any part of it where food stains may remain. Great efficiency comes included too.

Crunch plate

You can do a potato omelette without turning it upside down. Cook a quiche or even do some crunchy French fries. You can even have crispy pizzas thanks to the plate, reaching very high temperatures to turn the borders golden brown and crusty.

Memory

With our microwaves you can select different power memories and heating times so you can repeat your favourite recipes as many times as you wish.

Easy installation

Frontal trim kit is included in the microwave for an easy installation. The frame is already fixed to the microwave oven instead of the cabinet, so the assembly process is faster, and we can get our new microwave ready in just 5 minutes and using only 4 screws.





Microwaves

Cooking is believing.

		MAESTRO		
		TFT 4"	ELECTRONIC CONTROL DIGITAL DISPLAY	TOUCH CONTROL LED DISPLAY
BUILT-IN	MULTI FUNCTION OVEN + MICROWAVE	 HLC 8440 C		
	MICROWAVE + GRILL	 ML 8220 BIS L BK	 ML 8220 BIS L WH	 MLC 84-G1 BM  MLC 8440 BK
	MICROWAVE	 ML 8220 BIS L FBK	 ML 82-G1 BIS L	 ML 825 TFL BK
COFFEE MACHINE		 CLC 8350 MC	 CLC 85-G1 GM INFINITY	 CLC 855 GM BK

MAESTRO

Domestic appliances for those who like going one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum effectiveness in any situation.

EASY

For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.

TOTAL		EASY
TOUCH CONTROL DISPLAY LED	ELECTRONIC DISPLAY LED	MECHANICAL



MS 622 BIS L



MWE 255 FI S5



MB 620 BI



Ref. 111160012

MAESTRO HLC 8440 C

NEW



- Combi Multifunction SurroundTemp + Microwave
- HydroClean® ECO cleaning system
- Enamel Slippery
- Capacity, gross/net: 41/40 litres
- Touch Control panel with LED display
- 11 cooking functions
- Quick start 30"
- 2500 W maxigrill
- Microwave combinations Pizza & ECO functions
- Automatic defrost by time and weight
- Children safety block
- Automatic disconnection security system
- Triple removable glazed door
- Full glass inner door
- Tangential ventilation
- Anti-tip glass tray and reinforced grid
- Optional muticook and cast aluminium tray

- فرن كومبي متعدد الوظائف مزود بتقنية توزيع درجة الحرارة + ميكروويف
- مزود بتقنية درجة الحرارة المحيطة (سيراوند تيمب) بالإضافة للميكروويف
- نظام التنظيف (هايدرو كلين) الموفر للطاقة
- طلاء المينا المنزلق
- السعة، الإجمالي / الصافي: ٤١/٤٠ لتر
- لوحة تحكم تعمل باللمس مع شاشة LED
- مزود بعدد ١١ وظيفة للطهي
- وظيفة البدء السريع في ٣٠ ثانية
- قدرة الشواية ٢٥٠٠ واط
- أوضاع ميكروويف مختلطة للبيتزا والوظائف البيئية
- تسخين الطعام التلقائي حسب الوقت والوزن
- خاصية قفل الأمان للأطفال
- نظام أمان للفصل التلقائي
- باب زجاجي ثلاثي قابل للإزالة
- باب داخلي زجاجي بالكامل
- تهوية جانبية
- صينية متعددة الاستخدامات اختيارية من الألمنيوم المصبوب

COLOR

Black Glass

FRAME Frameless

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 559mm





Ref. 111160027

MAESTRO MLC 84-G1 BM

NEW



- Urban Colors Edition
 - Microwave + Grill
 - 3 cooking functions
 - Capacity (gross/net): 45 / 44 litres
 - 5 power levels + 1000 W microwave power
 - 1400 W grill
 - Defrost by time and weight
 - Touch control display with knobs
 - Electronic timer (Delay/Start function)
 - Chrome supports with 5 cooking levels
 - Removable double glazed door
 - Automatic disconnection security system
 - Reinforced grid
- مجموعة أوريان كولورز
 - ميكروويف وشواية
 - مزود بعدد ٣ وظائف للطهي
 - السعة (الإجمالي / الصافي): ٤٤/٤٥ لترًا
 - ٥ مستويات للطاقة + قدرة ميكروويف ١٠٠٠ واط
 - قدرة الشواية ١٤٠٠ واط
 - تسخين الطعام حسب الوقت والوزن
 - شاشة تحكم تعمل باللمس مع مقابض
 - مؤقت إلكتروني (وظيفة التأخير والتشغيل)
 - دعامات من الكروم مع ٥ مستويات للطهي
 - باب زجاجي مزدوج قابل للإزالة
 - نظام أمان للفصل التلقائي
 - شبكة معززة

COLOR

Black Matt

FRAME Frameless

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 559mm



Ref. 111160003

MAESTRO MLC 8440 BK

NEW



- Microwave + Grill
 - 3 cooking functions
 - Capacity (gross/net): 45 / 44 litres
 - 5 power levels + 1000 W microwave power
 - 1400 W grill
 - Defrost by time and weight
 - Touch control display with knobs
 - Electronic timer (Delay/Start function)
 - Chrome supports with 5 cooking levels
 - Removable double glazed door
 - Automatic disconnection security system
 - Reinforced grid
- ميكروويف وشواية
 - مزود بعدد ٣ وظائف للطهي
 - السعة (الإجمالي / الصافي): ٤٤/٤٥ لترًا
 - ٥ مستويات للطاقة + قدرة ميكروويف ١٠٠٠ واط
 - قدرة الشواية ١٤٠٠ واط
 - تسخين الطعام حسب الوقت والوزن
 - شاشة تحكم تعمل باللمس مع مقابض
 - مؤقت إلكتروني (وظيفة التأخير والتشغيل)
 - دعامات من الكروم مع ٥ مستويات للطهي
 - باب زجاجي مزدوج قابل للإزالة
 - نظام أمان للفصل التلقائي
 - شبكة معززة

COLOR

Black Glass

FRAME Frameless

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 559mm

ML 822 SERIES

CERAMIC MICROWAVE + GRILL



Ref. 112030014



Ref. 112030018

NEW



Ref. 112030000

MAESTRO ML 8220 BIS L BK

MAESTRO ML 8220 BIS L FBK

MAESTRO ML 8220 BIS L WH



- Urban Colors Edition
- Ceramic base microwave + grill
- Capacity: 22 litres
- Electronic glass control panel with digital display
- Dropdown grill, 1200W
- 5 power levels, 850 W out
- Stainless steel cavity
- Ceramic base with uniform heating
- Forced tangential ventilation
- Program selector and electronic functions
- Quick start 30"
- Defrost (5 programs)
- 9 direct access menus
- Browning plate and reinforced grill grid

- مجموعة أوران كولورز
- ميكروويف وشواية مزودة قاعدة سيراميك
- السعة: ٢٢ لترًا
- لوحة تحكم زجاجية إلكترونية مع شاشة رقمية
- شواية منسدلة، بقدرة ١٢٠٠ واط
- ٥ مستويات للطاقة، بقدرة تصل إلى ٨٥٠ واط
- تجويف من الفولاذ المقاوم للصدأ
- قاعدة سيراميك مع القدرة على التسخين بالتساوي
- تهوية جانبية إلزامية
- محدد البرنامج والوظائف الإلكترونية
- بدء سريع في ٣٠ ثانية
- تسخين الطعام (٥ برامج)
- ٩ من قوائم الوصول المباشر
- طبق تحمير وشبكة شواء معززة

COLOR

☒ Black Glass
 ☒ Full Black Glass
 ☐ White Glass
FRAME Frameless

PRODUCT DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm



Ref. 112030012

25L CAPACITY MICROWAVE



Ref. 112000003

MAESTRO ML 82-G1 BIS L

NEW



- Infinity G1 special edition
 - Designed in Italy by Giugiaro Italdesign
 - Built-in Microwave + Grill
 - Exclusive matte black finishing
 - Ceramic base with uniform heating
 - 3 cooking functions
 - 5 power levels, 850 W
 - Grill power: 1200 W
 - Defrost by time and weight
 - Touch control display with knobs and minute minder
 - Double glazed door with left opening
 - Electronic door opening
 - Automatic disconnection when open door
 - Incandescent inner light
 - Dropdown grill
 - Quick start
 - Capacity (gross/net): 22 / 21.56 litres
 - Stainless steel cavity
 - Crunch plate included
- مجموعة انفينتي الخاصة والمميزة
 - تصميم إيطالي من قبل شركة Italdesign Giugiaro
 - ميكروويف وشواية مدمجان
 - ملمس خارجي مميز باللون الأسود المطفي
 - قاعدة من السيراميك مع القدرة على التسخين بالتساوي
 - مزود بعدد 3 وظائف للطهي
 - 5 مستويات للطاقة، ٨٥٠ واط
 - قدرة الشواية: ١٢٠٠ واط
 - تسخين الطعام حسب الوقت والوزن
 - شاشة تحكم تعمل باللمس مع مقابض وخاصية التنبيه كل دقيقة
 - باب زجاجي مزدوج يفتح من الجهة اليسرى
 - فتح الباب إلكتروني
 - فصل تلقائي عند فتح الباب
 - إضاءة داخلية ساطعة
 - شواية منسدلة
 - خاصية البدء السريع
 - القدرة (الإجمالي / الصافي): ٢٢ / ٢١,٥٦ لتر
 - تجويف من الفولاذ المقاوم للصدأ
 - طبق لتحمير الطعام

COLOR

Black Matt
FRAME Frameless

PRODUCT DIMENSIONS

Height 390mm Width 595mm Depth 334mm

MAESTRO ML 825 TFL BK

NEW



- Built-in Microwave + Grill
 - 3 cooking functions
 - 8 direct access menus
 - 2 memories
 - 5 power levels, 1450 W
 - Grill power: 1000 W
 - Defrost by time and weight
 - Touch control display with minute minder
 - Double glazed door with right opening
 - Electronic door opening
 - Children safety lock
 - Automatic disconnection when open door
 - Incandescent inner light
 - Quick start
 - Capacity (gross/net): 25 / 23.6 litres
 - Stainless steel cavity
- ميكروويف وشواية مدمجان
 - ٣ وظائف طهي
 - ٨ قوائم للوصول المباشر
 - ذاكرتان
 - ٥ مستويات للطاقة، ١٤٥٠ واط
 - طاقة الشواية: ١٠٠٠ واط
 - تسخين الطعام حسب الوقت والوزن
 - شاشة تحكم باللمس مع مؤقت بالدقائق
 - باب زجاجي مزدوج يفتح من الجهة اليمنى
 - فتحة باب إلكتروني
 - قفل أمان للأطفال
 - فصل تلقائي عند فتح الباب
 - ضوء داخلي ساطع
 - بداية سريعة
 - السعة (الإجمالية / الصافية): ٢٥ / ٢٣,٦ لتر
 - تجويف مصنوع من الفولاذ المقاوم للصدأ

COLOR

Black Glass
FRAME Frameless

PRODUCT DIMENSIONS

Height 384mm Width 595mm Depth 392mm

MICROWAVES



Ref. 112040002

TOTAL MS 622 BIS L



- Microwave + Grill
- Ceramic base
- Capacity: 22 litres
- Touch Control panel with LED display
- Electronic door opening
- 5 power levels, 850 W
- 2 direct access menus
- 3 cooking functions
- Quick start 30"
- Drop down grill, 1200 W
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Tangential ventilation
- Left door opening
- Reinforced grid
- ميكروويف وشواية
- قاعدة من السيراميك
- السعة: ٢٢ لترًا
- لوحة تحكم تعمل باللمس مع شاشة LED
- فتح الباب إلكترونيًا
- ٥ مستويات للطاقة، ٨٥٠ واط
- ٢ من قوائم الوصول المباشر
- مزود بعدد ٣ وظائف للطهي
- بدء سريع في ٣٠ ثانية
- شواية منسدلة، بقدرة ١٢٠٠ واط
- مؤقت، ٩٠-٠ دقيقة
- تسخين الطعام ذاتيًا حسب الوقت والوزن
- خاصية قفل الأمان للأطفال
- باب زجاجي مزدوج
- تجويف داخلي من الفولاذ المقاوم للصدأ
- تهوية جانبية
- باب يفتح من الجهة اليسرى
- شبكة معززة

COLOR

 Stainless Steel

FRAME Frameless

PRODUCT DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm



TOTAL
MWE 255 FI SS
HSB 635 SS

25L CAPACITY MICROWAVE



Ref. 40581125



Ref. 40584000

TOTAL MWE 255 FI SS

NEW



- Built-in Microwave + Grill
 - 3 cooking functions
 - 10 direct access menus
 - 5 power levels, 1450 W
 - Grill power: 1000 W
 - Defrost by time and weight
 - Touch control display with knobs and minute minder
 - Double glazed door with right opening
 - Children safety lock
 - LED inner light
 - Stainless steel (fingerprint proof)
 - Quick start
 - Capacity (gross/net): 25 / 23.6 litres
 - Stainless steel cavity
- ميكروويف وشواية مدمجان
 - ٣ وظائف طهي
 - ١٠ قوائم للوصول المباشر
 - ٥ مستويات للطاقة، ١٤٥٠ واط
 - طاقة الشواية: ١٠٠٠ واط
 - تسخين الطعام حسب الوقت والوزن
 - شاشة تحكم باللمس مع مؤقت بالدقائق
 - باب زجاجي مزدوج يفتح من الجهة اليمنى
 - قفل أمان للأطفال
 - فصل تلقائي عند فتح الباب
 - ضوء داخلي ساطع
 - بداية سريعة
 - السعة (الإجمالية / الصافية): ٢٣,٦/٢٥ لتر
 - تجويف مصنوع من الفولاذ المقاوم للصدأ.

COLOR

Stainless Steel

FRAME Stainless steel

PRODUCT DIMENSIONS

Height 378mm Width 595mm Depth 413mm

EASY MB 620 BI



- Microwave
 - Capacity: 20 litres
 - Electromechanical controls
 - 5 power levels, 750 W
 - 1 cooking function
 - 0-60 min. Timer
 - Automatic defrosting by time
 - Double glazed door
 - Stainless steel inner cavity
 - Left door opening
- ميكروويف
 - السعة: ٢٠ لترًا
 - لوحات تحكم كهروميكانيكية
 - ٥ مستويات للطاقة، ٧٥٠ واط
 - مزود بوظيفة طهي واحدة
 - مؤقت، ١٠٠٠ دقيقة
 - تسخين الطعام ذاتيًا حسب الوقت
 - باب زجاجي مزدوج
 - تجويف داخلي من الفولاذ المقاوم للصدأ
 - باب يفتح من الجهة اليسرى

COLOR

Stainless Steel

FRAME Stainless steel

PRODUCT DIMENSIONS


Height 390mm Width 595mm Depth 325mm

MICROWAVES


TECHNICAL FEATURES

Model	HLC 8440 C	MLC 84-G1 BM	MLC 8440
INNER CAVITY DIMENSIONS			
Height (mm)	232	232	232
Width (mm)	475	475	475
Depth (mm)	365	365	365
Volume Net (L)	40	44	44
Volume Gross (L)	41	45	45
ELECTRICAL FEATURES			
Maximum Nominal Power (W)	3.400	3.200	3.200
MWO Power (W)	1.000	1.000	1.000
Static oven (W)	2.100	–	–
Bottom Heating Element (W)	1.000	–	–
Grill (W)	–	1.400	1.400
Maxigrill (W)	2.500	–	–
Turbo (W)	1.600	–	–
Multifunction motor (W)	30	–	–
Inner light (W)	25	25	25
Cooling fan motor (W)	18	18	18
Cable connection length	110	110	110
SAFETY SYSTEMS			
Automatic disconnection security system	✓	✓	✓
Children safety	✓	–	–
Grill protection	✓	✓	✓
Full glazed door	3	2	✓


Model	ML 8220 BIS L WH ML 8220 BIS L FBK ML 8220 BJSL BK ML 82 G1	MS 622 BIS L	ML 825 TFL BK	MWE 255 FI SS	MB 620 BI
INNER CAVITY DIMENSIONS					
Height (mm)	220	220	206	206	210
Width (mm)	350	350	228	328	305
Depth (mm) (mm)	280	280	368	368	280
Volume (l)	22	22	25	25	20
ELECTRICAL FEATURES					
Maximum Nominal Power (W)	2.500	2.500	1450	1450	1.200
Microwave power	850	850	900	900	750
Grill power (W)	1.200	1.200	1000	1000	–
Cable connection length	110	110	110	110	110
SAFETY SYSTEMS					
Children safety block	–	✓	✓	✓	–
Safety thermostat	✓	✓	✓	✓	✓
Automatic disconnection when opening the door	✓	✓	✓	–	✓
Tangential ventilation	✓	✓	–	–	–




HLC 8440 C · MLC 84-G1 BM · MLC 8440




ML 8220 BIS L · MS 622 BIS · ML 82 G1



ML 825 TFL BK



MB 620 BI



MWE 255 FI

Delicious coffee, now faster and **more flavouring than ever**

Share unique moments around a cup of exquisite espresso or cappuccino. Our automatic coffee machine adds an exclusive touch of personality and refinement, while amplifying the aromas and flavours of your favourite blends. Choose among built-in capsule coffee machines or with coffee grinder. Because great conversations start with delicious coffee.

Coffee Machine



COFFEE MACHINE



Ref. 111630007



Ref. 111630004

MAESTRO CLC 85-G1 GM INFINITY

NEW



- Infiniy G1 Edition
 - Automatic built-in coffee machine
 - Self-cleaning function
 - Intensity, temperature and coffee quantity regulation
 - Electronic control display
 - Telescopic rails for an easy pull out of the coffee maker
 - 30 automatic programs
 - Automatic LED lights
 - Capacity: 2 cups at once
 - Easy removable container for coffee grounds
 - 15 bar pump pressure
 - Adjustable coffee, steam, and hot water pipes
 - Integrated steel grinder for natural coffee beans (13 different ground positions)
 - Coffee beans container, 200 gr capacity
 - Pre-grounded coffee container
 - 1,8 litres water tank
 - Automatic decalcifier
- مجموعة انفينيتي الخاصة والمميزة
 - ماكينة تحضير قهوة ذاتية مدمجة
 - مزودة بوظيفة التنظيف الذاتي
 - تنظيم الكثافة ودرجة الحرارة
 - وكمية القهوة
 - شاشة تحكم إلكترونية
 - قضبان متداخلة لسهولة السحب
 - من ماكينة تحضير القهوة
 - مزودة بعدد ٣٠ برنامج آلي
 - إضاءة LED آلية
 - السعة: إعداد كوبين في نفس الوقت
 - وعاء سهل الإزالة للقهوة المطحونة
 - قدرة ضغط المضخة ١٥ بار
 - أنابيب القهوة والبخار والماء الساخن قابلة للتعديل
 - مطحنة فولاذية مدمجة لحبوب القهوة الطبيعية (١٣ مستوى مختلف للطحن)
 - وعاء حبوب القهوة سعة ٢٠٠ جرام
 - وعاء القهوة المطحونة مسبقاً
 - خزان مياه سعة ١,٨ لتر
 - مزيل الرواسب الكلسية الذاتي

COLOR

Black Matt

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 411mm

MAESTRO CLC 855 GM BK



- Automatic built-in coffee machine
 - Self-cleaning function
 - Intensity, temperature and coffee quantity regulation
 - Electronic control display
 - Telescopic rails for an easy pull out of the coffee maker
 - 30 automatic programs
 - Automatic LED lights
 - Capacity: 2 cups at once
 - Easy removable container for coffee grounds
 - 15 bar pump pressure
 - Adjustable coffee, steam, and hot water pipes
 - Integrated steel grinder for natural coffee beans (13 different ground positions)
 - Coffee beans container, 200 gr capacity
 - Pre-grounded coffee container
 - 1,8 litres water tank
 - Automatic decalcifier
- ماكينة تحضير قهوة ذاتية مدمجة
 - مزودة بوظيفة التنظيف الذاتي
 - تنظيم الكثافة ودرجة الحرارة
 - وكمية القهوة
 - شاشة تحكم إلكترونية
 - قضبان متداخلة لسهولة السحب
 - من ماكينة تحضير القهوة
 - مزودة بعدد ٣٠ برنامج آلي
 - السعة: إعداد كوبين في نفس الوقت
 - وعاء سهل الإزالة للقهوة المطحونة
 - قدرة ضغط المضخة ١٥ بار
 - أنابيب القهوة والبخار والماء الساخن قابلة للتعديل
 - مطحنة فولاذية مدمجة لحبوب القهوة الطبيعية (١٣ مستوى مختلف للطحن)
 - وعاء حبوب القهوة سعة ٢٠٠ جرام
 - وعاء القهوة المطحونة مسبقاً
 - خزان مياه سعة ١,٨ لتر
 - مزيل الرواسب الكلسية الذاتي

COLOR

Black Glass

PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 411mm



YOUR COFFEE EXPERT, ALWAYS ON HAND

Enjoy the best coffee, whenever you want! The new **WISH** coffee makers will surprise you with the high degree of satisfaction they provide.

COFFEE, STEAM OR JUST HOT WATER?

Featuring an easy and intuitive control panel with easy access to 3 great functions: coffee, steam and hot water.

NOW ALSO FOR COFFEE CAPSULES

You can use different brands of coffee capsules directly in the Teka coffee maker. And if you prefer a cup of tea, that too!

CLC 835 SERIES

FIRST BUILT-IN CAPSULE COFFEE MACHINE



Ref. 111630006

MAESTRO CLC 8350 MC



- Multi capsule built-in coffee maker
- Multi capsule (*) and ground coffee machine
- Coffee selector: small, medium, large, extra large and infusions
- Electronic control panel with TFT display
- 5 adapters included
- Automatic LED lights
- Capacity: 1 cup
- Adjustable height cup support
- Temperature selector
- Storage drawer
- 2 side storage compartments
- Drip tray
- 19 bar pump pressure
- 1 litre water tank
- Waste container
- Automatic decalcifier
- Descaling function
- *5 capsule adaptors: Nespresso®, Lavazza®, Caffitaly®, E.S.E pod, Coffee powder

- ماكينة تحضير قهوة مدمجة متعددة الكبسولات
- ماكينة تحضير القهوة المطحونة ومتعددة الكبسولات (*)
- زر اختيار القهوة: صغير، متوسط، كبير، كبير جداً، والضخ
- لوحة تحكم إلكترونية مع شاشة TFT
- تحتوي على 5 محولات
- مصابيح LED ذاتية
- السعة: 1 كوب
- حامل أكواب قابل للتعديل
- زر اختيار درجة الحرارة
- درج تخزين
- حجرتان جانبيتان للتخزين
- صينية لتجميع القطرات
- قدرة ضغط المضخة 19 بار
- خزان ماء سعة 1 لتر
- وعاء المخلفات
- مزيل الرواسب الكلسية الذاتي
- وظيفة إزالة الرواسب
- * 5 محولات كبسولة: نسبريسو®، لافازا®، كافيتالي®، كبسولة إي إس إي، مسحوق القهوة


COLOR

Black Glass


PRODUCT DIMENSIONS

Height 455mm Width 595mm Depth 330mm

Model	CLC 835 MC	CLC 855 GM CLC 85-G1 GM INFINITY
Multicapsule	√	–
INNER CABINET DIMENSIONS		
Cabinet height (mm)	450	450
Cabinet width (mm)	560	560
Cabinet depth (mm)	580	–
ELECTRICAL FEATURES		
Maximum Nominal Power (W)	2100	1350
Cable connection length	110	180



CLC 8350 MC



CLC 855 GM · CLC 85-G1 GM INFINITY



Hobs

Add some of your own magic
to each of your recipes

HOBBS

VarioPro Series

REINVENT **YOUR KITCHEN**


Discover our new VarioPro series. A modular range that you can design to suit your kitchen and your lifestyle, with the hood where you need it most, next to your hob.

Choose and combine your hood as you wish with Induction, Gas, Highlight hobs or Teppanyaki.



SCAN AND
DISCOVER





HOBBS

Cooking **without limits**



Full Flex **DirectSense induction**

Cook with no limits thanks to its FullFlex technology using the whole cooking surface. Use your imagination and cook with recipients of any size, your recipes won't have limits.

DirectSense control the Temperature using sensors avoids oil to reach excessively high temperatures. Use your imagination and cook with recipients of any size at the perfect temperature without limits.

Space induction

Flex area is designed to use every single corner of the cooking area with different shape pans. Perfect for grids, grill, TeppanYaki or rectangular recipients.



Old traditional cooking with the **newest technology**

ExactFlame

Trying to guess the power of the flame is just part of the past. With ExactFlame you can easily control flame intensity with the highest precision. You can choose a range of power from 1 to 9, ready for any kind of cooking you need at any time.

Power 8 to 9:

- Deep Frying
- Quick Boiling
- Stir Frying

Power 4 to 5:

- Pasta
- Boiled Potatoes
- Vegetables

Power 1:

- Keep Warm

Power 6 to 7:

- Pan Frying
- Simmering

Power 2 to 3:

- Melting
- Bain-Marie



Hobs

Teka adds soul to your kitchen.

		MAESTRO		
		MULTISLIDER + HOOD	MULTISLIDER	TOUCH CONTROL
INDUCTION	90		 IZS 97630	 IBF 95-G1 MST BM
	80	 AFF 87601 MST MastersenseAir		
	60		 IZC 64630 WH MST	
	MODULAR		 IZS 34700	
VITROCERAMIC	90			 TR 951
	60			
	MODULAR			

MAESTRO

Domestic appliances for those who like going one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum effectiveness in any situation.

EASY

For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.

TOTAL	EASY
TOUCH CONTROL	MULTISLIDER

HOBS



IZC 64010 BK MSS



TT 6420



TZ 6415



TZC 32320 BK TTC

		MAESTRO		
		GAS ON GLASS		
GAS	90	 GZC 95320	 GBC 95-G1	
	60	 GBC 75- G1 GBC BM Cutout size 60 cm Total size 70 cm	 GZC 64300 BK	 GZC 64320 WH
	MODULAR			

TOTAL		
GAS ON GLASS	STAINLESS STEEL	
	 EX 90.1 5G AI AL DR CI	 EFX 90.1 5G AI AL DR LEFT
	 EFX 60.1 4G AI AL DR CI BTN (ME)	
 GZC 32309		

NEW MASTERSENSE AIR

RE-IMAGINE YOUR KITCHEN



Ref. 112730000

MAESTRO AFF 87601 MST MASTERSENSE AIR

NEW



- Flex Induction hob with integrated hood
- Automatic hood activation
- Direct functions: Confit, poach, grilling, pan frying, deep frying, slimmering, melting
- Touch control multiSlider
- 6 cooking zones (4+2)
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power Plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power: 7200 (IH) + 200 (AH)
- Optional: Teppanyaki and grilling plate
- FreshAir function
- Brushless EcoPower Motor
- 9 speeds
- Intensive speed sound level (dBA): 66
- Max speed sound level (dBA): 65
- Min speed sound level (dBA): 43
- 2 aluminium filters with 12 layers
- Stop delay timer
- Filter saturation indicator

- موقد طهي بتقنية اللمس المرن مع شفاط مدمج
- تفعيل تلقائي للشفاط
- وظائف مباشرة: الطهي البطيء، السلق، الشوي، القلي بالمقلاة، القلي العميق، الطبخ على نار هادئة، الإذابة
- تحكم باللمس مالتى سلايدر
- ٦ مناطق طهي (٤ + ٢)
- سطح سيراميك زجاجي
- نظام أمان بالقفل التلقائي
- مؤقت طهي
- باور بلس
- قفل للأطفال
- مؤشر للحرارة المتبقية
- إدارة الطاقة
- أداة التركيب السهل
- الحد الأقصى للقوة الإسمية: ٧٢٠٠ (IH) + ٢٠٠ (AH)
- ملحوق اختياري: صينية تيبانياكي وصفحة للشواء
- خاصية تنقية الهواء
- محرك EcoPower بدون فرش
- ٩ سرعات
- مستوى صوت السرعة المكثفة (ديسبل): ٦٦
- الحد الأقصى لسرعة مستوى الصوت (ديسبل): ٦٥
- الحد الأدنى لسرعة مستوى الصوت (ديسبل): ٤٣
- فلتران من الألومنيوم بـ ١٢ طبقة
- مؤقت تأخير الإيقاف
- مؤشر درجة تشبع الفلتر

COLOR




Black Glass


FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 219 Width 800mm Depth 510mm



Ref. 112500061



Ref. 112500034

MAESTRO IBF 95-G1 MST BM

NEW



- Infinity G1 special edition
- 90 cm Flex Induction hob
- SlideCooking function
- 9 Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 5 cooking zones
- 1 zone Ø 320/180 mm
- 2 zones Ø 228 x 200 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 10.800 W

- مجموعة انفينيتي المميزة
- موقد طهي بتقنية اللمس المرن من فليكس مقاس ٩٠ سم
- وظيفة SlideCooking
- ٩ وظائف مباشرة مع حساسات حرارة: الطهي البطيء، السلق، الشوي، القلي بالمقلدة، القلي العميق، الغلي السريع، الطهي على نار هادئة، الإذابة، والحفاظ على الحرارة
- مزود بمفاتيح تحكم مالتى سلايدر تعمل باللمس
- ٥ مناطق طهي
- منطقة قطرها ١٨٠/٣٢٠ مم
- منطقتان بأبعاد ٢٢٨ x ٢٠٠ مم
- منطقة قطرها ٢١٥ مم
- ١ منطقة قطرها ١٥٠ مم
- سطح زجاجي سيراميك
- نظام أمان القفل التلقائي
- مؤقت الطهي
- وظيفة باور بلاس
- خاصية قفل الأمان للأطفال
- مؤشر الحرارة المتبقية
- نظام إدارة الطاقة
- مجموعة سهلة التركيب
- الحد الأقصى للطاقة التشغيلية ١٠,٨٠٠ واط

COLOR

Black Matt

FRAME C-edged glass

PRODUCT DIMENSIONS

Height 53mm Width 900mm Depth 510mm

MAESTRO IZS 97630 MST BK

NEW



- 90 cm Flex Induction hob
- SlideCooking function
- 9 Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 5 cooking zones
- 1 zone Ø 320/180 mm
- 2 zones Ø 228 x 200 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 10.800 W

- موقد طهي بتقنية اللمس المرن من فليكس مقاس ٩٠ سم
- وظيفة SlideCooking
- ٩ وظائف مباشرة مع حساسات حرارة: الطهي البطيء، السلق، الشوي، القلي بالمقلدة، القلي العميق، الغلي السريع، الطهي على نار هادئة، الإذابة، والحفاظ على الحرارة
- مزود بمفاتيح تحكم مالتى سلايدر تعمل باللمس
- ٥ مناطق طهي
- منطقة قطرها ١٨٠/٣٢٠ مم
- منطقتان بأبعاد ٢٢٨ x ٢٠٠ مم
- منطقة قطرها ٢١٥ مم
- ١ منطقة قطرها ١٥٠ مم
- سطح زجاجي سيراميك
- نظام أمان القفل التلقائي
- مؤقت الطهي
- وظيفة باور بلاس
- خاصية قفل الأمان للأطفال
- مؤشر الحرارة المتبقية
- نظام إدارة الطاقة
- مجموعة سهلة التركيب
- الحد الأقصى للطاقة التشغيلية ١٠,٨٠٠ واط


COLOR

Black Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 53mm Width 900mm Depth 510mm



Ref. 112520015

EASY IZC 64010 BK MSS



- 60 cm Induction hob
- Touch control MultiSlider
- Cooking timer
- 4 cooking zones:
- 2 induction Ø 185 mm
- 2 induction Ø 150 mm
- Power Plus function
- Stop & Go function
- Residual hear indicators
- Fast-Click easy installation
- Maximum nominal power : 7.200 W

- موقد طهي بتقنية اللمس المرن
- مقاس ٦٠ سم
- مزود بمفاتيح تحكم (مالتي
- سلايدر) تعمل باللمس
- مؤقت الطهي
- ٤ مناطق للطهي
- منطقتان بأبعاد ١٨٥ مم
- منطقتان بأبعاد ١٥٠ مم
- مزود بوظيفة باور بلاس
- وظيفة الإيقاف والتشغيل
- مؤشرات الحرارة المتبقية
- التركيب السهل بنقرة سريعة
- الحد الأقصى للطاقة التشغيلية
- ٧٢٠٠ واط

COLOR

Black Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm



Ref. 112500027

MAESTRO IZC 64630 WH MST



- Urban Colors Edition
- Induction hob
- Touch control MultiSlider
- Cooking timer
- 4 cooking zones:
- 1 induction Ø 215 mm
- 2 induction Ø 185 mm
- 1 induction Ø 150 mm
- Special cooking functions with temperature sensors: Grilling, Deep frying, Pan frying, KeepWarm, Boiling, Simmering, Confit & Melting
- Power Plus function
- Stop & Go function
- Residual hear indicators
- Fast-Click easy installation
- Maximum nominal power : 8.800 W

- مجموعة اوريان كولورز
- موقد طهي بتقنية اللمس المرن
- مزود بمفاتيح تحكم (مالتي
- سلايدر) تعمل باللمس
- مؤقت الطهي
- ٤ مناطق للطهي
- منطقة قطرها ٢١٥ مم
- منطقتان بأبعاد ١٨٥ مم
- منطقتان بأبعاد ١٥٠ مم
- وظائف طهي خاصة مع حساسات
- حرارة: الشوي، القلي العميق،
- القلي بالمقلدة، الحفاظ على
- الحرارة، الغلي، الطهي على نار
- هادئة، الطهي البطيء، والإذابة
- وظيفة باور بلاس
- وظيفة الإيقاف والتشغيل
- مؤشرات الحرارة المتبقية
- التركيب السهل بنقرة سريعة
- الحد الأقصى للطاقة التشغيلية
- ٨٨٠٠ واط

COLOR

White Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm



Ref. 10210002

MAESTRO TR 951



- 90 cm vitroceramic hob
 - Touch control panel
 - Burst of cooking function
 - Stop and Go function
 - Security blocking
 - Cooking time programmer
 - Independent programmer of each cooking zone
 - Residual heat indicator
 - 5 cooking zones :
 - 1 triple high light Ø 145/210/270 mm
 - 1 double high light Ø 120/180 mm
 - 1 high light Ø 180 mm
 - 1 high light Ø 160 mm
 - 1 high light Ø 145 mm
 - Total nominal power : 8.900 W
- موقد طهي فيترو سيراميك مقاس ٩٠ سم
 - مزود بلوحة تحكم تعمل باللمس
 - وظيفة زيادة الطاقة للطهي
 - مزود بوظيفة الإيقاف والتشغيل
 - مزود بخاصية قفل الأمان
 - مبرمج وقت الطهي
 - مبرمج مستقل لكل منطقة طهي
 - مؤقت لضبط وقت الطهي
 - ٥ مناطق للطهي:
 - شعلة عالية ثلاثية ٢٧٠/٢١٠/١٤٥ مم
 - شعلة عالية مزدوجة ١٨٠/١٢٠ مم
 - شعلة عالية ١٨٠ مم
 - شعلة عالية ١٦٠ مم
 - شعلة عالية ١٤٥ مم
 - إجمالي الطاقة التشغيلية: ٨٩٠٠ واط


COLOR

Black Glass

FRAME Full bevelled glass

PRODUCT DIMENSIONS

Height 63mm Width 900mm Depth 510mm



Ref. 40239021

TOTAL TT 6420



- Vitroceramic hob
 - Touch Control
 - 4 cooking zones
 - 1 high lights Ø 180/210 mm
 - 1 high lights Ø 180 mm
 - 2 high lights Ø 145 mm
 - Ceramic glass surface
 - Auto-lock safety system
 - Cooking timer
 - Power plus
 - Child lock
 - Residual heat indicator
 - Easy installation kit
 - Maximum nominal power 6200 W
- موقد طهي فيترو سيراميك
 - مزود بخاصية التحكم باللمس
 - ٤ مناطق للطهي
 - شعلة عالية ٢١٠/١٨٠ مم
 - شعلة عالية ١٨٠ مم
 - ٢ شعلة عالية ١٤٥ مم
 - سطح زجاجي سيراميك
 - نظام أمان القفل التلقائي
 - مزود بمؤقت الطهي
 - مزود بوظيفة باور بلاس
 - مزود بخاصية قفل الأمان للأطفال
 - مؤشر الحرارة المتبقية
 - مجموعة سهلة التركيب
 - الحد الأقصى للطاقة التشغيلية ٦٢٠٠ واط


COLOR

Black Glass

FRAME Slim metal frame

PRODUCT DIMENSIONS

Height 51mm Width 600mm Depth 515mm



Ref. 40239040

90 CM



Ref. 112570237

EASY TZ 6415

NEW



- Vitroceramic hob
- Touch Control
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6300 W

- موقد طهي فيتروسيراميك
- مزود بخاصية التحكم باللمس
- ٤ مناطق للطهي
- شعلة عالية بقطر ٢١٠ ملم
- شعلة عالية بقطر ١٨٠ ملم
- ٢ شعلة عالية بقطر ١٤٥ ملم
- سطح زجاجي سيراميك
- نظام أمان القفل التلقائي
- مؤقت طهي
- مزود بقفل أمان للأطفال
- مؤشر الحرارة المتبقية
- مجموعة سهلة التركيب
- الحد الأقصى للطاقة التشغيلية ٦٣٠٠ وات

COLOR

Black Glass
FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 51mm Width 600mm Depth 510mm

MAESTRO GBC 95-G1 GBC BM (E5)

NEW



- Infinity | G1 Edition
- Designed in Italy by Giugiaro Italdesign
- Gas on Glass hob
- Exclusive matte black finishing
- Frontal mechanical control panel with ergonomic design
- 5 cooking zones
- 1 double ring burner, 3,50 kW
- 1 fast burner, 2,80 kW
- 1 semi fast burner, 1,75 kW
- 1 semi fast burner, 1,40 kW
- 1 auxiliary burner, 1,00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 10450 W
- Optional: Wok support

- مجموعة انفينيتي الخاصة والمميزة
- تصميم إيطالي من قبل شركة Giugiaro Italdesign
- موقد طهي غاز بسطح زجاجي
- ملمس خارجي مميز باللون الأسود المطفي
- لوحة تحكم آلية أمامية بتصميم مريح
- ٥ مناطق للطهي
- شعلة مزدوجة، ٣,٥٠ كيلو واط
- شعلة سريعة، ٢,٨٠ كيلو واط
- شعلة شبه سريعة، ١,٧٥ كيلو واط
- شعلة شبه سريعة، ١,٤٠ كيلو واط
- شعلة مساعدة، ١,٠٠ كيلو واط
- سطح زجاجي سيراميك
- خاصية الإشعال الذاتي
- نظام أمان القفل التلقائي
- شبكات من الحديد الخام المطلي
- مجموعة سهلة التركيب
- الحد الأقصى للطاقة التشغيلية ١٠٤٥٠ واط
- اختياري: يستخدم مع المقلاة

COLOR

Black Matt
FRAME C-edged glass

PRODUCT DIMENSIONS

Height 98mm Width 900mm Depth 510mm



Ref. 112570069

MAESTRO GZC 95320



- Gas on Glass with ExactFlame
- Front control knobs with ergonomic design
- Ceramic glass surface
- 9 power levels with precise control of the flame
- 1 double ring burner, 4,00 kW
- 1 fast burner, 2,80kW
- 1 semi-fast burner, 1,75 kW
- 1 semi-fast burner, 1,4 kW
- 1 auxiliary burner, 1,00 kW
- Auto-lock safety device (Thermocouples)
- Automatic-ignition in every burner, activated through control knobs
- Optional Wok support
- Large cast iron pan grids
- Easy installation kit
- Gas typology: LPG (butan/propane)
- Nozzles to natural gas

- موقد يعمل بالغاز بسطح زجاجي مزود بوظيفة ضبط اللهب
- مقابض تحكم أمامية بتصميم مريح
- مزود بسطح زجاجي سيراميك
- ٩ مستويات للطاقة مع تحكم دقيق في اللهب
- شعلة مزدوجة، ٤,٠٠ كيلو واط
- شعلة سريعة، ٢,٨٠ كيلو واط
- شعلة شبه سريعة، ١,٧٥ كيلو واط
- شعلة شبه سريعة، ١,٤ كيلو واط
- شعلة مساعدة، ١,٠٠ كيلو واط
- جهاز أمان القفل الآلي (المزدوجات الحرارية)
- إشعال ذاتي في كل شعلة، يتم تفعيله من خلال مقابض التحكم
- اختياري: يستخدم مع المقلاة
- شبكة من الحديد الخام المطلي
- مجموعة سهلة التركيب
- تصنيف الغاز: غاز البترول المسال (بوتان / البروبان)
- فوهات للغاز الطبيعي

COLOR

Black Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 98mm Width 900mm Depth 510mm



Ref. 112570210

MAESTRO GBC 75 INFINITY G1

NEW



- Infinity | G1 Edition
- Designed in Italy by Giugiaro Italdesign
- Gas on Glass hob
- Exclusive matte black finishing
- Frontal mechanical control panel with ergonomic design
- 5 cooking zones
- 1 double ring burner, 3,50 kW
- 1 fast burner, 2,80 kW
- 1 semi fast burner, 1,75 kW
- 1 semi fast burner, 1,40 kW
- 1 auxiliary burner, 1,00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 10450 W
- Optional: Wok support

- مجموعة أنفينتي الخاصة والمميزة
- تصميم إيطالي من قبل شركة Giugiaro Italdesign
- موقد طهي غاز بسطح زجاجي ملمس خارجي مميز باللون الأسود المطفي
- لوحة تحكم آلية أمامية بتصميم مريح
- ٥ مناطق للطهي
- شعلة مزدوجة، ٣,٥٠ كيلو واط
- شعلة سريعة، ٢,٨٠ كيلو واط
- شعلة شبه سريعة، ١,٧٥ كيلو واط
- شعلة شبه سريعة، ١,٤٠ كيلو واط
- شعلة مساعدة، ١,٠٠ كيلو واط
- سطح زجاجي سيراميك
- خاصية الإشعال الذاتي
- نظام أمان القفل التلقائي
- شبكات من الحديد الخام المطلي
- مجموعة سهلة التركيب
- الحد الأقصى للطاقة التشغيلية ١٠٤٥٠ واط
- اختياري: يستخدم مع المقلاة

COLOR

Black Matt

FRAME C-Edged Glass

PRODUCT DIMENSIONS

Height 50mm Width 700 mm Depth 510mm



Ref. 112570033

MAESTRO GZC 64300 BK

NEW



- Gas on Glass with ExactFlame
 - 9 power levels with precise control of the flame
 - Front control knobs with ergonomic design
 - 4 cooking zones:
 - 1 semi-fast burner (1.4 kW)
 - 1 semi-fast burners (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
 - Large cast iron grids
 - Automatic-ignition in every burner, activated through control knobs
 - Auto-lock safety device (Thermocouples)
 - Optional Wok support
 - Easy installation kit
 - Ceramic glass surface
 - Gas typology: LPG (butan/propane)
 - Nozzles to natural gas
- موقد يعمل بالغاز بسطح زجاجي مزود بوظيفة ضبط اللهب
 - ٩ مستويات لقوة الغاز مع التحكم الدقيق في اللهب
 - مقابض تحكم أمامية بتصميم مريح
 - ٤ مناطق للطهي
 - شعلة شبه سريعة، ١,٤ كيلو واط
 - شعلة شبه سريعة، ١,٧٥ كيلو واط
 - شعلة سريعة، ٢,٨٠ كيلو واط
 - شعلة مساعدة، ١,٠٠ كيلو واط
 - شبكات كبيرة من الحديد الخام المطلي
 - إشعال ذاتي في كل شعلة، يتم تفعيله من خلال مقابض التحكم
 - جهاز أمان القفل الآلي (المزدوجات الحرارية)
 - اختياري: يستخدم مع المقلاة
 - مجموعة سهلة التركيب
 - سطح زجاجي سيراميك
 - تصنيف الغاز: غاز البترول المسال (بوتان / البروبان)
 - فوهات للغاز الطبيعي

COLOR

Black Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 50mm Width 600mm Depth 510mm



Ref. 112570140

MAESTRO GZC 64320 XBB WH (ME)



- Urban Colors Edition
 - Gas on Glass with ExactFlame
 - 9 power levels with precise control of the flame
 - Front control knobs with ergonomic design
 - 4 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 semi-fast burner (1.75 kW)
 - 1 fast burner (2.80 kW)
 - 1 auxiliary burner (1.00 kW)
 - Large cast iron grids
 - Automatic-ignition in every burner, activated through control knobs
 - Auto-lock safety device (Thermocouples)
 - Optional Wok support
 - Easy installation kit
 - Ceramic glass surface
 - Gas typology: LPG (butan/propane)
 - Nozzles to natural gas
- إصدار اوريان كولورز
 - موقد غاز على سطح زجاجي مزود بخاصية ExactFlame
 - ٩ مستويات للطاقة مع تحكم دقيق في اللهب
 - مقابض تحكم أمامية بتصميم مريح
 - ٤ مناطق للطهي:
 - ١ شعلة مزدوجة الحلقة (٤,٠٠ كيلو واط)
 - ١ شعلة بسرعة متوسطة ١,٧٥ كيلو واط
 - ١ شعلة سريعة (٢,٨٠ كيلو واط)
 - ١ شعلة إضافية (١,٠٠ كيلو واط)
 - شبكات كبيرة من الحديد الزهر
 - إشعال ذاتي في كل شعلة، يتم تنشيطه من خلال مقابض التحكم
 - جهاز أمان للقفل التلقائي (ثيرموكوبلز)
 - دعم اختياري للمقلاة
 - طقم سهل التركيب
 - سطح زجاجي من السيراميك
 - تصنيف الغاز: غاز نفطي مسال (بوتان / بروبان)
 - فوهات للغاز الطبيعي

COLOR

Glass White

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 50mm Width 600mm Depth 510mm

90 CM



Ref. 40211631

TOTAL EFX 90.1 5G AI AL DR LEFT



- 90 cm gas hob
 - Double ring burner
 - Cast iron grids
 - Metallic and glossy black looking frontal knobs
 - Auto-ignition
 - Auto-lock safety device
 - High efficiency burners
 - 5 cooking zones :
 - 1 double ring burner (4 kw)
 - 1 fast burner (3 kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 auxiliary burner (1 kW)
 - Gas typology : LPG (butane/ propane)
 - Nozzles to natural gas
- موقد طهي غاز مقاس ٩٠ سم
 - شعلة مزدوجة
 - شبكات من الحديد الخام المطلي
 - مقابض أمامية معدنية ولامعة باللون الأسود
 - خاصية الإشعال الذاتي
 - جهاز أمان القفل الآلي
 - شعلات ذات كفاءة عالية
 - ٥ مناطق للطهي
 - شعلة مزدوجة (٤ كيلو واط)
 - شعلة سريعة، ٣ كيلو واط
 - شعلتي شبه سريعة، ١,٧٥ كيلو واط
 - شعلة مساعدة، ١ كيلو واط
 - تصنيف الغاز: غاز البترول المسال (البيوتان/البروبان)
 - فوهات للغاز الطبيعي

COLOR



Stainless Steel

FRAME Brushed stainless steel

PRODUCT DIMENSIONS

Height 45mm Width 860mm Depth 510mm

90 CM



Ref. 40212063

TOTAL EX 90.1 5G AI AL DR CI BUT



- 90 cm gas hob
 - Double ring burner
 - Cast iron grids with a professional look.
 - Metallic and glossy black looking frontal knobs
 - Auto-ignition
 - Auto-lock safety device
 - High Efficiency burners.
 - 5 cooking zones:
 - 1 double ring burner (4.00 kW)
 - 1 fast burner (2.8 kW)
 - 2 semi-fast burner (1.75 kW)
 - 1 auxiliary burner (1kW)
 - Gas typology: LPG (butane/ propane)
 - Nozzles to natural gas
- موقد طهي غاز مقاس ٩٠ سم
 - شعلة مزدوجة
 - شبكات من الحديد الخام المطلي
 - مقابض أمامية معدنية ولامعة باللون الأسود
 - مزود بخاصية الإشعال الذاتي
 - مزود بجهاز أمان القفل الآلي
 - مزود بشعلات ذات كفاءة عالية
 - ٥ مناطق للطهي
 - شعلة مزدوجة (٤ كيلو واط)
 - شعلة سريعة، ٢,٨ كيلو واط
 - شعلتي شبه سريعة، ١,٧٥ كيلو واط
 - شعلة مساعدة، ١ كيلو واط
 - تصنيف الغاز: غاز البترول المسال (البيوتان/البروبان)
 - فوهات للغاز الطبيعي

COLOR



Stainless Steel

FRAME Brushed stainless steel

PRODUCT DIMENSIONS

Height 33mm Width 860mm Depth 500mm



Ref. 112610072



Ref. 112530001

TOTAL EFX 60.1 4G AI AL DR CI BTN

NEW



- 60 cm gas hob
 - Double ring burner
 - Cast iron grids
 - Metallic and glossy black looking frontal knobs
 - Auto ignition
 - Auto-lock safety system
 - 4 cooking zones
 - 1 double ring burner (4.00 kW)
 - 2 semi-fast burners (1.75 kW)
 - 1 auxiliary burner (1 kW)
 - Gas typology: LPG (butane/propane)
 - Nozzles to natural gas
- موقد طهي غاز مقاس ٦٠ سم
 - شعلة مزدوجة
 - شبكات من الحديد الخام المطلي
 - مقابض أمامية معدنية ولامعة باللون الأسود
 - خاصية الإشعال الذاتي
 - نظام أمان القفل الآلي
 - ٤ مناطق للطهي
 - شعلة مزدوجة (٤ كيلو واط)
 - شعلة شبه سريعة (١,٧٥ كيلو واط)
 - شعلة مساعدة، ١ كيلو واط
 - تصنيف الغاز: غاز البترول المسال (البيوتان/البروبان)
 - فوهات للغاز الطبيعي

COLOR

Stainless Steel

FRAME Brushed stainless steel

PRODUCT DIMENSIONS

Height 45mm **Width** 600mm **Depth** 510mm

MAESTRO IZS 34700 MST BK

NEW



- VarioPro Series
 - Modular Flex Induction hob
 - SlideCooking function
 - Direct functions with temperature sensors: Poaching, confit, grilling, pan frying, deep frying, simmering and keep warm
 - Touch Control MultiSlider
 - 2 cooking zones
 - 1 Slide Flex zone 255 x 400 mm
 - 2 zones 255 x 200 mm
 - Auto-lock safety system
 - Cooking timer
 - Power plus
 - Child lock
 - Residual heat indicator
 - Power management
 - Easy installation kit
 - Maximum nominal power 3600 W
- مجموعة فارايو برو
 - موقد طهي بتقنية اللمس المرن من فليكس معياري
 - وظيفة (سلايد كوكينج)
 - وظائف مباشرة مع حساسات درجة الحرارة: السلق، الطهي البطيء، الشوي، القلي بالمقلاة، القلي العميق، الطبخ على نار هادئة، والحفاظ على الحرارة
 - مزود بمفاتيح تحكم مالتى سلايدر تعمل باللمس
 - منطقتان للطهي
 - منطقة تحكم مرنة (سلايد فليكس) مقاس ٢٥٥ x ٤٠٠ مم
 - منطقتان مقاس ٢٥٥ x ٢٠٠ مم
 - نظام أمان القفل الآلي
 - مؤقت الطهي
 - وظيفة باور بلاس
 - خاصية قفل الأمان للأطفال
 - مؤشر الحرارة المتبقية
 - نظام إدارة الطاقة
 - مجموعة سهلة التركيب
 - الحد الأقصى للطاقة التشغيلية ٣٦٠٠ واط

COLOR

Black Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 53mm **Width** 300mm **Depth** 510mm



Ref. 112570180



Ref. 112540002

TOTAL GZC 32309 XBB ME

NEW



- VarioPro Series
 - Modular gas on glass hob
 - ExactFlame
 - Frontal control knobs with ergonomic design
 - 2 cooking zones
 - 1 semi fast burner, 1.7 kW
 - 1 auxiliary burner, 1 kW
 - Ceramic glass surface
 - Auto ignition
 - Auto-lock safety system
 - Cast iron grids
 - Easy installation kit
 - Maximum nominal power 2750 W
 - Includes deflector accessory for VarioPro hood
- مجموعة فاربرو
 - موقد طهي غاز بسطح زجاجي معياري
 - وظيفة ضبط اللهب
 - مزود بمقابض تحكم أمامية بتصميم مريح
 - منطقتان للطهي
 - شعلة شبه سريعة، ١,٧ كيلو واط
 - شعلة مساعدة، ١ كيلو واط
 - سطح زجاجي سيراميك
 - خاصية الإشعال الذاتي
 - نظام أمان للقفل التلقائي
 - شبكات من الحديد الخام المطلي
 - مجموعة سهلة التركيب
 - الحد الأقصى للطاقة التشغيلية ٢٧٥٠ واط
 - يشتمل على ملحقات عاكس لغطاء شفاط فاربرو

COLOR

Black Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 55mm Width 300mm Depth 510mm

TOTAL TZC 32320 BK TTC



- Modular vitroceramic hob
 - Touch Control
 - 2 cooking zones:
 - 1 double high light Ø 120/180
 - 1 high light Ø 145 mm
 - Keep warm function
 - Maximum nominal power: 2.900 W
- موقد طهي فيترو سيراميك معياري
 - مزود بخاصية التحكم باللمس
 - منطقتان للطهي
 - شعلة مزدوجة Ø ١٢٠/١٨٠
 - شعلة عالية Ø ١٤٥ مم
 - وظيفة الاحتفاظ بحرارة الطعام
 - الحد الأقصى للطاقة التشغيلية : ٢٩٠٠ واط

COLOR

Black Glass

FRAME Front bevelled glass

PRODUCT DIMENSIONS

Height 55mm Width 300mm Depth 510mm

Model	AFF 87601	IZS 97630 IBF 95-G1	IZC 64010 BK MSS	IZC 64630
BUILT-IN DIMENSIONS				
Width (mm)	770	860	560	560
Depth (mm)	490	490	490	490
Height (mm)	215	49	50	49
COOKING ELEMENTS				
COOKING ZONE -left front , (Type)	Flex Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	-	-	-	-
COOKING ZONE -left rear , (Type)	Flex Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -center front , (Type)	-	-	-	-
COOKING ZONE -center center, (Type)	-	Double Zone	-	-
COOKING ZONE -center rear , (Type)	-	-	-	-
COOKING ZONE -right front, (Type)	-	Flex Zone	Single Zone	Single Zone
COOKING ZONE -right center, (Type)	Double Zone	-	-	-
COOKING ZONE -right rear, (Type)	-	Flex Zone	Single Zone	Single Zone
COOKING ZONE -left front , mm	228 x 200	150	150	150
COOKING ZONE -left center , mm	-	-	-	-
COOKING ZONE -left rear , mm	228 x 200	215	185	215
COOKING ZONE -center front , mm	-	-	-	-
COOKING ZONE -center center, mm	-	320 / 180	-	-
COOKING ZONE -center rear , mm	-	-	-	-
COOKING ZONE -right front, mm	280 x 160	228 x 200	185	185
COOKING ZONE -right center, mm	-	-	-	-
COOKING ZONE -right rear , mm	-	228 x 200	150	185
COOKING ZONE -left front, (W)	1750 - 2000	1200 - 1600	1200-1500	1200-1600
COOKING ZONE -left center, (W)	-	-	-	-
COOKING ZONE -left rear, (W)	1750 - 2000	2100 - 3000	1700-2100	2100-3000
COOKING ZONE -center front, (W)	-	-	-	-
COOKING ZONE -center center, (W)	-	2500 - 3600	-	-
COOKING ZONE -center rear, (W)	-	-	-	-
COOKING ZONE -right front, (W)	-	1750 - 2000	1700-2100	1800-2100
COOKING ZONE -right center, (W)	2500 - 3000	-	-	-
COOKING ZONE -right rear, (W)	-	1750 - 2000	1200-1500	1800-2100
ELECTRICAL FEATURES				
Maximum Nominal Power (W) (Induction or VTC)	7200 (IH) + 200(AH)	10800	7200	8800
Maximum Nominal Power (W) (Gas)	-	-	-	-
Wire lenght (cm)	100	110	110	110
SAFETY SYSTEMS				
Child lock	✓	✓	✓	✓
Automatic safety disconnection	✓	✓	✓	✓
Residual heat indicator	✓	✓	✓	✓

Model	TR 951	TZ 6415	TT 6420	GZC 95320	GBC 75 Infinity G1	GZC 64300	GBC 95-G1 BM
BUILT-IN DIMENSIONS							
Width (mm)	860	560	605	850	570	570	850
Depth (mm)	490	490	515	480	480	480	480
Height (mm)	63	51	51	50	49	50	49
COOKING ELEMENTS							
COOKING ZONE -left front , (Type)	Single High Light	Single High Light	Single High Light	-	SEMIRAPID	SEMIRAPID	
COOKING ZONE -left center , (Type)	-	-	-	DOUBLE RING	-	-	DOUBLE RING
COOKING ZONE -left rear , (Type)	Double High Light	Single High Light	Double High Light	-	SEMIRAPID	SEMIRAPID	-
COOKING ZONE - center front , (Type)	-	-	-	SEMIRAPID	-	-	SEMIRAPID
COOKING ZONE -center center , (Type)	Triple High Light	-	-	-	DOUBLE RING	-	-
COOKING ZONE -center rear , (Type)	-	-	-	SEMIRAPID	-	-	SEMIRAPID
COOKING ZONE -right front, (Type)	Single High Light	Single High Light	Single High Light	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY
COOKING ZONE -right center, (Type)	-	-	-	-	-	-	-
COOKING ZONE -right rear, (Type)	Single High Light	Single High Light	Single High Light	RAPID	RAPID	RAPID	RAPID
COOKING ZONE -left front , mm	145	145	145	-	-	-	-
COOKING ZONE -left center , mm	-	-	-	-	-	-	-
COOKING ZONE -left rear , mm	120 / 180	210	180 / 210	-	-	-	-
COOKING ZONE -center front , mm	-	-	-	-	-	-	-
COOKING ZONE -center center, mm	145 / 210 / 270	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	180	145	145	-	-	-	-
COOKING ZONE -right center, mm	-	-	-	-	-	-	-
COOKING ZONE -right rear , mm	160	-	180	-	-	-	-
COOKING ZONE -left front, (W)	1200	1200	1200	-	1400	1400	-
COOKING ZONE -left center, (W)	-	-	-	4000	-	-	3.500
COOKING ZONE -left rear, (W)	700 - 1700	2100	1400 - 2000	-	1750	1750	-
COOKING ZONE -center front, (W)	-	-	-	1400	-	-	1400
COOKING ZONE -center center, (W)	1050 - 1950 - 2700	-	-	-	3500	-	-
COOKING ZONE -center rear, (W)	-	-	-	1750	-	-	1750
COOKING ZONE -right front, (W)	1800	1200	1200	1000	1000	1000	1000
COOKING ZONE -right center, (W)	-	-	-	-	-	-	-
COOKING ZONE -right rear, (W)	1500	1800	1800	2800	2800	2800	2800
ELECTRICAL FEATURES							
Maximum Nominal Power (W)(Induction or VTC)	8900	6300	6200	-	-	-	-
Maximum Nominal Power (W) (Gas)	-	-	-	10950	10450	6950	10950
Wire lenght (cm)	110	100	100	-	100	-	-
SAFETY SYSTEMS							
Child lock	✓	✓	✓	-	-	-	-
Automatic safety disconnection	✓	✓	✓	✓	✓	-	✓
Residual heat indicator	✓	✓	✓	-	-	-	-

Model	EFX 90.1 5G AI AL DR LEFT	EX 90.1 5G AI AL DR CI	EFX 60.1 4G AI AL DR CI
BUILT-IN DIMENSIONS			
Width (mm)	833	833	553
Depth (mm)	475	475	473
Height (mm)	45	33	45
COOKING ELEMENTS			
COOKING ZONE -left front , (Type)	-	AUXILIARY	DOUBLE RING
COOKING ZONE -left center , (Type)	DOUBLE RING	-	-
COOKING ZONE -left rear , (Type)	-	SEMIRAPID	SEMIRAPID
COOKING ZONE - center front , (Type)	AUXILIARY	-	-
COOKING ZONE -center center , (Type)	-	DOUBLE RING	-
COOKING ZONE -center rear , (Type)	SEMIRAPID	-	-
COOKING ZONE -right front, (Type)	SEMIRAPID	SEMIRAPID	AUXILIARY
COOKING ZONE -right center, (Type)	-	-	-
COOKING ZONE -right rear, (Type)	RAPID	RAPID	SEMIRAPID
COOKING ZONE -left front , mm	-	-	-
COOKING ZONE -left center , mm	-	-	-
COOKING ZONE -left rear , mm	-	-	-
COOKING ZONE -center front , mm	-	-	-
COOKING ZONE -center center, mm	-	-	-
COOKING ZONE -center rear , mm	-	-	-
COOKING ZONE -right front, mm	-	-	-
COOKING ZONE -right center, mm	-	-	-
COOKING ZONE -right rear , mm	-	-	-
COOKING ZONE -left front, (W)	-	1000	4000
COOKING ZONE -left center, (W)	4000	-	-
COOKING ZONE -left rear, (W)	-	1750	1750
COOKING ZONE -center front, (W)	1000	-	-
COOKING ZONE -center center, (W)	-	4000	-
COOKING ZONE -center rear, (W)	1750	-	-
COOKING ZONE -right front, (W)	1750	1750	1000
COOKING ZONE -right center, (W)	-	-	-
COOKING ZONE -right rear, (W)	3000	2800	1750
ELECTRICAL FEATURES			
Maximum Nominal Power (W)(Induction or VTC)	-	-	-
Maximum Nominal Power (W) (Gas)	11500	12050	8500
Wire lenght (cm)	-	-	-
SAFETY SYSTEMS			
Child lock	-	-	-
Automatic safety disconnection	✓	-	✓
Residual heat indicator	-	-	-

Model	GZC 64320	IZS 34700	TZC 32320 BK TTC	GZC 32309
BUILT-IN DIMENSIONS				
Width (mm)	570	280	270	280
Depth (mm)	480	490	500	490
Height (mm)	50	49	55	49
COOKING ELEMENTS				
COOKING ZONE -left front , (Type)	DOUBLE RING	-	-	-
COOKING ZONE -left center , (Type)	-	-	-	-
COOKING ZONE -left rear , (Type)	SEMIRAPID	-	-	-
COOKING ZONE - center front , (Type)	-	Flex Zone	Single High Light	AUXILIARY
COOKING ZONE -center center , (Type)	-	-	-	-
COOKING ZONE -center rear , (Type)	-	Flex Zone	Double High Light	SEMIRAPID
COOKING ZONE -right front , (Type)	AUXILIARY	-	-	-
COOKING ZONE -right center , (Type)	-	-	-	-
COOKING ZONE -right rear , (Type)	RAPID	-	-	-
COOKING ZONE -left front , mm	-	-	-	-
COOKING ZONE -left center , mm	-	-	-	-
COOKING ZONE -left rear , mm	-	-	-	-
COOKING ZONE -center front , mm	-	225 x 200	145	-
COOKING ZONE -center center , mm	-	-	-	-
COOKING ZONE -center rear , mm	-	225 x 200	120 / 180	-
COOKING ZONE -right front , mm	-	-	-	-
COOKING ZONE -right center , mm	-	-	-	-
COOKING ZONE -right rear , mm	-	-	-	-
COOKING ZONE -left front , (W)	4000	-	-	-
COOKING ZONE -left center , (W)	-	-	-	-
COOKING ZONE -left rear , (W)	1750	-	-	-
COOKING ZONE -center front , (W)	-	1750 - 2000	1200	1000
COOKING ZONE -center center , (W)	-	-	-	-
COOKING ZONE -center rear , (W)	-	1750 - 2000	700 - 1700	1750
COOKING ZONE -right front , (W)	1000	-	-	-
COOKING ZONE -right center , (W)	-	-	-	-
COOKING ZONE -right rear , (W)	2800	-	-	-
ELECTRICAL FEATURES				
Maximum Nominal Power (W)(Induction or VTC)	-	3600	2900	-
Maximum Nominal Power (W) (Gas)	9550	-	-	2750
Wire lenght (cm)	-	110	110	110
SAFETY SYSTEMS				
Child lock	-	-	√	-
Automatic safety disconnection	-	√	√	√
Residual heat indicator	-	√	√	-







AFF 87601 MST
MASTERSENSEAIR



IBF 95-G1 MST BM
IZS 97630




IZC 64010 BK MSS
IZC 64630 WH MST




TR 951




TT 6420
TZ 6415




GZC 95320



GBC 95-G1 GBC BM (E5)



GBC 75 INFINITY G1



GZC 64300



GZC 64320



EFX 90.1 5G AI AL DR LEFT



EX 90.1 5G AI AL DR CI
LEFT




EFX 60.1 4G AI AL DR CI



GZC 32309



IZS 34700



TZC 32320 BK TTC



Free Standing Cookers

Turning great cooking experiences
into memorables moments

FS COOKER



SCAN AND
DISCOVER



Ref. 40297055

MAESTRO FS3FF L90GG S/S

NEW

- Free Standing Cooker 90cm
- Gas hob/ Multifunction gas oven
- Color: Inox
- Auto ignition
- Autolock safety device
- Drawer
- Nozzels to natural gas

Hob Features:

- Stainless steel surface
- Cast irons
- 5 Gas Burners:
- 1 Triple ring: 4 kW, 2 Semi-Rapid: 1,75 kW
- 1 Auxiliary burner: 1 kW, 1 Rapid: 3 kW
- Steel upstand

Oven Features:

- Multifunction strip with safety thermostat
- Gas grill
- Close door grilling
- 4 Cooking functions, Oven light
- Touch control programmer with start/stop
- 1 telescopic guide
- Chromed supports
- 5 cooking levels
- Full glass inner door
- Double glazed door
- 2 Deep tray
- Chromed grid
- Inner grid
- Gross capacity: 142 liters

- موقد طهي غير مدمج مقاس ٩٠ سم
- موقد غاز/ فرن غاز متعدد الوظائف
- اللون: إينوكس
- خاصية الإشعال الذاتي
- جهاز أمان تلقائي
- درج
- فوهات للغاز الطبيعي

مزايا موقد الطهي:

- سطح من الفولاذ المقاوم للصدأ
- شبكات من الحديد الخام المطلي
- ٥ شعلة غاز:
- شعلة ثلاثية: ٤ كيلو واط، شعلتين
- شبه سريعة: ١,٧٥ كيلو واط
- شعلة مساعدة: ١ كيلو واط، شعلة
- سريعة: ٣ كيلو واط
- قائم فولاذي

مزايا الفرن:

- شريط متعدد الوظائف مع ترموستات أمان
- شواية غاز
- وظيفة الشواء مع إغلاق الباب
- ٤ وظائف للطهي، إضاءة الفرن
- مبرمج التحكم باللمس مع وظيفة التشغيل/الإيقاف
- دليل تلسكوبي
- دعائم مطلية بالكروم
- ٥ مستويات طهي
- باب داخلي زجاجي بالكامل
- باب زجاجي مزدوج
- ٢ صينية عميقة
- شبكة مطلية بالكروم
- شبكة داخلية
- السعة الإجمالية: ١٤٢ لترًا

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Height 875-920mm Width 895mm Depth 600mm



TECHNICAL FEATURES

MODEL	FS3FF L90GG S/S
-------	--------------------

PRODUCT DIMENSIONS

Width (mm)	895
Depth (mm)	600
Height (mm)	875-920

ELECTRICAL CONNECTION

Power Rate, V	230
Frequency, Hz	50
Connecting Wire (cm)	200
Maximum Nominal Power, W	30

OVEN ELECTRICAL FEATURES

Maximum Nominal Power, W	55
Bottom Heating Element, W	-
Grill/Maxigrill, W	-
Turnspit Motor, W	-
Light, W	25
Cooling Fan Motor, W	-

OVEN GAS FEATURES

Bottom Burner, W	4500
Grill Burner, W	2000

HOB ELECTRICAL FEATURES

Maximum Nominal Power, W	-
Heating Element Ø/ W	-
Heating Element Ø/ W	-
Heating Element Ø/ W	-

HOB GAS FEATURES

Maximum Nominal Power, W	11.5 kW
A. Triple Ring, kW	4 kW
B. Fast Burner, kW	3 kW
C. Semifast Burner, kW	1.75 kW (2)
D. Auxiliary Burner, kW	1 kW

OVEN FEATURES


Net / Gross Capacity (Litres)	142
Cooking Functions	5
Digital Timer With Start/Stop	-
Programmer	-
Digital Timer	Touch
Mechanical Timer With Stop	-
Programmer	-
Cooking Levels	5
Close Door Grilling	Yes
Telescopic Tray Guides	1
Chromed Tray Guides	Yes
Glazed Door	2 Full Glass
Self-Cleaning Panels	-
Baking Tray	-
Deep Tray	2
Standard Cooking Grid	1
Inner Grid	1
Turnspit	-
Drawer	Yes
Energy Class	-

HOB FEATURES

Hob Surface	SS Squared
Grids	Cast Iron
Autolock (Safety Device)	Yes
Auto-Ignition	Yes
Other Special Accesories	Steel Upstand

FINISH

Colour (Front)	Black
Door Glass Color	Black



FS3FF L90GG S/S



Hoods

Welcome the fresh air into your kitchen



Meet the new Ceiling hood

DISCRETION AND HIGH
PERFORMANCE AT ITS BEST.

Our ceiling hood is as discreet as it gets. Discover all the possibilities with its FreshAir Function, which will always keep your kitchen fresh and odour-free with automatic extraction cycles that you can program.

Moreover, control its light intensity and colour temperature to create an even nicer atmosphere, while keeping low noise and high efficiency. All of this and more in a hood equipped to be easily installed, so that you will have no worries





EXTERNAL EXTRACTION OR
RECIRCULATION,
THE CHOICE IS YOURS

Depending on your needs and home design, you will have the option to install your ceiling hood with recirculation system, which will aspire the odours and bring fresh air back into your kitchen, or with direct external extraction, which will take the odours out of your home.



Hoods

Kitchen goes way beyond just preparing food.

MAESTRO			
	110	90	80/70/55
ISLAND	 DPL 1185 ISLAND	  DHT 97670 R05 WH DH2 985 ISLAND	
VERTICAL		 DLV 98660	 DVI 88-G1 E05 BM
HORIZONTAL		 PERFECTA4 DLH 985 T	
PYRAMIDAL			
BUILT-IN			  GFL 77760 E05 IX GFL 57651 E05 BK
PULL OUT			
CLASSIC			

MAESTRO

Domestic appliances for those who like going one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum effectiveness in any situation.

EASY

For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.

TOTAL			EASY	
90	70/60	55	90	60

				
			DVN 97050 TTC BK	
				
DSH 986			DSJ 980	DSJ 680
				
		DBB 90 HP	DBB 90	DBB 60
				
GFH 73		GFG 2		
				
		TL 9310	TL 6310	
				
		CX 92120 K05 Inox	CX 62120 K05 Inox	

HOODS



Ref. 113100004

MAESTRO DHT 97670 WHITE

NEW



- Ceiling hood
 - Rim extraction
 - Electronic control
 - FreshAir function
 - Energy Efficiency class: A++
 - Remote control
 - Brushless EcoPower Motor
 - 4 speeds + 2 intensive
 - Free Outlet exhaust capacity (m³/h): 800
 - Max speed exhaust capacity (m³/h): 808
 - Min speed exhaust capacity (m³/h): 315
 - Intensive speed exhaust capacity (m³/h): 686
 - Intensive speed sound level (dBA): 70
 - Max speed sound level (dBA): 67
 - Min speed sound level (dBA): 50
 - 3 LED lamps
 - Light intensity and color temperature regulation
 - 2 Aluminum filter
 - Stop delay timer
 - Filter saturation indicator
 - Operating pilot light
 - Optional regenerative filters
- شفاط سقف
 - نظام استخلاص العوادم والتنقية
 - خاصية التحكم الإلكتروني
 - خاصية تنقية الهواء
 - فئة كفاءة الطاقة: ++A
 - مزود بجهاز التحكم عن بعد
 - محرك موثر للطاقة بدون فرشاة
 - ٤ سرعات + مكثفان
 - سعة مخرج العادم الحر (متر مكعب/ساعة): ٨٠٠
 - سعة الحد الأقصى لسرعة العادم (متر مكعب/ساعة): ٨٠٨
 - سعة الحد الأدنى لسرعة العادم (متر مكعب/ساعة): ٣١٥
 - سعة سرعة المكثف للعادم (متر مكعب/ساعة): ٦٨٦
 - مستوى الصوت لسرعة المكثف (ديسيبل): ٧٠
 - الحد الأقصى لسرعة مستوى الصوت (ديسيبل): ٦٧
 - الحد الأدنى لسرعة مستوى الصوت (ديسيبل): ٥٠
 - ٣ مصابيح LED
 - تنظيم درجة حرارة كثافة الإضاءة واللون
 - عدد ٢ مرشح من الألمونيوم
 - مؤقت تأخير الإيقاف
 - مؤشر درجة تشبع الفلتر
 - تشغيل المصباح الإرشادي
 - مرشحات متجددة، اختياري

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

☐ White Glass

PRODUCT DIMENSIONS

Width 900mm



Ref. Structure: 40483173

Body: 40483172

MAESTRO DPL 1185 ISLAND

NEW



- Island hood
 - Rim extraction
 - EcoPower motor
 - Energy Efficiency class: A
 - Touch control with White display
 - Operating pilot light
 - 3 speeds + 1 intensive
 - Exhaust capacities:
 - Free Outlet, 920 m³/h
 - Qboost, 782 m³/h
 - Max., m³/h: 629
 - Min., m³/h: 331
 - Noise (LwA) Boost Speed, dB: 69
 - Noise (LwA) Max Speed, dB: 66
 - Noise (LwA) Min Speed, dB: 54
 - 4 LED Lamps
 - Reinforced black glass
 - 3 aluminum filters
 - Stop delay timer
 - Filter saturation indicator
- شفاط على شكل T
 - نظام استخلاص العوادم والتنقية
 - محرك موثر للطاقة
 - فئة كفاءة الطاقة: A
 - خاصية التحكم باللمس مع شاشة بيضاء
 - تشغيل المصباح الإرشادي
 - ٣ سرعات + ١ مكثف
 - ساعات العادم:
 - المخرج الحر، ٩٢٠ متر مكعب/ساعة
 - كيو بوست، ٧٨٢ متر مكعب/ساعة
 - الحد الأقصى، متر مكعب/ساعة: ٦٢٩
 - الحد الأدنى، متر مكعب/ساعة: ٣٣١
 - الضوضاء (مستوى قوة الصوت) عند زيادة السرعة تبلغ ٦٩ ديسيبل
 - الضوضاء (مستوى قوة الصوت) عند أقصى سرعة تبلغ ٦٦ ديسيبل
 - الضوضاء (مستوى قوة الصوت) عند أدنى سرعة تبلغ ٥٤ ديسيبل
 - ٤ مصابيح LED
 - زجاج أسود مقوى
 - ٣ مرشحات من الألمونيوم
 - مؤقت تأخير الإيقاف
 - مؤشر درجة تشبع الفلتر

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

☒ Black Glass

PRODUCT DIMENSIONS

Width 1100mm



Ref. 40484640

MAESTRO DH2 985 ISLAND



- Island hood
- EcoPower motor
- Energy Efficiency class: A
- Backlit electronic panel with white display
- Operating pilot light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 920
- Qboost, m³/h: 796
- Max., m³/h: 605
- Min., m³/h: 311
- Noise (LwA) Boost Speed, dB: 71
- Noise (LwA) Max Speed, dB: 66
- Noise (LwA) Min Speed, dB: 52
- 4 LED lamps
- 3 stainless steel-aluminium filters
- Easy to clean inside panel
- Stop delay timer
- Filter saturation indicator
- شفاط على شكل T
- محرك موفر للطاقة
- فئة كفاءة الطاقة: A
- لوحة إلكترونية بإضاءة خلفية مع شاشة بيضاء
- تشغيل المصباح الإرشادي
- ٣ سرعات + ١ مكثف
- سعات العادم:
- المخرج الحر، ٩٢٠ متر مكعب/ساعة
- كيو بوست، ٧٩٦ متر مكعب/ساعة
- الحد الأقصى، ٦٠٥ متر مكعب/ساعة
- الحد الأدنى، ٣١١ متر مكعب/ساعة
- الضوضاء (مستوى قوة الصوت) عند زيادة السرعة تبلغ ٧١ ديسيبل
- الضوضاء (مستوى قوة الصوت) عند أقصى سرعة تبلغ ٦٦ ديسيبل
- الضوضاء (مستوى قوة الصوت) عند أدنى سرعة تبلغ ٥٢ ديسيبل
- ٤ مصابيح LED
- ٣ مرشحات من الفولاذ المقاوم للصدأ والألمونيوم
- لوحة داخلية سهلة التنظيف
- مؤقت تأخير الإيقاف
- مؤشر درجة تشبع الفلتر

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR



Stainless Steel

PRODUCT DIMENSIONS

Width 900mm



Ref. 112930029

MAESTRO DLV 98660 BK



- Urban Colors Edition
 - Vertical decorative hood
 - Rim extraction system
 - Touch control display
 - FreshAir function
 - Full glass design
 - 3 speeds + intensive
 - Stop delay timer
 - LED light bar
 - Saturation filter indicator
 - EcoPower motor
 - Exhaust capacity: min.290 m3/h - max.696 m3/h
 - Sound level: min.51 dB - max.67 dB
 - Installation also possible without tube cover
- مجموعة أوريان كولورز
 - شفاط عمودي بتصميم جذاب
 - نظام استخلاص العوادم والتنقية
 - شاشة تحكم باللمس
 - خاصية تنقية الهواء
 - تصميم كامل من الزجاج
 - ٣ سرعات + مكثف
 - مؤقت تأخير الإيقاف
 - شريط إضاءة LED
 - مؤشر درجة تشبع الفلتر
 - محرك موفر للطاقة
 - سعة العادم: الحد الأدنى ٢٩٠ متر مكعب/الساعة - الحد الأقصى ٦٩٦ متر مكعب/الساعة
 - مستوى الصوت: الحد الأدنى ٥١ ديسيبل - الحد الأقصى ٦٧ ديسيبل
 - إمكانية التثبيت بدون غطاء الأنبوب

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

Black Glass


PRODUCT DIMENSIONS

Width 900mm



Ref. 112930030

MAESTRO DLV 98660 WH



- Urban Colors Edition
 - Vertical decorative hood
 - Rim extraction system
 - Touch control display
 - FreshAir function
 - Full glass design
 - 3 speeds + intensive
 - Stop delay timer
 - LED light bar
 - Saturation filter indicator
 - EcoPower motor
 - Exhaust capacity: min.290 m3/h - max.696 m3/h
 - Sound level: min.51 dB - max.67 dB
 - Installation also possible without tube cover
- مجموعة أوريان كولورز
 - شفاط عمودي بتصميم جذاب
 - نظام استخلاص العوادم والتنقية
 - شاشة تحكم باللمس
 - خاصية تنقية الهواء
 - تصميم كامل من الزجاج
 - ٣ سرعات + مكثف
 - مؤقت تأخير الإيقاف
 - شريط إضاءة LED
 - مؤشر درجة تشبع الفلتر
 - محرك موفر للطاقة
 - سعة العادم: الحد الأدنى ٢٩٠ متر مكعب/الساعة - الحد الأقصى ٦٩٦ متر مكعب/الساعة
 - مستوى الصوت: الحد الأدنى ٥١ ديسيبل - الحد الأقصى ٦٧ ديسيبل
 - إمكانية التثبيت بدون غطاء الأنبوب

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

White Glass

PRODUCT DIMENSIONS

Width 900mm



Ref. 112930056

MAESTRO DVI 88 INFINITY G1

NEW



- Infinity | G1 Edition
 - Decorative vertical hood
 - Touch control with display
 - FreshAir function
 - 3 speeds + 1 intensive
 - Intensive speed exhaust capacity (m3/h): 696
 - Max speed exhaust capacity (m3/h): 558
 - Min speed exhaust capacity (m3/h): 290
 - Intensive speed sound level (dBA): 69.9
 - Max speed sound level (dBA): 66.5
 - Min speed sound level (dBA): 51.4
 - 1 LED lamp
 - 2 Aluminium filters
 - Stop delay timer
 - Filter saturation indicator
 - Anti-return valve included
 - Outlet reduction included
- إصدار مجموعة إنفينيتي جي ١
 - شفاط عمودي بتصميم جذاب
 - شاشة تحكم باللمس
 - خاصية تنقية الهواء
 - ٣ سرعات + مكثف
 - سعة سرعة المكثف للعدم (متر مكعب/ساعة): ٦٩٦
 - سعة الحد الأقصى لسرعة العادم (متر مكعب/ساعة): ٥٥٨
 - سعة الحد الأدنى لسرعة العادم (متر مكعب/ساعة): ٢٩٠
 - مستوى الصوت لسرعة المكثف (ديسيبل): ٦٩,٩
 - الحد الأقصى لسرعة مستوى الصوت (ديسيبل): ٦٦,٥
 - الحد الأدنى لسرعة مستوى الصوت (ديسيبل): ٥١,٤
 - ١ مصباح LED
 - عدد ٢ مرشح من الألمونيوم
 - مؤقت تأخير الإيقاف
 - مؤشر تشبع الفلتر
 - مُدرج صمام مانع للرجوع
 - مُدرج خاصية تقييد المخرج

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

Black matt

PRODUCT DIMENSIONS

Width 800mm



Ref. 112950012

EASY DVN 97050 TTC BK

NEW



- Urban Colors Edition
 - Decorative vertical hood
 - Touch control
 - Rim extraction
 - 3 speeds + 1 intensive
 - Free Outlet exhaust capacity (m3/h): 704
 - Intensive speed exhaust capacity (m3/h): 640
 - Max speed exhaust capacity (m3/h): 485
 - Min speed exhaust capacity (m3/h): 260
 - Intensive speed sound level (dBA): 71
 - Max speed sound level (dBA): 64
 - Min speed sound level (dBA): 61
 - 2 LED lamps
 - 1 Aluminum Filter
 - Stop delay timer
 - Filter saturation indicator
 - Operating pilot light
 - Anti-return valve included
 - Outlet reduction included
 - Optional recirculation kit with tube cover installation
- إصدار أوريان كولورز
 - شفاط عمودي بتصميم جذاب
 - تحكم باللمس
 - نظام استخلاص العوادم والتنقية
 - ٣ سرعات + مكثف
 - سعة مخرج العادم الحر (متر مكعب/ساعة): ٧٠٤
 - سعة سرعة المكثف للعدم (متر مكعب/ساعة): ٦٤٠
 - سعة الحد الأقصى لسرعة العادم (متر مكعب/ساعة): ٤٨٥
 - سعة الحد الأدنى لسرعة العادم (متر مكعب/ساعة): ٢٦٠
 - مستوى صوت سرعة المكثف (ديسيبل): ٧١
 - الحد الأقصى لسرعة مستوى الصوت (ديسيبل): ٦٤
 - الحد الأدنى لسرعة مستوى الصوت (ديسيبل): ٦١
 - عدد ٢ مصباح ليد
 - ١ مرشح ألومنيوم
 - مؤقت تأخير الإيقاف
 - مؤشر درجة تشبع الفلتر
 - تشغيل الضوء التجريبي
 - مُدرج صمام مانع للرجوع
 - تخفيض المخرج
 - مجموعة إعادة التدوير الاختيارية
 - مع تركيب غطاء الأنبوب

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

Black

PRODUCT DIMENSIONS

Width 898mm

HOODS



Ref. 40437100

MAESTRO PERFECTA4 DLH 985 T



- Ultraslim decorative hood
- EcoPower motor
- Energy Efficiency class: A
- 4A (Energy efficiency A, Fluid dynamic efficiency A, lighting efficiency A, grease filtering efficiency A)
- Touch control display
- Operating Pilot Light
- 3 speeds + 1 intensive
- Exhaust capacities:
- Free Outlet, m³/h: 795
- Qboost, m³/h: 740
- Max., m³/h: 586
- Min., m³/h: 306
- Noise (LwA) Boost Speed, dB: 72
- Noise (LwA) Max Speed, dB: 68
- Noise (LwA) Min Speed, dB: 54
- 1 LED BAR
- 3 stainless steel filters (12 layers)
- Stop delay timer
- Filter saturation indicator
- شفاط بتصميم جذاب رفيع جدا
- محرك موثر للطاقة
- فئة كفاءة الطاقة: A
- ٤A (كفاءة الطاقة A، الكفاءة الديناميكية للسوائل A، كفاءة الإضاءة A، كفاءة ترشيح الشحوم A)
- شاشة تحكم تعمل باللمس
- تشغيل المصباح الإرشادي
- ٣ سرعات + ١ مكثف
- سعات العادم:
- المخرج الحر، ٧٩٥ متر مكعب/ساعة
- كيو بوس، ٧٤٠ متر مكعب/ساعة
- الحد الأقصى، متر مكعب/ساعة: ٥٨٦
- الحد الأدنى، متر مكعب/ساعة: ٣٠٦
- الضوضاء (مستوى قوة الصوت) عند زيادة السرعة تبلغ ٧٢ ديسيبل
- الضوضاء (مستوى قوة الصوت) عند أقصى سرعة تبلغ ٦٨ ديسيبل
- الضوضاء (مستوى قوة الصوت) عند أدنى سرعة تبلغ ٥٤ ديسيبل
- شريط إضاءة LED
- ٣ مرشحات من الفولاذ المقاوم للصدأ (١٢ طبقة)
- مؤقت تأخير الإيقاف
- مؤشر تشبع الفلتر

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

Black Glass / Stainless Steel

PRODUCT DIMENSIONS

Width 900mm



Ref. 112970006

TOTAL DSH 986

NEW



- Horizontal decorative hood
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m³/h): 920
- Intensive speed sound level (dBA): 72
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 54
- 1 LED lamp
- 2 stainless steel filters with 5 layers
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- غطاء شفاط أفقي مزخرف
- تحكم إلكتروني مع شاشة عرض
- ٣ سرعات + ١ سرعة مكثفة
- سعة العادم عند المخرج الحر (متر مكعب/ساعة): ٩٢٠
- مستوى الصوت عند السرعة المكثفة (ديسيبل): ٧٢
- مستوى الصوت عند أقصى سرعة (ديسيبل): ٦٨
- مستوى الصوت عند أدنى سرعة (ديسيبل): ٥٤
- مصباح LED واحد
- فلتران من الفولاذ المقاوم للصدأ بخمس طبقات
- مؤقت تأخير الإيقاف
- مؤشر تشبع الفلتر
- مصباح تشغيل
- صمام مانع للرجوع - مرفق
- تقليل حجم المخرج - مرفق

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Width 900mm



Ref. 40484821

EASY DSJ 980 / DSJ 680

NEW



- Ultraslim decorative hood
- Push Buttons Control Panel
- Operating Pilot Light
- Conventional Aspiration Type
- Energy Efficiency class: C
- 3 Speeds
- Exhaust capacities:
- Free Outlet (m³/h): 638
- Max. (m³/h): 614
- Min. (m³/h): 268
- Noise (LwA) Max Speed 66 dB
- Noise (LwA) Min Speed 48 dB
- Integrated LED Light
- 3 stainless Steel-aluminum Filter

- شفاط بتصميم جذاب رفيع جدًا
- لوحة التحكم بأزرار الضغط
- تشغيل المصباح الإرشادي
- خاصية الشفط التقليدي
- فئة كفاءة الطاقة: C
- ٣ سرعات
- سعات العادم:
- المخرج الحر، ٦٣٨ متر مكعب/ساعة
- الحد الأقصى، ٦١٤ متر مكعب/ساعة
- الحد الأدنى، ٢٦٨ متر مكعب/ساعة
- الضوضاء (مستوى قوة الصوت) عند أقصى سرعة تبلغ ٦٦ ديسيبل
- الضوضاء (مستوى قوة الصوت) عند أدنى سرعة تبلغ ٤٨ ديسيبل
- مصباح LED مدمج
- ٣ مرشحات من الفولاذ المقاوم للصدأ والألومنيوم

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR



Stainless Steel

PRODUCT DIMENSIONS

Width 900mm / 600mm



Ref. 40484820

Ref. 40460472

EASY DBB 90 HP

NEW



- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- Energy Efficiency class: E
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 850
- Max. (m³/h): 780
- Min. (m³/h): 240
- Noise (LwA) Max Speed 56 dB
- Noise (LwA) Min Speed 48 dB
- Incandescent Lamps
- 3 aluminum filters

- شفاط بتصميم جذاب هرمي
- لوحة تحكم بأزرار الضغط
- تشغيل المصباح الإرشادي
- خاصية الشفط التقليدي
- فئة كفاءة الطاقة: E
- ٣ سرعات
- سعات العادم:
- المخرج الحر، ٨٥٠ متر مكعب/ساعة
- الحد الأقصى، ٧٨٠ متر مكعب/ساعة
- الحد الأدنى، ٢٤٠ متر مكعب/ساعة
- الضوضاء (مستوى قوة الصوت) عند أقصى سرعة تبلغ ٥٦ ديسيبل
- الضوضاء (مستوى قوة الصوت) عند أدنى سرعة تبلغ ٤٨ ديسيبل
- مصابيح متوهجة
- ٣ مرشحات من الألومنيوم

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR



Stainless Steel

PRODUCT DIMENSIONS

Width 900mm

HOODS



Ref. 90: 40460440

Ref. 60: 40460400

EASY DBB 90 / DBB 60



- Pyramidal decorative hood
- Push buttons control panel
- Operating Pilot Light
- Conventional aspiration
- Energy Efficiency class 90/60: D/E
- 3 speeds
- Exhaust capacities:
- Free Outlet (m³/h): 475
- Max. (m³/h): 380
- Min. (m³/h): 234
- Noise (LwA) Max Speed 60 dB
- Noise (LwA) Min Speed 44 dB
- Incandescent Lamps
- 3/2 aluminium filters
- شفاط بتصميم جذاب هرمي
- لوحة تحكم بأزرار الضغط
- تشغيل المصباح الإرشادي
- خاصية الشفط التقليدي
- فئة كفاءة الطاقة D/E : ٦٠/٩٠
- ٣ سرعات
- سعات العادم:
- المخرج الحر، ٤٧٥ متر مكعب/ساعة
- الحد الأقصى، متر مكعب/ساعة: ٣٨٠
- الحد الأدنى، متر مكعب/ساعة: ٢٣٤
- الضوضاء (مستوى قوة الصوت) عند أقصى سرعة تبلغ ٦٠ ديسيبل
- الضوضاء (مستوى قوة الصوت) عند أدنى سرعة تبلغ ٤٤ ديسيبل
- مصابيح متوهجة
- ٢/٣ مرشحات من الألومنيوم

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR



Stainless Steel

PRODUCT DIMENSIONS

Width 900mm / 600mm





Ref. 9310: 40474390

Ref. 6310: 40474250

EASY TL 9310 / TL 6310

NEW



- Pull-out hood
 - Mechanical control panel
 - 2 speeds
 - Energy Efficiency class: D
 - Exhaust capacities:
 - Free Outlet, m³/h: 366
 - Max., m³/h: 332
 - Min., m³/h: 233
 - Noise (LwA) Max Speed, dB: 65
 - Noise (LwA) Min Speed, dB: 56
 - 2 Integrated LED lamps
 - 4/2 aluminium filters
 - Automatic Lighting
 - Exchangeable Front Panel
- شفاط قابل للسحب
 - لوحة تحكم آلية
 - سرعتين
 - فئة كفاءة الطاقة: D
 - سعات العادم:
 - المخرج الحر، ٣٦٦ متر مكعب/ساعة
 - الحد الأقصى، متر مكعب/ساعة: ٣٣٢
 - الحد الأدنى، متر مكعب/ساعة: ٢٣٣
 - الضوضاء (مستوى قوة الصوت) عند أقصى سرعة تبلغ ٦٥ ديسيبل
 - الضوضاء (مستوى قوة الصوت) عند أدنى سرعة تبلغ ٥٦ ديسيبل
 - مصباحان LED مدمجان
 - ٢/٤ فلاتر من الألومنيوم
 - خاصية الإضاءة التلقائية
 - لوحة أمامية قابلة للتغيير

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

 Stainless Steel

PRODUCT DIMENSIONS

Width 900mm / 600mm



Ref. 90: 113150015

Ref. 60: 113150014

NEW

EASY CX 92120 KOS INOX / CX 62120 KOS INOX



- Classic hood
 - Push button control panel
 - Energy Efficiency Class: -
 - 3 Speeds
 - Exhaust capacities:
 - Free Outlet, m³/h: 250
 - Max., m³/h: 235
 - Min., m³/h: 124
 - Noise level:
 - Min Speed (dB): 55dB
 - Max Speed (dB): 60 dB
 - Boost Speed (dB): 78 dB
 - Ø Outlet (mm): 120
 - Type of inner light: LED
 - Charcol filters included
- شفاط كلاسيكي
 - لوحة تحكم بزر ضغط
 - فئة كفاءة الطاقة: -
 - ٣ سرعات
 - سعات العادم: مخرج حر: (متر مكعب/ ساعة): ٢٥٠
 - الحد الأقصى (متر مكعب/ساعة): ٢٣٥
 - الحد الأدنى (متر مكعب/ساعة): ١٢٤
 - مستوى الضوضاء:
 - الحد الأدنى للسرعة (ديسيبل): ٥٥
 - ديسيبل
 - الحد الأقصى للسرعة (ديسيبل): ٦٠
 - ديسيبل
 - زيادة السرعة (ديسيبل): ٧٨ ديسيبل
 - قطر المخرج (مم): ١٢٠
 - نوع المصباح الداخلي: ليد
 - مُدرج مرشحات الفحم

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

 Stainless Steel

PRODUCT DIMENSIONS

Width 900 mm / 600 mm

HOODS



Ref. 113100008

MAESTRO GFL 77760 EOS IX



- Built-in Hood
 - Energy Efficiency class: A+
 - Electronic control
 - Rim extraction
 - 3 + 1 speeds
 - Free outlet exhaust capacity: 735 m3/h
 - Intensive speed sound level: 70,1 dBA
 - Max speed sound level (dBA): 68
 - Min speed sound level (dBA): 54,4
 - 2 LED Lamps
 - Filters with layers
 - Stop delay timer
 - Anti-return valve included
 - Outlet reduction included
- شفاط مدمج
 - فئة كفاءة الطاقة: A+
 - تحكم إلكتروني
 - نظام استخلاص العوادم والتنقية
 - ٣ سرعات خاصة استخراج الحواف
 - سعة عادم المخرج الحر ٧٣٥ متر مكعب/ساعة
 - مستوى صوت سرعة المكثف: ٧٠,١ ديسيبل
 - الحد الأقصى لسرعة مستوى الصوت (ديسيبل): ٦٨
 - الحد الأدنى لسرعة مستوى الصوت (ديسيبل): ٥٤,٤
 - مصباحان LED
 - مرشحات مزودة بطبقات
 - مؤقت تأخير الإيقاف
 - مدرج صمام مانع للرجوع
 - مدرج خاصية تقييد المخرج

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Width 712 mm



Ref. 113100005

MAESTRO GFL 57651 EOS BK



- Built-in hood
 - Energy Efficiency class: A+
 - Electronic control
 - Rim extraction
 - 3 speeds + 1 intensive
 - Free Outlet exhaust capacity (m3/h): 735
 - Max speed exhaust capacity (m3/h): 738
 - Intensive speed sound level (dBA): 70,1
 - Max speed sound level (dBA): 68
 - Min speed sound level (dBA): 54,4
 - 2 LED Lamps
 - 1 aluminium filter
 - Stop delay timer
 - Anti-return valve included
 - Outlet reduction included
- شفاط مدمج
 - فئة كفاءة الطاقة: A+
 - تحكم إلكتروني
 - نظام استخلاص العوادم والتنقية
 - ٣ سرعات + خاصة استخراج الحواف
 - سعة عادم المخرج الحر ٧٣٥ متر مكعب/ساعة
 - سعة السرعة القصوى للعادم: ٧٣٨ متر مكعب/ساعة
 - مستوى صوت سرعة المكثف: ٧٠,١ ديسيبل
 - الحد الأقصى لسرعة مستوى الصوت (ديسيبل): ٦٨
 - الحد الأدنى لسرعة مستوى الصوت (ديسيبل): ٥٤,٤
 - مصباحان LED
 - مرشح من الألومنيوم
 - مؤقت تأخير الإيقاف
 - مدرج صمام مانع للرجوع
 - مدرج خاصية تقييد المخرج

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

Black Glass

PRODUCT DIMENSIONS

Width 595 mm



Ref. 40446710

TOTAL GFH 73



- Filter group
 - Push buttons control panel
 - Operating pilot light
 - Conventional aspiration
 - Energy Efficiency class: D
 - 3 speeds
 - Exhaust capacities:
 - Free Outlet (m³/h): 367
 - Max. (m³/h): 329
 - Min. (m³/h): 223
 - Noise (LwA) Max Speed 69 dB
 - Noise (LwA) Min Speed 62 dB
 - Integrated halogen lamps
 - 2 aluminium filters
- مجموعة مرشحات
 - لوحة تحكم بأزرار الضغط
 - تشغيل المصباح الإرشادي
 - خاصية الشفط التقليدي
 - فئة كفاءة الطاقة: D
 - ٣ سرعات
 - سعات العادم:
 - المخرج الحر، متر مكعب/ساعة: ٣٦٧
 - الحد الأقصى، متر مكعب/ساعة: ٣٢٩
 - الحد الأدنى، متر مكعب/ساعة: ٢٢٣
 - الضوضاء (مستوى قوة الصوت) عند أقصى سرعة تبلغ ٦٩ ديسيبل
 - الضوضاء (مستوى قوة الصوت) عند أدنى سرعة تبلغ ٦٢ ديسيبل
 - مصابيح من الهالوجين مدمجة
 - عدد ٢ مرشح من الألومنيوم

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

 Stainless Steel

PRODUCT DIMENSIONS

Width 730mm



Ref. 40446753

TOTAL GFG 2



- Filter group
 - Push buttons control panel
 - Energy Efficiency class: D
 - 3 speeds
 - Exhaust capacities:
 - Free Outlet, m³/h: 444
 - Max., m³/h: 329
 - Min., m³/h: 223
 - Noise (LwA) Max Speed, dB: 63
 - Noise (LwA) Min Speed, dB: 53
 - 1 LED bar
 - 1 stainless Steel filters MMX
- مجموعة مرشحات
 - لوحة تحكم بأزرار الضغط
 - فئة كفاءة الطاقة: D
 - ٣ سرعات
 - سعات العادم:
 - المخرج الحر، متر مكعب/ساعة: ٤٤٤
 - الحد الأقصى، متر مكعب/ساعة: ٣٢٩
 - الحد الأدنى، متر مكعب/ساعة: ٢٢٣
 - الضوضاء (مستوى قوة الصوت) عند أقصى سرعة تبلغ ٦٣ ديسيبل
 - الضوضاء (مستوى قوة الصوت) عند أدنى سرعة تبلغ ٥٣ ديسيبل
 - مصباح LED
 - عدد ١ مرشح من الفولاذ المقاوم للصدأ MMX

Optional **Recirculation Kits** and **Filters** for installation without outlet available in page #110 - 111

COLOR

 Stainless Steel

PRODUCT DIMENSIONS

Width 550mm

HOODS

CONVENTIONAL CHARCOAL FILTERS

HOOD	TO BE CHANGED EVERY 3-6 MONTHS
DPL ISLA 1185	D4C Ref. 61801262
DH2 985	
DVI 88-G1 EOS BM	
DLH 985 T	
DSH 986	
DBB 90 HP	
DBB 90 / 60	
DSJ 980/ 680	D1C Ref. 61801236
DLV 98660 BK	C1RTK Ref.113290015
DLV 98660 T05 WH	
GFL 57651 EOS BK	D4C Ref. 61801262
GFL 77761 EOS IX	
TL 9310 / 6310	CNL 1C Ref. 61801346
GFG 2	
GFH 73	
CX 92120 / 62120	C01CDE Ref. 113290063
DVN 97050 TTC	D9C Ref. 61801345

RECIRCULATION KITS (ONLY FOR RECIRCULATION HOODS)

HOOD WITH TUBE COVER	HOOD W/O TUBE COVER
1/T1 Ref. 40490149	1/N1 Ref. 40490147
1/N1 Ref. 40490147	
1/M1 Ref. 40490146	CFH 15200 O2C Ref. 113290016
D1CTP Ref. 40490150	
CFH 15200 L3C Ref. 113290018	DI3CTP Ref. 113290007
DI3CTP Ref. 113290007	



C1RTK



CFH 15200 L3C



CFH 15200 O2C



R1RFB



R1RES



CNL 1C



D4C



D1C



D9C



C01CDE



1T1



D1CTP



1/M1



1/N1



R1RTK

NEW REGENERATIVE FILTERS AND KITS:

In the constant effort that Teka does for the environment, we introduce the regenerative filters for hoods. With a self-cleaning system that avoids maintenance tasks and costs. You can change every 5 years and clean easily at home.



Comfort



Savings



Eco friendly

REGENERATIVE FILTERS

HOOD	REPLACE EVERY 3-5 YEARS
MASTERSENSE AIR (HOOD)	R1RFB Ref. 113290014
DHT 97670 R05 WH	R1RES Ref. 113290026
DVI 88-G1 EOS BM	R1RTK Ref. 113290009
DLV 98660 BK	
DLV 98660 T05 WH	
COOKER HOOD DLH 985 T	
COOKER HOOD DSH 986	
COOKER HOOD DSJ 980	
COOKER HOOD DBB 90 INOX (HP)	
COOKER HOOD DBB 90 / DBB 60	

RECIRCULATION KITS (ONLY FOR RECIRCULATION HOODS)

HOOD WITH TUBE COVER	HOOD W/O TUBE COVER
	RFH 36100 FOA Ref. 113290013
	RFC 60210 01B Ref. 113290025
RG1 15200 L3C Ref. 113290031	RG1 15200 02C Ref. 113290033
RFH 15200 L3C Ref. 113290010	RFH 15200 02C Ref. 113290012
RFH 15200 L3C Ref. 113290010	
RFH 15200 L2C Ref. 113290011	




RFH 15200 L3C



RFH 36100 FOA



RFC 60210-01B



RG1 15200 02C



RFH 15200 02C



RG1 15200 L3C



RFH 15200 L2C



D13CTP


Model	DLV 98660	DVN 97050	DVI 88 Infinity G1
PRODUCT FEATURES			
Annual energy consumption AEC kWh/annum (kWh)	43,1	46,5	40,1
Energy Efficiency Class	A+	A	A+
Fluid Dynamic Efficiency (FDEhood)	35	29,7	35,5
Fluid Dynamic Efficiency class	A	A	A
Light Efficiency (Lehood) lux/Watt	42	68,1	35,0
Lighting Efficiency class	A	A	A
Grease Filtering Efficiency (GFEhood) %	75,9	65,1	75,62
Grease Filtering Efficiency class	C	D	C
Air flow (Qmin) m3/h	290	260	232
Air flow (Qmax) m3/h	558	485	411
Air flow (Qboost) m3/h	696	650	726
Noise (LwA) Min Speed (dB)	51	54	47,4
Noise (LwA) Max Speed (dB)	67	64	60
Noise (LwA) Boost Speed (dB)	70	71	71,1
Off mode Power (Po) W	0,32	-	0
Standby Power (Ps) W	-	0,49	0,32
Energy Efficiency Index (EEI)	42,9	51	41,1
Time increase actor (f)	0,7	0,9	0,7
Air flow at best efficiency point (Qbep) m3 / h	-	-	394
Air pressure at best efficiency point(Pbep) Pa	484	385	472
Electric power input at best efficiency point (Wbep) W	147	135	145,7
Nominal power of the lighting system (WL) W	7,5	3	4
PRODUCT DIMENSIONS			
Width (mm)	900	898	800
Depth (mm)	450	325	435
Height (mm)	800-1200	690-1035	800-1100
ELECTRICAL FEATURES			
Motor power (W)	265	230	270
Total hood power (W)	272,5	233	278
TECHNICAL DATA			
Anti Return Valve	√	√	√
Ø Outlet (mm)	150	150	150
Number of Filters	2	1	1
Charcoal filter	C1RTK	D9C	D4C
Recirculation kit	CFH 15200 L3C	DI3CTP	1/N1

Model	DPL 1185 ISLAND	DHT 97670	DH2 985 ISLAND
PRODUCT FEATURES			
Annual energy consumption AEC kWh/annum (kWh)	49,3	34,4	47,8
Energy Efficiency Class	A	A++	A
Fluid Dynamic Efficiency (FDEhood)	32,1	37,7	32,3
Fluid Dynamic Efficiency class	A	A	A
Light Efficiency (Lehood) lux/Watt	58,3	80	58,3
Lighting Efficiency class	A	A	A
Grease Filtering Efficiency (GFEhood) %	75,9	77	83,4
Grease Filtering Efficiency class	C	C	C
Air flow (Qmin) m3/h	331	317	311
Air flow (Qmax) m3/h	629	634	605
Air flow (Qboost) m3/h	782	808	796
Noise (LwA) Min Speed (dB)	54	50	52
Noise (LwA) Max Speed (dB)	66	67	71
Noise (LwA) Boost Speed (dB)	69	74	71
Off mode Power (Po) W	–	–	–
Standby Power (Ps) W	0,74	0,49	0,6
Energy Efficiency Index (EEI)	50,1	36,9	50,1
Time increase actor (f)	0,8	0,6	0,8
Air flow at best efficiency point (Qbep) m3 / h	346	-	341
Air pressure at best efficiency point(Pbep) Pa	464	489	456
Electric power input at best efficiency point (Wbep) W	139	134,9	133,7
Nominal power of the lighting system (WL) W	12	6,6	12
PRODUCT DIMENSIONS			
Width (mm)	1100	900	900
Depth (mm)	605	600	600
Height (mm)	817-1117	214	817 / 1117 + 62
ELECTRICAL FEATURES			
Motor power (W)	280	280	280
Total hood power (W)	242	226,6	292
TECHNICAL DATA			
Anti Return Valve	–	–	✓
Ø Outlet (mm)	150	215x85	150
Number of Filters	3	2	3
Charcoal filter	D4C	-	D4C
Recirculation kit	SET 1/T1	-	SET 1/T1


Model	PERFECTA4 DLH 985 T	DSH 986	DBB 90 HP	DBB 90
PRODUCT FEATURES				
Annual energy consumption AEC kWh/annum (kWh)	41,0	54,7	185,9	62,3
Energy Efficiency Class	A	A	E	D
Fluid Dynamic Efficiency (FDEhood)	34,3	31	14,7	6,9
Fluid Dynamic Efficiency class	A	A	D	F
Light Efficiency (Lehood) lux/Watt	55,7	55,2	5,9	5,9
Lighting Efficiency class	A	A	F	F
Grease Filtering Efficiency (GFEhood) %	98,2	82	76,1	73,4
Grease Filtering Efficiency class	A	C	C	D
Air flow (Qmin) m3/h	352	305	295	234
Air flow (Qmax) m3/h	651	586	650	380
Air flow (Qboost) m3/h	760	735	–	–
Noise (LwA) Min Speed (dB)	54	54	48	44
Noise (LwA) Max Speed (dB)	72	67,8	–	–
Noise (LwA) Boost Speed (dB)	72	72	–	–
Off mode Power (Po) W	0,3	0,25	–	–
Standby Power (Ps) W	-	–	–	–
Energy Efficiency Index (EEI)	47,2	53,2	99,2	93,3
Time increase actor (f)	0,8	0,9	1,5	1,8
Air flow at best efficiency point (Qbep) m3 / h	364	388	473,9	210,6
Air pressure at best efficiency point(Pbep) Pa	417	440	260	99
Electric power input at best efficiency point (Wbep) W	123	153,1	232,9	83,7
Nominal power of the lighting system (WL) W	7	6	80	10
PRODUCT DIMENSIONS				
Width (mm)	900	900	900	900
Depth (mm)	480	480	480	480
Height (mm)	670-1000	670-1000	749-1049	749-1049
ELECTRICAL FEATURES				
Motor power (W)	280	280	230	105
Total hood power (W)	287	286	310	115
TECHNICAL DATA				
Anti Return Valve	✓	✓	✓	✓
Ø Outlet (mm)	150	150	150	150
Number of Filters	3	3	3	3
Charcoal filter	D4C	D4C	D4C	D4C
Recirculation kit	SET 1/N1	SET 1/N1	SET 1/M1	SET 1/M1

Model	DBB 60	DSJ 680 / 980	TL 9310	TL 6310
PRODUCT FEATURES				
Annual energy consumption AEC kWh/annum (kWh)	62,3	96,7	71,2	71,2
Energy Efficiency Class	E	C	D	D
Fluid Dynamic Efficiency (FDEhood)	6,9	16,4	10,9	10,9
Fluid Dynamic Efficiency class	F	D	E	E
Light Efficiency (Lehood) lux/Watt	5,9	31,7	4,6	4,9
Lighting Efficiency class	F	A	F	F
Grease Filtering Efficiency (GFEhood) %	73,4	76,1	69,3	69,3
Grease Filtering Efficiency class	D	C	D	D
Air flow (Qmin) m3/h	234	268	239	239
Air flow (Qmax) m3/h	380	614	339	339
Air flow (Qboost) m3/h	–	–	–	–
Noise (LwA) Min Speed (dB)	44	48	56	56
Noise (LwA) Max Speed (dB)	–	–	–	–
Noise (LwA) Boost Speed (dB)	–	–	–	–
Off mode Power (Po) W	–	–	–	–
Standby Power (Ps) W	–	–	–	–
Energy Efficiency Index (EEI)	93,3	81,5	88,1	88,1
Time increase actor (f)	1,8	1,4	1,6	1,6
Air flow at best efficiency point (Qbep) m3 / h	210,6	363,1	225	225
Air pressure at best efficiency point(Pbep) Pa	99	301	187	187
Electric power input at best efficiency point (Wbep) W	83,7	185	107	107
Nominal power of the lighting system (WL) W	10	3	12	12
PRODUCT DIMENSIONS				
Width (mm)	600	600 / 900	900	600
Depth (mm)	480	480	288/413	288/413
Height (mm)	749-1049	670-1000	184	184
ELECTRICAL FEATURES				
Motor power (W)	105	220	130	130
Total hood power (W)	115	223	142	142
TECHNICAL DATA				
Anti Return Valve	✓	✓	✓	✓
Ø Outlet (mm)	150	150	120	120
Number of Filters	2	3	4	2
Charcoal filter	D4C	D1C	CNL 1C	CNL 1C
Recirculation kit	SET 1/M1	D1CTP	–	–


Model	CX 92120 CX 62120	GFL 77760 EOS IX	GFL 57651 EOS BK	GFH 73	GFG 2
PRODUCT FEATURES					
Annual energy consumption AEC kWh/annum (kWh)	618	42,3	42,3	67,9	68,8
Energy Efficiency Class	C	A+	A+	D	D
Fluid Dynamic Efficiency (FDEhood)	10,5	37,2	37,2	10,5	10,7
Fluid Dynamic Efficiency class	E	A	A	E	E
Light Efficiency (Lehood) lux/Watt	47	44,8	45	33,8	16,4
Lighting Efficiency class	A	A	A	A	C
Grease Filtering Efficiency (GFEhood) %	711	65	65	77,6	85,7
Grease Filtering Efficiency class	A	E	E	C	B
Air flow (Qmin) m3/h	123	245	245	296	240
Air flow (Qmax) m3/h	235	425	425	337	341
Air flow (Qboost) m3/h	-	760	760	-	-
Noise (LwA) Min Speed (dB)	43	54,4	54,4	62	53
Noise (LwA) Max Speed (dB)	51	68	68	-	-
Noise (LwA) Boost Speed (dB)	-	70,1	70,1	-	-
Off mode Power (Po) W	-	-	-	-	-
Standby Power (Ps) W	-	0,44	0,44	-	-
Energy Efficiency Index (EEI)	84,5	43,1	43,1	86,3	86,6
Time increase actor (f)	1,6	0,7	0,7	1,6	1,6
Air flow at best efficiency point (Qbep) m3 / h	201,3	-	-	226,8	232,5
Air pressure at best efficiency point(Pbep) Pa	192	499	499	185	184
Electric power input at best efficiency point (Wbep) W	101,4	142,8	142,8	111,3	111,5
Nominal power of the lighting system (WL) W	3	8	8	4	5
PRODUCT DIMENSIONS					
Width (mm)	900/600	712	532	730	550
Depth (mm)	480	284	284	310	310
Height (mm)	130	282	282	175	178
ELECTRICAL FEATURES					
Motor power (W)	100	270	270	130	130
Total hood power (W)	103	278	278	134	135
TECHNICAL DATA					
Anti Return Valve	✓	✓	✓	✓	✓
Ø Outlet (mm)	150	150	150	120	120
Number of Filters	2	1	1	2	1
Charcoal filter	Included	D4C	D4C	CNL 1C	CNL 1C
Recirculation kit	-	-	-	-	-



DHT 97670 ROS WH




DPL 1185 ISLAND




DH2 985 ISLAND



DLV 98660




DVN 97050 TTC BK




DVI 88 INFINITY G1

HOODS


INSTALLATION DIAGRAM




PERFECTA4 DLH 985 T




DBB 90 HP




DSH 986










DBB 90/60



DSJ 980 / 680



TL 9310





Cold Line

Meals and memories are kept inside

COLD LINE

Cold line

Almost everything that matters happens in the kitchen.

MAESTRO				
BUILT-IN	 RSF 73380	 RSL 73380	 RBF 78980 FI WH ME	 RBF 78780 FI WH ME
	 RFD 75850 GBK			

MAESTRO

Domestic appliances for those who like going one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum effectiveness in any situation.

TOTAL



CI3 330 NF



CI3 342



TF13 130 D ME

COLD LINE



Ref. 113430079

MAESTRO RFD 75850 GBK

NEW



- Free standing French door refrigerator
- Full No frost
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- Capacity: 6 bottles
- 2 VitaCare Box drawers
- 3 safety glass shelves with mettalic finishing
- On holidays function
- Fast freezing and fast cooling function
- Metal Cooling
- Integrated handle
- Acoustic alarm
- Front adjustable feet
- LED illumination
- Easy 90°
- Climate class: SN/N/ST/T
- Total capacity: 510 litres
- Twister ice maker and ice cube tray included

- ثلاجة بباب فرنسي قائمة بذاتها
- خاصية عدم التجميد (نوفروست)
- محرك محول
- شاشة تحكم خارجية
- منظم حراري إلكتروني قابل للتعديل
- السعة: ٦ زجاجات
- ٢ درج صندوق (فيتا كير)
- ٣ أرفف زجاجية آمنة بمظهر معدني
- خاصية وضع الإجازة
- خاصية التجميد السريع والتبريد السريع
- تبريد معدني
- مقبض مدمج
- إنذار صوتي
- أرجل أمامية قابلة للتعديل
- إضاءة ليد
- قابلة للفتح بسهولة حتى ٩٠ درجة مئوية
- فئة المناخ: SN/N/ST/T
- السعة الإجمالية: ٥١٠ لتر
- تحتوي على صانع ثلج وقالب مكعبات ثلج

COLOR

Black Glass

PRODUCT DIMENSIONS

Height 1830mm Width 836mm Depth 706mm



Ref. 113500015

MAESTRO RSF 73380

NEW



- Built-in Freezer
- Full No Frost
- Touch control Inner display
- Electronic adjustable thermostat
- 6 Safety glass drawers
- Front and back adjustable feet
- Sliding door installation
- Reversible doors
- LED illumination
- Climate class: T
- Net capacity: 200 litres

- فريزر مدمج
- خاصية عدم التجميد (نوفروست)
- شاشة تحكم داخلية تعمل باللمس
- منظم حراري إلكتروني قابل للتعديل
- ٦ صناديق زجاجية آمنة
- أرجل أمامية وخلفية قابلة للتعديل
- إمكانية تركيب الباب الجرار
- أبواب قابلة للعكس
- إضاءة LED
- فئة المناخ: T
- صافي السعة: ٢٠٠ لترًا

COLOR

White

PRODUCT DIMENSIONS

Height 1776mm Width 540mm Depth 540mm



Ref. 113460014

MAESTRO RSL 73380

NEW

- Built-in Refrigerator
 - Full No Frost
 - Inner control display
 - Electronic adjustable thermostat
 - 3 Box drawers
 - 4 safety glass shelves
 - Front and back adjustable feet
 - Sliding door installation
 - Reversible doors
 - Back lit wall
 - Climate class: T
 - Net capacity: 281 litres
- ثلاجة مدمجة
 - خاصية عدم التجميد (نوفروست)
 - شاشة تحكم داخلية
 - منظم حراري إلكتروني قابل للتعديل
 - ٣ صناديق زجاجية
 - ٤ أرفف زجاجية آمنة
 - أرجل أمامية وخلفية قابلة للتعديل
 - إمكانية تركيب الباب الجرار
 - أبواب قابلة للعكس
 - حائط إضاءة خلفي
 - فئة المناخ: T
 - صافي السعة: ٢٨١ لترًا

COLOR

☐ White

PRODUCT DIMENSIONS

Height 1776mm Width 540mm Depth 550mm



Ref. 113560023

MAESTRO RBF 78980 FI WH ME

NEW



- Built-in 90 cm combi refrigerator
- Full No Frost
- Metal cooling
- Inner control display
- Electronic adjustable thermostat
- FreshBox drawer + ZeroBox drawer
- 3+1+1 Safety glass shelves
- Metallic finishing on shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- ECO Function
- Back lit wall
- Reversible doors
- Climate class: T
- Total net capacity: 556 litres

- ثلاجة مدمجة متعددة الاستخدامات ٩٠ سم
- خاصية عدم التجميد (نوفروست)
- تبريد معدني
- شاشة تحكم داخلية
- منظم حراري إلكتروني قابل للتعديل
- درج فريش بوكس + درج زيرو بوكس
- أرفف زجاجية آمنة ٣+١+١
- تشطيب معدني على الأرفف
- خاصية وضع الإجازة
- خاصية التجميد/ التبريد السريع
- أرجل أمامية قابلة للتعديل
- خاصية إيكو
- حائط إضاءة خلفي
- أبواب قابلة للعكس
- فئة المناخ: T
- صافي السعة الإجمالية: ٥٥٦ لتر

COLOR

☐ White

PRODUCT DIMENSIONS

Height 2123mm Width 908mm Depth 592mm

COLD LINE

70 CM



Ref. 113560024

MAESTRO RBF 78780 FI WH ME

NEW



- Built-in 70 cm combi refrigerator
 - Full No Frost
 - Inner control display
 - Electronic adjustable thermostat
 - FreshBox drawer + ZeroBox drawer
 - 3+1+1 Safety glass shelves
 - On holidays function
 - Fast freezing and fast cooling function
 - Front adjustable feet
 - ECO Function
 - Back lit wall
 - Reversible doors
 - Climate class: T
 - Total capacity (gross/net): 341 / 222 litres
 - Ice cube tray included
- ثلاجة مدمجة متعددة الاستخدامات ٧٠ سم
 - نظام نو فريست بالكامل
 - شاشة تحكم داخلية
 - مُنظم حراري إلكتروني قابل للتعديل
 - درج فريش بوكس + درج زيرو بوكس
 - أرفف زجاجية آمنة ٣+١+١
 - تشطيب معدني على الأرفف
 - خاصية وضع الإجازة
 - خاصية التجميد/ التبريد السريع
 - أرجل أمامية قابلة للتعديل
 - خاصية إيكو
 - حائط إضاءة خلفي
 - أبواب قابلة للعكس
 - درجة المناخ: T
 - السعة الإجمالية (الإجمالي/ الصافي): ٣٤١/٢٢٢ لتر
 - تحتوي على صينية مكعبات ثلج

COLOR

☐ White

PRODUCT DIMENSIONS

Height 1937mm Width 690mm Depth 550mm



Ref. 40634574

TOTAL C13 330 NF



- Built-in combi
 - No Frost
 - Mechanical control panel
 - 4* freezer
 - Automatic defrost (refrigerator)
 - Safety glass shelves
 - Antibacterial gasket
 - Sliding door installation
 - LED illumination
 - Reversible doors
 - Energy Class : A+
 - Climate Class : SN-T
 - Total gross capacity : 275 litres
 - Net capacity (fridge) : 193 litres
 - Net capacity (freezer) : 69 litres
- ثلاجة مدمجة متعددة الاستخدامات
 - خاصية عدم التجميد (نوفريست)
 - لوحة تحكم آلية
 - فريزر ٤*
 - التذويب التلقائي (ثلاجة)
 - أرفف زجاجية آمنة
 - جوانات مضادة للجراثيم
 - إمكانية تركيب الباب الجرار
 - إضاءة LED
 - أبواب قابلة للعكس
 - فئة الطاقة: A+
 - فئة المناخ: SN-T
 - السعة الإجمالية: ٢٧٥ لترًا
 - صافي السعة (ثلاجة): ١٩٣ لترًا
 - صافي السعة (فريزر): ٦٩ لترًا

COLOR

☐ White

PRODUCT DIMENSIONS

Height 1776mm Width 540mm Depth 545mm



Ref. 40634007

TOTAL C13 342



- Built-in Combi
 - Manual defrost Freezer
 - Electronic control panel
 - Fast Freeze / Quick Cool function
 - Automatic defrost (refrigerator)
 - Antibacterial system
 - Safety glass shelves
 - Digital Temperature Indicator
 - 1 ZeroBox drawer
 - Chrome bottle rack
 - Optical and acoustic temperature alarm
 - Sliding door installation
 - Reversible doors
 - Energy Class: A++
 - Climate Class: SN/ST
 - Total gross capacity : 275 litres
 - Net capacity (fridge): 167 litres
 - Net capacity (chiller): 19 litres
 - Net capacity (freezer): 69 litres
- ثلاجة مدمجة متعددة الاستخدامات
 - إذابة الثلج يدوي
 - لوحة تحكم إلكترونية
 - وظيفة التجميد السريع/التبريد السريع
 - التذويب التلقائي (ثلاجة)
 - نظام مضاد للجراثيم
 - أرفف زجاجية آمنة
 - مؤشر درجة الحرارة الرقمي
 - درج زيروبوكس
 - رف زجاج من الكروم
 - إنذار درجة الحرارة البصري والصوتي
 - إمكانية تركيب الباب الجرار
 - أبواب قابلة للعكس
 - فئة الطاقة: A++
 - فئة المناخ: SN / ST
 - السعة الإجمالية: ٢٧٥ لترًا
 - صافي السعة (ثلاجة): ١٦٧ لترًا
 - صافي السعة (مبرد): ١٩ لترًا
 - صافي السعة (فريزر): ٦٩ لترًا

COLOR

☐ White

PRODUCT DIMENSIONS

Height 1776mm Width 540mm Depth 545mm



Ref. 113460002

TOTAL TF13 130 D ME



- Built-under refrigerator
 - Inner control display
 - 4* freezer
 - Manual defrost
 - Manual adjustable thermostat
 - Door on door installation
 - 2 safety glass shelves
 - Front adjustable feet
 - Reversible door
 - Energy class: A++
 - Climate class: SN/T
 - Noise level:
 - Total gross capacity: 125 litres
 - Net capacity (fridge): 92 litres
 - Net capacity (freezer): 15 litres
- ثلاجة مدمجة
 - لوحة تحكم داخلية
 - فريزر ٤*
 - تذويب يدوي
 - منظم حرارة يدوي قابل للتعديل
 - إمكانية تركيب باب على باب الثلاجة
 - ٢ أرفف زجاجية آمنة
 - أرجل أمامية قابلة للتعديل
 - باب قابل للعكس
 - فئة الطاقة: A++
 - فئة المناخ: SN / T
 - مستوى الضوضاء:
 - السعة الإجمالية: ١٢٥ لترًا
 - صافي السعة (ثلاجة): ٩٢ لترًا
 - صافي السعة (فريزر): ١٥ لترًا

COLOR









☐ White

PRODUCT DIMENSIONS

Height 818mm Width 595mm Depth 545mm

MODEL	RMF 77960	TFI3 130 D ME	RSF 73380	RSL 73380
PRODUCT FEATURES				
Energy efficiency class (1)	E	A++	E	E
Annual consumption (kWh/year) (2)	319	138	231	158
Total Gross Capacity (litres)	522	125	–	–
Refrigerator compartment capacity (litres)	343	92	–	280
Chilling compartment capacity (litres)	–	–	–	–
Freezer compartment capacity (litres)	179	15	200	–
Freezer clasification (stars)	4	–	–	–
No frost in refrigeration compartment	✓	–	–	✓
No frost in chiller	✓	–	–	–
No frost in freezer compartment	✓	–	✓	–
Temperature rise time (autonomy) (3)	11	10	13	–
Freezing Capacity (Kg/24h)	13	2	9	–
Climate class	SN/N/ST	SN/T	T	T
Noise level (dB)	39	37	41	38
Type of installation	Free Standing	Built-in	Built-in	Built-in
ELECTRICAL FEATURES				
Power Rate (W)	180	65	207	100
Defrost element power (W)	164	–	207	30
Energy consumption (Kw/day)	0,87	0.378	0.57	0.432

MODEL	RBF 78980 FI	RBF 78780 FI	CI3 342	CI3 330 NF
PRODUCT FEATURES				
Energy efficiency class (1)	E	E	A++	A+
Annual consumption (kWh/year) (2)	330	250	240	286
Total Gross Capacity (litres)	556	341	275	275
Refrigerator compartment capacity (litres)	330	222	167	193
Chilling compartment capacity (litres)	69	35	19	NA
Freezer compartment capacity (litres)	157	84	69	69
Freezer clasification (stars)	4	4	4	4
No frost in refrigeration compartment	✓	✓	–	–
No frost in chiller	✓	✓	–	–
No frost in freezer compartment	✓	✓	✓	✓
Temperature rise time (autonomy) (3)	13	10	13	13
Freezing Capacity (Kg/24h)	7.5	3.3	4	4
Climate class	T	T	SN-T	SN-T
Noise level (dB)	41	41	40	40
Type of installation	Built-in	Built-in	Built-in	Built-in
ELECTRICAL FEATURES				
Power Rate (W)	275	100	125	115
Defrost element power (W)	275	180	120	120
Energy consumption (Kw/day)	0.9	0.68	0.66	0.79





Dishwashers

Caring for your loved ones
through pure hygiene



WORLDWIDE **NOVELTY**

New Dishwashers Series



SmartSensor

This innovative system identifies through sensors the dirtiness level of your kitchen wear and adjusts the washing parameters based on this. Optimal results in each cycle.



MultiCleaner

Use any kind of detergent you like, pots or powder, as your Dishwasher will adapt to either with the MultiCleaner system.



PremiumDry

A perfect finishing is achieved thanks to an excellent performance with minimum consumption. At the end of each cycle, the PremiumDry system will automatically open the Dishwasher door to complete the dishes drying process.




3rd Cutlery Tray

Your cutlery perfectly clean and with no food traces, thanks to our new wider and more flexible tray. Move and set its mobile parts to adjust to your needs in every cycle.



Beam on Floor

Our Dishwasher are so silent, that we have included a beam of light*, so that you can identify when it is working. When the light beam is off, means your Dishwasher is done with your dishes.



Dishwashers

Experience the taste of life.

MAESTRO	
60	
INTEGRATED	10 PLACE SETTINGS
	14 PLACE SETTINGS
	 DFI 76960

MAESTRO

Domestic appliances for those who like going one step further. For those who will not settle for being like the rest.

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum effectiveness in any situation.

TOTAL	
45	60



DFI 44700



DFI 46700 ME

DISHWASHERS

60 CM



Ref. 114260027

MAESTRO DFI 76960

NEW



- Fully integrated dishwasher
 - Electronic control panel with white LED display
 - Floor light
 - Sliding door system
 - Auto door opening system
 - Third cutlery tray
 - Place Settings : 14
 - Washing programs : 8
 - AquaStop safety system
 - SmartSensor, measures the level of dirtiness
 - MultiCleaner Sensor Beam on floor
 - PushUp system with 3 positions
 - Fast programs: 1Hour and Mini 30
 - Special programas: AutoClean, GlassCare and DualCare
 - Special functions: Half load, Express and Power Wash
 - Delay timer 1-24h
 - Low salt and rinse indicator
 - Energy efficiency class : B
 - Noise level: 42 dBA
- غسالة أطباق متكاملة
 - لوحة تحكم إلكترونية مع شاشة ليد بيضاء
 - ضوء أرضي
 - نظام الباب المنزلق
 - نظام فتح الباب تلقائياً
 - صينية ثالثة لأدوات تقديم الطعام
 - منظم أدوات تقديم الطعام مكون من ثلاث أجزاء
 - إعدادات المكان: ١٤
 - برامج الغسيل: ٨
 - نظام أمان (أكوا ستوب)
 - مستشعر ذكي يقيس مستوى الاتساخ
 - مستشعر متعدد المنظفات
 - خاصية الشعاع على الأرض لمعرفة حالة برنامج الغسيل
 - نظام (بوش أب) مع ٣ أوضاع البرامج السريعة: ساعة و ٣٠ دقيقة
 - برامج خاصة: التنظيف التلقائي، خاصية (جلاس كبير) وخاصية (دوال كبير)
 - وظائف خاصة: نصف حمولة وغسل سريع وقوي
 - مؤقت التأخير: ١-٢٤ ساعة
 - مؤشر انخفاض الملح والشطف
 - فئة كفاءة الطاقة: B
 - مستوى الضوضاء: ٤٢ ديسيبل

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Height 815mm Width 598mm Depth 550mm

60 CM



Ref. 114270010

TOTAL DFI 46700 ME



- Fully integrated dishwasher
 - Electronic control panel with white LED display
 - Place Settings : 14
 - Washing programs : 7
 - Washing temperatures : 35°, 40°, 50°, 65°, 70° C
 - Motor Inverter
 - AquaStop safety system
 - SmartSensor mesure the level of dirtiness
 - MultiCleaner Sensor
 - PushUp system with 3 positions
 - FlexiSet4 lower basket
 - Fast programs: 1Hour and Mini 30
 - Special programas: AutoClean
 - Special functions: Half load
 - Express and Power Wash
 - Extra Drying function
 - Column installation
 - Delay timer 1-24h
 - Low salt and rinse indicator
 - Energy efficiency class : A++
 - Noise level: 46 dBA
- غسالة أطباق متكاملة
 - لوحة تحكم إلكترونية مع شاشة ليد بيضاء
 - إعدادات المكان: ١٤
 - برامج الغسيل: ٧
 - درجات حرارة الغسيل: ٣٥ درجة، ٤٠ درجة، ٥٠ درجة، ٦٥ درجة، ٧٠ درجة مئوية
 - مغير سرعة للمحرك (إنفيرتر)
 - نظام أمان (أكوا ستوب)
 - مستشعر ذكي يقيس مستوى الاتساخ
 - مستشعر متعدد المنظفات
 - نظام بوش أب مع ٣ أوضاع
 - سلة FlexiSet4 السفلية
 - سلة فلكسي سيت ٤ السفلية
 - البرامج السريعة: ساعة واحدة و ٣٠ دقيقة
 - برامج خاصة: التنظيف الآلي
 - وظائف خاصة: نصف حمولة
 - غسيل سريع وقوي
 - وظيفة تجفيف إضافية
 - تثبيت العمود
 - مؤقت التأخير ١-٢٤ ساعة
 - مؤشر انخفاض الملح والشطف
 - فئة كفاءة الطاقة: A++
 - مستوى الضوضاء: ٤٦ ديسيبل

COLOR

Stainless Steel

PRODUCT DIMENSIONS

Height 818mm Width 598mm Depth 550mm

45 CM



Ref. 114310000

TOTAL DFI 44700

NEW



- Built-in Dishwasher
 - Electronic control panel with display
 - Capacity: 10 plate settings
 - Washing programs: 7
 - Washing temperatures: 35°, 40°, 50°, 65°, 70°C
 - Motor Inverter
 - SmartSensor measure the level of dirtiness
 - MultiCleaner Sensor
 - Fast programs: 30 minutes
 - Special programs: AutoClean, Intensive program, ECO program, 1-Hour, PreWash
 - Special functions: Half load, Express, ExtraDry
 - AquaStop and AquaSafe safety systems
 - Low salt and rinse indicator
 - Push-up adjustable upper basket
 - Delay timer: 1-24 hours
 - Noise level: 47 dBA
 - Adjustable back feet from front
 - Sliding Detergent drawer
 - Column installation
- غسالة أطباق مدمجة
 - لوحة تحكم إلكترونية مع شاشة عرض
 - السعة: ١٠ أطباق
 - برامج الغسيل: ٧
 - درجات حرارة الغسيل: ٣٥ درجة مئوية، ٤٠ درجة مئوية، ٥٠ درجة مئوية، ٦٥ درجة مئوية، ٧٠ درجة مئوية
 - محرك عالي الكفاءة (إنفيرتر)
 - تقنية المستشعر الذكي لقياس مستوى الاتساخ
 - مستشعر متعدد المنظفات
 - برامج سريعة: ٣٠ دقيقة
 - برامج خاصة: التنظيف التلقائي، برنامج التنظيف المكثف، برنامج توفير الطاقة (إيكو)، برنامج ساعة واحدة، البرنامج المسبق
 - وظائف خاصة: نصف حمولة، سريع، تجفيف إضافي
 - نظامي أمان (أكوا ستوب) و(أكوا سيف)
 - مؤشر انخفاض الملح والشطف
 - سلة علوية قابلة للضبط لأعلى عن طريق الرفع
 - مؤقت تأخير التشغيل: ١-٢٤ ساعة
 - مستوى الضوضاء: ٤٧ ديسيبل
 - حوامل خلفية قابلة للتعديل من الأمام
 - درج مسحوق غسالة قابل للانزلاق
 - تثبيت عامودي

COLOR



Stainless Steel

PRODUCT DIMENSIONS


Height 818mm Width 448mm Depth 550mm




DISHWASHERS

TECHNICAL FEATURES


Model	DFI 76960	DFI 46700 ME	DSI 46750 SS
PRODUCT FEATURES			
Capacity (place settings)	14	14	13
Energy Efficiency Class (1)	B	A++	A++
Energy consumption per year (kWh) (2)	270	266	262
Power consumption (kWh) (3)	0.94	0.93	0.92
Power consumption (Off and Left-On modes)	0.35/0.5	0.35/0.5	0.45/0.5
Water consumption year/litres (4)	2.660	2.660	3.080
Drying efficiency	A	A	A
Standard program	Eco 50	Eco 50	ECO
Cycle duration (minutes)	245	220	230
Noise (dB)	42	46	47
Installation	Built-in	Built-in	Partially Integrated
ELECTRICAL FEATURES			
Maximum Nominal Power (W)	2100	2100	2100
SAFETY SYSTEM			
Aquastop	✓	✓	✓
Aquasafe	✓	✓	✓



DFI 76960



DFI 44700



DFI 46700 ME



Laundry

The scent and softness of clean clothes
reminds us of the best stages of life



Laundry day will become **your favourite day**

SmartWash

Ensure the minimum consumption with our smart system, which adjusts the washing parameters to the load.

SoftCare drum

The easiest way to break water resistance. The innovating Softcare design of the drum, made of dozens of small cubes, improves the gentle care of your laundry during washing, drying and spinning, even caring for your most delicate wool clothes.

ExcellentDry sensor

Delicate care for your clothes. Sensors control temperature and humidity to guarantee a perfectly dry result.

MyCycle

Choose your favourite program, type of clothes, temperatures, speed, and more. Your washing machine will memorize your parameters for whenever you need them, and you will know that it was designed just for you.

Steam function

An extra blow of hygiene. The steam eliminates germs, viruses and bacteria, and permits a fluffier laundry result with fewer wrinkles.



PREMIUMCARE Series

DIGITAL DISPLAY

FUNCIONES | FUNÇÕES

2:40

TEMP.



CENTRIF.



DELAY
START



VAPOR



SPEED
WASH



INÍCIO
PAUSA



(3s)

ALLERGY SAFE

T-INVERTER MOTOR

STEAM ASSIST

ECO3PLUS TECHNOLOGY

LAUNDRY

Life is the sum of these moments that surprise us.

MAESTRO

Domestic appliances for those who like going one step further. For those who will not settle for being like the rest.

MAESTRO				
WASHER DRYER			WASHING MACHINE	
R.P.M.	8 KG / 6 KG	8 KG / 5 KG	8 KG	
FREESTAND	1400			
		TK5 1480 WD SLIM WH		
BUILT-IN	1400			
		LS15 1481 EU		
BUILT-IN	1400			
		L15 1481 EUI		



Ref. 114030004



Ref. 114000009

MAESTRO LSI5 1481 EU

NEW



- Built-in Washer-Dryer
- Washing capacity: 8 kg
- Drying capacity: 5 kg
- Washing programs: 13
- Drying programs: 2
- Condenser dryer
- Electronic control panel
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Special functions: Delay timer, Stain type, Time dry
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 35 cm wide porthole door
- Energy class: A

- غسالة ومجفف مدمج
- سعة الغسيل: ٨ كجم
- سعة التجفيف: ٥ كجم
- برامج الغسيل: ١٣
- برامج التجفيف: ٢
- مزودة بمجفف مكثف
- مزودة ببلوكة تحكم إلكترونية
- البرنامج السريع: ١٤ دقيقة
- برنامج توفير الطاقة (إيكو)
- الطاقة، للملابس الرقيقة
- وظائف خاصة: مؤقت التأخير، نوع البقع، وقت التجفيف
- الحد الأقصى لسرعة الدوران: ١٤٠٠ دورة في الدقيقة
- خاصية تنظيم المياه الذاتي
- خاصية نظام أمان قفل الباب الآلي
- خاصية قفل الأمان للأطفال
- مزودة حوض غسيل (سوفت كير)
- مؤقت التأخير: ١-٢٤ ساعة
- باب مزود بفتحة عرض ٣٥ سم
- فئة الطاقة: A

MAESTRO LI5 1481 EUI



- Built-In Washing Machine
- Washing Capacity: 8kg
- 15 washing programs
- T Inverter Motor
- Electronic control panel
- Stainless Steel Drum
- Special Programs: Delicate Fabrics, Intensive and Resistant Fabrics Whool
- ECO Program
- Fast Program: 14 minutes
- Functions: Fast, Stain Level, Kg Detector
- Delay Timer: 1-24h
- Child Lock
- Maximum spin speed: 1400 RPM
- Max. Nominal Power: 1600 (W)
- Energy class: A+++

- غسالة مدمجة
- سعة الغسيل: ٨ كجم
- مزودة بعدد ١٥ برنامج غسيل
- محرك تي يعمل بتقنية العاكس الكهربائي
- مزودة ببلوكة تحكم إلكترونية
- اسطوانة من الفولاذ المقاوم للصدأ
- البرامج الخاصة: الأقمشة الرقيقة، صوف الأقمشة المكثفة والثقيلة
- برنامج إيكو لتوفير الطاقة
- البرنامج السريع: ١٤ دقيقة
- الخصائص: سريع، مستوى البقع، وزن الغسيل الجاف
- مؤقت التأخير: ١-٢٤ ساعة
- خاصية قفل الأمان للأطفال
- الحد الأقصى لسرعة الدوران: ١٤٠٠ دورة في الدقيقة
- الحد الأقصى للطاقة التشغيلية: ١٦٠٠ (واط)
- فئة الطاقة: A+++

COLOR

☐ White

PRODUCT DIMENSIONS

Height 820mm Width 596mm Depth 570mm

COLOR

☐ White

PRODUCT DIMENSIONS

Height 820mm Width 596mm Depth 570mm

LAUNDRY



Ref. 113960009

MAESTRO TK5 1480 WD SLIM WH

8

Kg

- Free standing washer-dryer
- Washing capacity: 8 Kg
- Spinning capacity: 8 Kg
- Dryer capacity: 6 Kg
- Washing programs: 16
- Programs: My Cycle, Sport Wear, Jeans, 20°C, Intensive, ECO 40-60, Wool, Spin Only, Dry Only, 1 Hour W/D, Mix, Rinse & Spin, Quick 15', Wash adn Dry, Cotton.
- Electronic control panel
- Digital display
- Start Delay program 0-24 h
- Drum Capacity: 52,7 Litres
- Spinning speeds: 1400-1200-800-600-400-0
- Temperature selection: Cold-20°C-30°C-40°C-60°C-90°C
- Energy class: B
- غسالة ومجفف غير مدمج
- سعة الغسيل: ٨ كجم
- سعة الدوران: ٨ كجم
- سعة التجفيف: ٦ كجم
- برامج الغسيل: ١٦
- البرامج: الدورة المفضلة، الملابس الرياضية، ملابس الجينز، ٢٠ درجة مئوية، برنامج غسيل مكثف.
- الوضع إيكو لتوفير الطاقة ٦٠-٤٠، الصوف، الدوران فقط، التجفيف فقط، ١ ساعة غسالة/مجفف، مزدوج، شطف وتدوير، سرعة ١٥ دقيقة، غسيل وتجفيف، الأقطان.
- مزودة بلوحة تحكم إلكترونية
- مزودة بشاشة عرض رقمية
- بدء تشغيل برنامج التأخير ٢٤٠٠ ساعة
- حوض الغسيل: ٥٢,٧ لترًا
- سرعات الدوران: ١٤٠٠-١٢٠٠-٨٠٠-٦٠٠-٤٠٠-٠
- اختيار درجة الحرارة: بارد ٢٠ درجة مئوية - ٣٠ - ٤٠ درجة مئوية - ٦٠ - ٩٠ درجة مئوية
- فئة الطاقة: B

COLOR

☐ White

PRODUCT DIMENSIONS

Height 850mm Width 595mm Depth 475mm



Model	LSI5 1481 EU	TK5 1480 WD SLIM WH
-------	--------------	---------------------

PRODUCT FEATURES		
------------------	--	--

Energy efficiency class	A	B
Energy consumption for washing, spinning and drying, kWh	5.44	
Washing performance class	A	B
Maximum spinning speed	1400	1400
Washing capacity	8	8
Drying capacity	5	6
Cycle duration (minutes)	570	-
Energy consumption per year	220	-
Condensation efficiency	-	-
Energy cycle consumption full/partial load (kWh)	-	-
Water consumption (litres/year)	11000	-
Noise level washing/spinning (Db)	48/75	58/76
Noise level dB washing/spinning	56/78/62	56/72/58
POWER SUPPLY		
Voltage (V)	220-240	220-240
Maximum Nominal Power (W)	2.000	2.200
Nominal Power motor (W)	500	340
Nominal Power heating element (W)	1.200	2.000

Model	LI5 1481 EUI
-------	--------------

PRODUCT FEATURES	
------------------	--


Filter - Washing capacity (Kgs)	8
Energy efficiency class	A+++
Energy consumption (kWh/year)	118
Consumption cycle energy (kWh)	0.54/0.49/0.49
Consumption On/Off and left on modes (kWh)	0.95
Water consumption (litres/year)	9850
Spinning efficiency	A
Filter - Maximum spinning speed (RPM)	1400
Percentage of water after the spinning (%)	53
Cycle duration (minutes)	330/285/285
Noise level washing/spinning (Db)	48/75

BUILT IN DOOR MEASUREMENTS	
----------------------------	--


Door height (mm)	-
Door width (mm)	-

POWER SUPPLY	
--------------	--

Voltage (V)	220-240
Maximum Nominal Power (W)	1600
Nominal Power motor (W)	350
Nominal Power heating element (W)	1600



LSI5 1481 EU



LI5 1481 EUI



TK5 1480 WD SLIM WH

KEY TO ICONS

OVENS

	Fingerprint Proof مضاد للبصمات
	MeatProbe مستشعر درجة حرارة مسبار اللحم
	44L Capacity سعة ٤٤ لتر
	64L Capacity سعة ٦٤ لتر
	69L Capacity سعة ٦٩ لتر
	70L Capacity سعة ٧٠ لتر
	72L Capacity سعة ٧٢ لتر
	76L Capacity سعة ٧٦ لتر
	77L Capacity سعة ٧٧ لتر
	DualClean Cleaning system نظام التنظيف المزدوج
	Full Extension Telescopic Guide دليل تلسكوبي قابل للتمديد بالكامل
	HydroClean تنظيف مائي
	The SteamBox Included صندوق البخار مشمول
	Plus Extension Telescopic Guide دليل تلسكوبي إضافي قابل للتمديد بالكامل
	Pyrolysis Cleaning System نظام تنظيف بالانحلال الحراري
	SoftClose سهل الإغلاق
	SurroundTemp الحرارة المحيطة
	A Energy Class فئة الطاقة A
	A+ Energy Class فئة الطاقة A+

MICROWAVES

	20L Capacity سعة ٢٠ لتر
	22L Capacity سعة ٢٢ لتر
	40L Capacity سعة ٤٠ لتر
	44L Capacity سعة ٤٤ لتر
	Ceramic base قاعدة سيراميك
	Defrost By Time إزالة الصقيع بمرور الوقت
	Defrost By Weight إزالة الصقيع بالوزن
	Direct Access Menu قائمة الوصول السريع
	Electronic Door Opening فتحة باب إلكترونية

COFFEE MACHINE

	Ground coffee بن مطحون
	Capsules كبسولات قهوة
	Coffee beans حبوب قهوة

HOBS

	Auto ignition إشعال تلقائي
	Autolock قفل تلقائي
	Easy Installation تركيب سهل
	ExactFlame تقنية استخدام الحرارة بدقة

	Flex فليكس
	MultiSlider شريط تمرير متعدد
	Power كهرباء
	Power Plus كهرباء إضافية
	Slider شريط تمرير
	Syncro function خاصية سينكرو

HOODS

	LED light bar شريط ضوء ليد
	FreshAIR هواء منعش
	PERFECTA-4 بيرفيكت ٤-A
	RIM Extraction حافة استخراج
	Remote Control تحكم عن بعد
	Stop Delay Timer وقف مؤقت التأخير
	A Energy Class فئة الطاقة A
	A+ Energy Class فئة الطاقة A+

DISHWASHERS

	Eco Function وظيفة الحفاظ على البيئة
	Half Load نصف حمولة
	Third Cutlery Tray منظم أدوات تقديم الطعام مكون من ثلاث أجزاء



Third Sprayer
ثلاثة مرشات



A++ Energy Class
فئة الطاقة: ++A



A+++ Energy Class
فئة الطاقة: +++A



Multiflex
متعدد الانثناءات



Beam On Floor
شعاع الضوء



Extra Dry function
وظيفة تجفيف إضافي



Smart Sensor
مستشعر ذكي



Multi Cleaner
منظف متعدد



Sliding Door
باب منزلق

COLD LINE



Eco Function
نظام إيكو لتوفير الطاقة



Bar On Door
شريط أمان الباب



Fresh Box
فريش بوكس



Full No Frost
نظام مانع تجميد كامل



Gourmet Box
صندوق جورمييه



IonClean Technology
تقنية التنظيف بمساعدة الأيونات



LED
لمبة (إيد)



LongLife No Frost
نظام مانع للتجميد (LongLife)



Motor inverter
محرك يعمل بتقنية العاكس



On Holidays function
خاصية التحكم عن بُعد



Vitacare Box
درج فيتا كير



Zero Box
زيرو بوكس



A Energy Class
فئة الطاقة: +A



A+ Energy Class
فئة الطاقة: +A



A++ Energy Class
فئة الطاقة: ++A

LAUNDRY



Fingerprint Proof
مقاوم لبصمات الأصابع



Hand Wash
غسل يدوي



Washing capacity: 10Kg
سعة الغسيل: ١٠ كجم



Washing capacity: 7Kg
سعة الغسيل: ٧ كيلو



Washing capacity: 8Kg
سعة الغسيل: ٨ كجم



Woolmark Certificate
اعتماد وولمارك



A Energy Class
فئة الطاقة: +A



A+ Energy Class
فئة الطاقة: +A



A+++ Energy Class
فئة الطاقة: +++A





www.teka.com



www.teka.com

The Built-in Specialist

Teka Home Appliances



RUWAD AMAL MODERN - Official TEKA Distributor in The Sultanate of Oman

P.O BOX 156 , P.C: 611

Muscat , Sultanate of Oman

Phone number: +968 9664 5150 / +968 9664 5109

Email : info@ruwadmodern.com

SERVICE CENTRE

Phone Number : +968 9664 5111

Email : servicecenter@ruwadmodern.com