

GFL 57651 Built-in Filter Group with Rim extraction and electronic control





Perimeter

extraction



Stop Delay

Timer

DESCRIPTION

LIFE STYLE

COLOURS

REFERENCE

Built-in Filter Group with Rim extraction and electronic control

Maestro

REF. 113100005 EAN. 8434778022339

GFL 57651


TEKA

FEATURES

Built-in hood Electronic control Rim extraction 3 speeds + 1 intensive Free Outlet exhaust capacity (m3/h): 735 Max speed exhaust capacity (m3/h): 738 Intensive speed sound level (dBA): 70,1 Max speed sound level (dBA): 68 Min speed sound level (dBA): 54,4 2 LED Lamps 1 aluminium filter Stop delay timer Anti-return valve included Outlet reduction included Optional Charcoal Filter: D4C

GFL 57651

TEKA



DIMENSIONS

Product height (mm): 282 Product width (mm): 532 Product depth (mm): 284 Product length (mm): Net weight (Kg): 9,8

TECHNICAL DETAILS

FEATURES

Ø Outlet (mm): 150 Type of inner light: LED Inside light Consumption (W): 6 Plug type: Shucko Cable Connection Length (cm): 100 Power rate (V): 220 - 240 Frequency (Hz): 50 Total hood power (W): 278 Number of motors: 1 Motor power (W): 270 Air flow (Qmin) m3/h: 245 Air flow (Qmax): 425 Air flow (Qboost): 760

ACCESSORIES

Anti Return valve: Yes Outlet reduction: Yes Outlet extension: No Optional Charcoal Filter: D4C Regenerative charcoal filter: No Conventional recirculation kit (opt) - w/tube cover: No Regenerative recirculation kit (opt) - w/tube cover: No Conventional recirculation kit (opt) - w/o tube cover: No Regenerative recirculation kit (opt) - w/o tube cover: No

MODELS

Number of filters: 1 Filter description: Aluminum Filter Opening system: Manual Control panel: Electronic Stop delay timer: Yes Number of speeds: 3 + 1

TEKA GFL 57651

ENERGY LABEL

