

At Teka, we believe that without convenience and ease of use, there can be no innovation.

That is why our WISH ovens are truly innovative









_Easy



WISH

Make a wish

WISH, THE SPECTACULAR NEW OVEN RANGE CREATED BY TEKA.
HIGHLY ACCURATE, LOW CONSUMPTION APPLIANCES WHICH
ARE VERY EASY TO USE AND CLEAN AND WILL MAKE ALL YOUR
COOKING DREAMS COME TRUE - IN A REAL KITCHEN!





WISH

ovens have been tested
in the world's
most demanding laboratory:
your kitchen.





REAL SPACE

With more space inside: Up to 76 litres useful capacity, 30% more than previous models. Trays with 7.5% greater surface area.

Now with anti-tip system.



REAL PRECISION

WISH ovens increase your haptic sensation with new control knobs. Their wider diameter makes for an easy grip and increases precision in every movement.



REAL SAVINGS

WISH ovens reduce energy consumption by up to 20% compared to previous models. Highly efficient, they have a lot to offer and reduce the carbon footprint.



REAL CLEAN WITH HYDROCLEAN

HYDRO CLEAN

Hydroclean® PRO
The real Eco-cleaning
solution, Thanks to the
electronic time set-up and
just with a glass of water your
oven will be clean in 24
minutes with hardly any effort.

IOVEN

REAL PRACTICALITY

The new ovens from Teka are innovative:







NEW DESIGN OF THE BACK WALL AND GRILL

The new design of the backwall provides better heat distribution and easier cleaning. The new grill covers a greater surface area and its design grills foods more evenly.

From 30°C to 270°C.

NEW TELESCOPIC GUIDES

More robust and smoother-running.
They allow for smoother removal of
the trays with complete precision.
The Clip-on system of the guides
makes them also easier to install.

MORE ACCESSORIES. GREATER POSSIBILITIES.

The MultiCook tray allows you to cook more dishes at the same time, even steam cooking in the trays or grill; and the optional die-cast aluminium tray with its anti-stick coating can be used both in the oven and on induction or glass-ceramic hobs.




ANYTHING YOU COULD WISH FOR

A NEW RANGE OF WISH OVENS WHERE YOU CAN CHOOSE:

- ▶ A+ ovens with HydroClean[®] cleaning systems
- With a TFT screen or LCD display
- ▶ Ergonomic control knobs
- ▶ Up to 50 pre-programmed recipes.
- ▶ Meat probe and SlowCook function
- 2 or 3 full removable glazed door
- "Plus" telescopic guides.
- ▶ Tangential ventilation Plus with 2 speeds
- Automatic express quick heating
- Drop down grill
- MultiCook or cast aluminium trays with anti-stick coating
- And black, white or stainless steel ovens

Whatever you may WISH for!





MAESTRO RANGE

For those who go one step further

FOR THOSE WHO ARE NOT SATISFIED WITH JUST BEING LIKE EVERYONE ELSE AND WHO, IN ADDITION TO USER-FRIENDLINESS AND PRECISION, SEEK A REFLECTION OF THEIR PERSONALITY.



THE RECIPES YOU WISH FOR

As if there were always
a chef at home!
That's how new WISH ovens
make you feel. Up to 50 pre-programmed recipes.
Prepare the ingredients and the
oven will adjust the temperature

and function automatically.

SLOW COOKING

Cook like a professional!

The **SlowCook** function
is the most efficient technique
for enhancing your recipes'
flavours and textures.
A function that will never cease
to surprise you.

COOKED TO PERFECTION

By using the meat probe, you can choose the finish that you really like in your meat roasts. In this way, you guarantee the desired results, without having to make incisions or go for broke at the end.

WISH

OVENS WITH FULL-COLOR 4" AND 5" TFT DISPLAYS

New WISH ovens range are everything you have ever dreamt of. They will guide you step by step, delivering ultimate control and precision thanks to their full-colour 4" and 5" TFT displays.





SMOOTHNESS, ABOVE ALL

With the **SoftClose** system, avoid unpleasant slamming thanks to the oven's smooth opening and closing. **SoftClose** also ensures safety and comfort.



ULTIMATE SAFETY AND CLEANLINESS

The **Cool Touch System**®, with up to 3 glass panels, prevents burns.

Furthermore, the glass panels and the doors can be taken apart, making cleaning them properly easy.



FULL VISIBILITY


The **iOVEN's** side LED light gives you an unbeatable view of your food.

And if you want to taste it, take out the tray safely and smoothly thanks to the "**Plus**" telescopic guides.



MINIMUM ENERGY CONSUMPTION GUARANTEED

Reduce preheating time with no additional energy consumption. Save more with models that shut off automatically when you open the door.



TOTAL RANGE

For those who ask their oven for everything for everyone

FOR THOSE WHO ARE PROUD OF THEIR HOMES AND SEEK DESIGN, FUNCTIONALITY, RELIABILITY AND, ABOVE ALL, A BALANCE BETWEEN PERFORMANCE AND CONSUMPTION.





A NEW STYLE

The new range of Total ovens delivers ultimate precision. They are easy to operate thanks to their Touch Control panel with a white LED display.

Models come with a new, sleek, straight, aluminium handle that is soft to the touch and makes the door easier to open.

Their full glazed door with a fine stainless steel edge is not only elegant but also makes it easier for you to see what you are cooking.





HYDRO CLEAN

Hydroclean® PRO

The real Eco-cleaning solution, Thanks to the electronic time set-up and just with a glass of water your oven will be clean in 24 minutes with hardly any effort.



SAVINGS GUARANTEED

The Total oven range enjoys the savings delivered by an A+ energy rating: up to 20% less electricity consumption compared to an A rating.

Savings you feel in your pocket.



SMOOTH TRAY REMOVAL GUIDES

Keep an eye on your recipe's cooking progress without risking dropping your tray thanks to the easily removable telescopic guides.

The trays are also fitted with an anti-tip system.



IN LINE WITH NEW LIFESTYLES

Quick and consistent thawing of all kinds of frozen foods, ranging from meat to, for example, bread or readyprepared recipes, cakes or frozen foods.



ENERGY EFFICIENT

Ideal for preparing all kinds of foods with the lowest energy consumption.

Their smart temperature control system adapts consumptions to ensure the best results.



SAFETY ABOVE ALL ELSE

The forced ventilating system reduces steam temperature before it is expelled outside. It improves oven cooling reducing the temperature of surrounding furniture.



COOK PIZZA, PASTRY, CAKES... AS NEVER BEFORE!

Thanks to the combination of bottom heat and the turbo (circular heating element) that improves heat distribution.



UNTOUCHED BY LITTLE CHILDREN'S MISCHIEF

The safety lock prevents programmes from being changed, especially by children.



TEKA HYDROCLEAN

HydroClean® - The real Eco Cleaning solution

NEW \widehat{WISH} ovens feature eco cleaning solution. Hydroclean $^{(8)}$ for daily cleaning.



Teka makes our consumers' dreams come true thanks to its Hydroclean® system: Keeping the oven clean using only the power of water.





HYDROCLEAN®

TEKA OFFERS YOU 2 WATER SELF-CLEANING OPTIONS:



HYDROCLEAN® PRO

Activate the HydroClean® PRO function at the press of a button. As easy as pie!



HYDROCLEAN® ECO

The manual and most ecological option. Add water, set the bottom heat function at 90°C for 4 minutes, wait 20 minutes and ready to go!



The combined action of the steam generated in the oven cavity and HydroClean® technology removes grease and grime with just a glass of water and a few drops of detergent poured onto a wipe. Ready in just 24 effort-free minutes!



NEW SLIPPERY ENAMEL

Cleaning new WISH ovens is more efficient thanks to the Slippery enamel that coats their entire interior. This latest-generation enamel keeps the inside of your oven clean for longer as it resists sticking and increases slipperiness. Its resistance to acids and chemical agents also lengthens its useful life and improves protection against occasional knocks that occur during cooking. With Teka's exclusive enamel, the water HydroClean® self-cleaning functions improve results by keeping your oven interior in perfect condition.



WISH OVENS

Minimum consumption, highly accurate and very easy to use


					_ M A E S T	RO		
		1	TFT 5"	TFT 4"			TOUCH CONTROL DISPLAY LED	
TIFUNCTION	TURBO	HIDROCLEAN	iOVEN	HLB 860	HLB 850	HLB 840	HLB 840 WHITE	HLF 940
MUL	STRIP	HIDROCLEAN				HLB 830		
0 N V E N H I O N A L		HIDROCLEAN						
N O O O								
GAS								

MAESTRO

TOTAL

EASY

Domestic appliances for those who like going one one step further. For those who will not settle for being like the rest. Designed for those who demand everything of their appliances, for everyone in the house. Maximum effectiveness in any situation. For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.





CODE: 41560160

Ideal to cook several foods at the same time. It allows steam cooking in the trays or grill.





WISH I O VEN INOX



Multifunction Turbo

Hydroclean® PRO cleaning system Slippery enamel

A+ Energy class: up to 20% less consumption

Capacity, gross/net: 71/70 litres

18 cooking functions

TFT 5" true color Touch control

Personal Cook assistant: 50 programmed recipes Meat probe

Automatic Express preheating

SlowCook function: low temperature cooking

Keep warm, bake bread, quick heating, pizza, ferment,

defrosting & ECO functions

Children safety block

Automatic disconnection security system

Triple removable glazed door

SoftClose door

Full glass inner door

2 Plus telescopic guides easy slide

Drop down maxi grill

Multicook tray

Anti-tip deep & baking tray and 2 reinforced grids

2 lateral Led

Tangential ventilation

Optional cast aluminium tray



COLOR

Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS







CODE: 41560290

WISH HLB 860



Multifunction Turbo

 $\ \, \hbox{HydroClean}^{\circledR} \, \hbox{PRO cleaning system}$

Slippery enamel

A+ Energy class: up to 20% less consumption

Capacity, gross/net: 71/70 litres 12 cooking functions

Touch Control panel with TFT 4"

LED illuminated knob

Personal Cook assistant: 20 programmed recipes

Automatic Express preheating

SlowCook function: low temperature cooking

Pizza, ferment, defrosting & ECO functions

Children safety block

Automatic disconnection security system

Triple removable glazed door

SoftClose door

Full glass inner door

1 telescopic guide easy slide

Drop down maxi grill

Anti-tip deep tray and reinforced grid

Tangential ventilation

Optional Multicook and cast aluminium tray

WISH **H L B 850**

_MAESTRO



Multifunction Turbo

HydroClean® PRO cleaning system

Slippery enamel

A+ Energy class: up to 20% less consumption

Capacity, gross/net: 71/70 litres

9 cooking functions

Touch Control panel with LED display

Express preheating

ECO & defrosting functions

Children safety block

Triple removable glazed door

SoftClose door

Full glass inner door

1 telescopic guide easy slide

Drop down maxi grill

Anti-tip deep tray and reinforced grid and baking tray

Dynamic ventilation

Optional Multicook and cast aluminium tray

COLOR

Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS

COLOR

Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS







CODE: 41560071

WISH HLB 840





Multifunction Turbo

HydroClean® PRO cleaning system

Slippery enamel

A+ Energy class: up to 20% less consumption

Capacity, gross/net: 71/70 litres

9 cooking functions

Touch Control panel with LED display

Express preheating

ECO & defrosting functions

Children safety block

Double removable glazed door

Full glass inner door

1 telescopic guide easy slide

Drop down maxi grill

Anti-tip deep tray and reinforced grid

Dynamic ventilation

Optional Multicook and cast aluminium tray

WISH HLB 840 WHITE

_MAESTRO



Multifunction Turbo

HydroClean® PRO cleaning system

Slippery enamel

A+ Energy class: up to 20% less consumption

Capacity, gross/net: 71/70 litres

9 cooking functions

Touch Control panel with LED display

Express preheating

ECO & defrosting functions

Children safety block

Double removable glazed door

Full glass inner door

1 telescopic guide easy slide

Drop down maxi grill

Anti-tip deep tray and reinforced grid

Dynamic ventilation

Optional Multicook and cast aluminium tray

COLOR

Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS

COLOR

White

EXTERNAL DIMENSIONS





CODE: 41560150

WISH **H L B** 830

_MAESTRO



ECO

Multifunction Turbo

HydroClean® PRO cleaning system Slippery enamel

A+ Energy class: up to 20% less consumption

Capacity, gross/net: 71/70 litres

6 cooking functions

Touch Control panel with LED display

Express preheating

ECO & defrosting functions

Children safety block

Double removable glazed door

Full glass inner door

1 telescopic guide easy slide

Anti-tip deep tray and cooking grid

Dynamic ventilation

Optional Multicook and cast aluminium tray

WISH **H S B 6 4 5**

_TOTAL



Multifunction Turbo

HydroClean® PRO cleaning system

Slippery enamel

A+ Energy class: up to 20% less consumption

Capacity, gross/net: 71/70 litres

9 cooking functions

Touch Control panel with LED display

Express preheating

ECO and defrosting functions

Children safety block

Double removable glazed door

Full glass inner door

1 telescopic guide easy slide

Anti-tip deep & baking trays and cooking grid

Dynamic ventilation

Optional Multicook and cast aluminium tray

Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS







CODE: 41560050

WISH **H S B 6 1 5**





EC0

Multifunction

HydroClean® ECO cleaning system
Slippery enamel
A Energy class
Capacity, gross/net: 71/70 litres
6 cooking functions
Minute Minder
Express preheating function
ECO and defrosting functions
Double removable glazed door
Full glass inner door
1 telescopic guide easy slide
Anti-tip deep tray and cooking grid
Dynamic ventilation
Optional Multicook and cast aluminium tray

WISH HBB 605





Multifunction

HydroClean® ECO cleaning system Slippery enamel Energy class: A Capacity, gross/net: 71/70 litres 6 cooking functions Minute minder Express preheating function ECO and defrosting functions Double removable glazed door Full glass inner door Anti-tip deep tray and cooking grid Dynamic ventilation Optional Multicook tray

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

◆ 595 mm ◆ 595 mm
◆ 559 mm

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

♦ 595 mm **♦** 595 mm **♦** 559 mm



WISH **H B B** 5 3 5





Conventional

HydroClean® ECO cleaning system Slippery enamel Energy class: A Capacity, gross/net: 77/76 litres 3 cooking functions Minute minder Double removable glazed door Full glass inner door Anti-tip deep tray and cooking grid Dynamic ventilation Optional Multicook tray



CODE: 41560010

WISH **H B B 4 3 5**





Conventional

Slippery enamel
Energy class: A
Capacity, gross/net: 75/72 litres
3 cooking functions
Double removable glazed door
Full glass inner door
Anti-tip deep tray and cooking grid
Dynamic ventilation
Optional Multicook tray

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

♦ 595 mm **♦** 595 mm **②** 559 mm

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

♦ 595 mm **♦** 595 mm **3** 559 mm







CODE: 41592225

HLF 940





Multifunction Turbo

HydroClean® PRO cleaning system

Energy class: A

Capacity, gross/net: 91/77 litres

9 cooking functions

Touch Control panel

Black knobs

Children safety block

Triple glazed door

Full glass inner door

2 telescopic guides (1 Plus extraction)

Drop down maxi grill

Deep & baking tray and reinforced grid

Tangential ventilation

HSF 900





Multifunction

HydroClean® ECO cleaning system

Energy class: A

Capacity, gross/net: 91/77 litres

7 cooking functions

Black knobs

Full glass inner door

Drop down maxi grill

Deep tray and cooking grid

Tangential ventilation

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

♦ 480 mm **♦** 890 mm **♦** 560 mm

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

♦ 480 mm **♦** 890 mm **3** 560 mm





CODE: 41596124

HSF 924 G





HSF 930 G





Multifunction gas oven with electric grill

Energy class: B

Capacity Gross/Net: 88/69 litres

5 cooking functions

Black knobs with stop programmer

Adjustable thermostat

Automatic gas oven ignition

Safety device

Double glazed door

Full glass inner door

Chromed guides, 5 cooking levels

Deep tray and cooking grid

Tangential ventilation

Multifunction gas oven with gas grill

Energy class: B

Capacity Gross/Net: 88/64 litres

4 cooking functions

Black knobs with stop programmer

Adjustable thermostat

Automatic gas oven ignition

Safety device

Double glazed door

Full glass inner door

Chromed guides, 5 cooking levels

Deep tray and cooking grid

Tangential ventilation

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

COLOR

Fingerprint proof stainless steel

EXTERNAL DIMENSIONS

1 595 mm **2** 898 mm **2** 549 mm





CODE: 41564214

HGS 740

_TOTAL



Multifunction gas oven with gas grill

Energy class: B

Capacity Gross/Net: 56.3/45.6 litres

4 cooking functions

Mechanical timer with stop programmer

Children safety block

Double glazed door

Full glass inner door

Side catalytic panels

Deep tray and cooking grid

Tangential ventilation

Nozzels to LPG gas

HR 750

_TOTAL



Multifunction Turbo

Energy class: A

Capacity, gross/net: 65/57 litres

9 cooking functions

Analogic timer with stop programmer

Automatic disconnection security system

Double glazed door

Full glass inner door

2 telescopic guides easy slide

Drop down maxi grill

Deep & baking tray and cooking grid

Dynamic ventilation

COLOR

Stainless steel

EXTERNAL DIMENSIONS

COLOR

Beige

EXTERNAL DIMENSIONS





Do you want to cook as a real professional chef?
Steam cooking is the trick. Combine steam and hot air simultaneously and your favourite recipes will keep all the natural juiciness and succulence of the food inside, with a crispy crust outside. Just the way you like it.

AND... WHAT ELSE?

- By using Teka steam ovens, your meals will keep all their vitamins, minerals and natural nutrients, which are usually destroyed when using traditional cooking methods.
- Your recipes will have a perfect finish! All flavours, colours, textures and tastes will be enhanced.
- It needs less oil to cook and food doesn't need to be defrosted!
- And it even cooks 20% faster



CODE: 40589020

WISH HLC 847SC



Multifunction Turbo + Steamer

HydroClean® PRO cleaning system
A+ Energy class: up to 20% less
Capacity, gross/net: 45/44 litres
TFT 4" true color Touch control

LED illuminated ring knob

Personal cook assistant:

20 pre-programmed recipes, Meat probe

Steam cooking 30-100° C

Automatic Express preheating

SlowCook function: low temperature cooking

 $Steam\,combinations, pizza, defrosting\,\&\,ECO\,functions$

Sterilization and regeneration

Automatic disconnection security system

1 liter water tank

Triple glazed door, SoftClose door

1 Gastronorm with tray

Anti-tip deep tray, perforated stainless steel tray and reinforced grid

Tangential ventilation

COLOR

Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS

♦ 455 mm **♦** 595 mm **Ø** 559 mm







CODE: 40589920

WISH VS 152 GS

_MAESTRO

瀛

Vacuum sealing machine

Kitchen scale with protective cover Roll holder for aluminum film Roll holder for transparent film Place to store accessories Soft-close Ideal to combine with Compact Ovens & Microwaves

WISH CP 15 GS

_MAESTRO



Plate warmer

Push-pull opening system Telescopic drawer with anti-sliding material 6 place settings 10 cm. usable height Temperature range 30°-80°C Max. nominal power: 430 W Ideal to combine with Compact Ovens & Microwaves

COLOR

Glass front with Fingerprint-proof Stainless Steel frame

EXTERNAL DIMENSIONS

TEPLO PLATE WARMER

The Teplo plate warmer fits perfectly in your kitchen. It is ideal for keeping hot food warm until you are ready to serve without drying it. It has a stylish steel warming drawer for a flush finish in your kitchen.

Stainless Steel frame

COLOR

EXTERNAL DIMENSIONS

Glass front with Fingerprint-proof

PROFESSIONAL COOKING AT HOME

Teka offers you a real professional workplace built into a 14 cm drawer. With the new Vacuum Sealer you will be able to weigh food accurately before vacuum sealing it or simply wrap it using the film and foil dispenser.



Besides, vacuum sealing revolutionises the way you cook, especially with steam ovens. It prevents food shrinkage and locks in nutrients and flavours.

The removal of air from the bag also allows effient heat transfer. Real professional expertise fully integrated into your kitchen.









PRODUCT FICHE ACCORDING TO COMMISSION DELEGATED REGULATION (EU) NO 65/2014

Model	iOVEN	HLB 860	HLB 850	HLB 840	HLB 830
Energy Efficiency Index (EEI)	81	81	81	81	81
Energy Efficiency Class	A+	A+	A+	A+	A+
Energy cosumption per cycle in conventional mode (kWh)	0,83	0,83	0,81	0,81	0,81
Energy consumption per cycle in fan-forced convection mode (kWh)	0,68	0,68	0,68	0,68	0,68
Number of cavities	1	1	1	1	1
Heat source	Electric	Electric	Electric	Electric	Electric
Volume (I)	70	70	70	70	70
DIMENSIONS					
External, mm	595x595x 559	595x595x 559	595x595x 559	595x595x 559	595x595x 559
nner cavity, mm	367x475x405	367x475x405	367x475x405	367x475x405	367x475x405
CLEANING SYSTEMS					
DualClean	-	-	_	-	-
Pyrolytic	-	=	-	-	-
HydroClean [®]	PRO	PRO	PRO	PRO	PRO
Enamel	Slippery	Slippery	Slippery	Slippery	Slippery
	- 77			- 177	- 17 7
FEATURES					
Гуре	Multifunction Turbo	Multifunction Turbo	Multifunction Turbo	Multifunction Turbo	Multifunction
Stainless steel (fingerprint proof)	•	•	•	•	•
Cooking functions	18	12	9	9	6
Temperature regulator	30-270°	30-270°	50-250°	50-250°	50-250°
Touch Control	• / TFT 5"	• / TFT 4"	• / LED display	• / LED disp l ay	• / LED display
LED ring iluminated knobs	-	•	-	-	-
SoftClose	•	•	•	-	-
Recipes	50 recipes	20 recipes	-	-	-
Meat probe		-	-	=	-
SlowCook: low temperature cooking	•	•	-	-	-
Tangential venti l ation	•		Dynamic	Dynamic	Dynamic
Express quick heating	Automatic	Automatic	•	•	•
Telescopic guides	2 Full easy slide	1 easy slide	1 easy slide	1 easy slide	1 easy slide
Drop-down grill	•	•	•		-
Light	2 side LED, 4W	25W	25W	25W	25W
SAFETY SYSTEMS				······································	
Full glazed door	3 removable	2 removable	3 removable	2 removable	2 removab l e
Automatic disconnection security	3 Terriovable	ZTETHOVADIE	3 Terriovable	ZTEITIOVADIE	ZTemovable
system	•	•	-	-	-
Children safety	•	•	•	•	•
Grill protection	•	•	•	•	•
Anti-tip tray system	•	•	•	•	•
				······································	
ACCESORIES	1 / + :				
MultiCook /cast aluminium tray	1 / optional	optional	optional	optional ,	optional
Anti-tip baking / deep tray (50 mm)	1/1	-/•	• / •	-/•	-/•
Anti-tip reinforced / cooking grid	2/-	• / -	• / -	• / -	-/•
POWER CONSUMPTION					
Turbo, W	2,000	2,000	2,000	2,000	_
Grill / Maxi grill, W	1.100/2.500	1,100/2,500	1,100/2,500	1,100/2,500	1.100/2.500
Traditional, W	2.550	2.550	2.550	2.550	2.550
Multifunction motor, W	22	22	22	22	22
Bottom heat, W	1.150	1,150	1,150	1.150	1.150
Cooling fan motor, W	18	18	18	18	18
ELECTRICAL FEATURES					
Voltage, V	220/240	220/240	220/240	220/240	220/240
Frequency, HZ	50/60	50/60	50/60	50/60	50/60
Maximum connection rating, W	3.198	3.215	3.215	3,215	2.615
ig, w	3,130	3.2.13	3.2.13	31213	2,013

 $¹⁾ In a scale embracing from A (more efficient) to G (less efficient). Commission directive 2002/40/EC, According to Norm EN50304; 2014 update 65/2014. \\ Models that are steam only or including microwave not subject to legislation. Subject to change without notice.$

Model	HSB 645	HSB 615	HBB 605	HBB 535	HBB 435
Energy Efficiency Index (EEI)	81	84,7	84,7	94,8	95,3
nergy Efficiency Class	A+	А	A	A	А
Energy cosumption per cycle in conventional mode (kWh)	0,81	0,82	0,82	0,83	0,81
Energy consumption per cycle in Fan-forced convection mode (kWh)	0,68	0,71	0,71	-	-
Number of cavities	1	1	1	1	1
Heat source	Electric	Electric	Electric	Electric	Electric
/olume (I)	70	70	70	76	72
External, mm	595×595× 559	595x595x 559	595×595× 559	595x595x 559	595x595x 559
nner cavity, mm	367x475x405	367x475x405	367x475x405	367x475x441	367x475x441
CLEANING SYSTEMS					
Dual Clean	-	-	-	-	-
yrolytic	-	-	-	-	-
lydroC l ean [®]	PRO	ECO	ECO	ECO	-
namel	Slippery	Slippery	Slippery	Slippery	Slippery
EATURES					
- ype	Multifunction Turbo	Multifunction	Multifunction	Conventional	Conventional
tainless steel (fingerprint proof)	•	•	•	9	White/Black
Cooking functions	9	6	6	3	3
emperature regulator	50-250°	50-250°	50-250°	50-250°	50-250°
ouch Control	• / LED display	Minute Minder	Minute Minder	Minute Minder	-
ED ring iluminated knobs	-	-	-	-	-
oftClose	=	=	=	-	-
Recipes	-	-	-	-	-
1eat probe	-	-	-	-	-
lowCook: low temperature cooking	-	-	-	-	-
angential ventilation	Dynamic Dynamic	Dynamic	Dynamic	Dynamic	Dynamic
Express quick heating	•	•	•	-	-
Felescopic guides	1 easy slide	1 easy s l ide		-	-
Prop-down grill	-	-			_
ight	25W	25W	25W	25W	25W
SAFETY SYSTEMS	2	2	2	2	2
ull glazed door	2 removable	2 removab l e	2 removable	2 removable	2 removable
Automatic disconnection security ystem	-	-	-	-	-
Children safety	0	-	-	-	-
Grill protection		•	•	•	•
: Anti-tip tray system		•	•		•
CCESORIES					
1ultiCook /cast aluminium tray	optional	optional	optional / -	optional / -	optional / -
Anti-tip baking / deep tray (50 mm)	• / •	• / •	-/•	_/•	-/•
Anti-tip reinforced / cooking grid	-/•	-/*	-/•	-/*	-/•
OWER CONSUMPTION					
urbo, W	2,000	_	_	-	_
Grill / Maxi grill, W	1.100/2.500	1.400 / -	1,400/-	1.400 / -	1.400/-
raditional, W	2,550	2,550	2,550	2,550	2,550
Aultifunction motor, W	22	22	22	-	-
Soution heat, W	1.150	1.150	1.150	1.150	1.150
Cooling fan motor, W	18	18	18	18	18
LECTRICAL FEATURES					
/oltage \/	220/240	220/240	220/240	220/240	220/240
roitage, v					
	50/60	50/60	50/60	50/60	50/60
Voltage, V Frequency, HZ Maximum connection rating, W	50/60 3 . 215	50/60 2.615	50/60 2.615	50/60 2.593	50/60 2 . 593



PRODUCT FICHE ACCORDING TO COMMISSION DELEGATED REGULATION (EU) NO 65/2014

Model	HLF 940	HSF 900	HSF 924 G	HSF 930 G	HGS 740
Energy Efficiency Index (EEI) - Main/Top cavity	98,4	103,4	129,4	129,4	112,88
Energy Efficiency Class - Main/Top cavity	А	A/-	В	В	В
Energy cosumption per cycle in conventional mode (kWh) - Main/Top cavity	1,10/-	0,99/-	2,36	2,28	1,73
Energy consumption per cycle in fan-forced convection mode (kWh) - Main cavity	0,86/-	0,99/-	2,54	2,48	1,87
Number of cavities	1	1	1	1	1
Heat source - MainMain/Top cavity	Electric	Electric	Gas+electric	Gas	Gas
√olume (I) - MainMain/Top cavity	77	77 / -	69	64	45
DIMENSIONS					
External, mm	480	480	595	595	595
Nidth, mm	890	890	898	898	595
Depth, mm	560	560	549	549	562
nner height, mm	318	318	308	280	320
nner width, mm	639	639	615	615	
nner depth, mm	380	380	388	388	400
CLEANING CYCTEMS					
CLEANING SYSTEMS	222	500			
HydroClean [®]	PRO	ECO	-	-	
Easy cleaning enamel	Slippery	Slippery	•	•	•
FEATURES					
Туре	Multifunction Turbo	Multifunction	MF gas oven + electric grill	MF gas oven + gas Grill	MF gas over + gas grill
Stainless steel (fingerprint proof)	•	•	•		
Cooking functions	9	7	5	4	4
Touch control digital timer		-	-	-	-
Analogic timer with stop programmer	-	-	-	-	-
Mechanical timer with stop programmer	-	•	•	•	•
Te l escopic tray guides	1+1 total	-	-	-	
Chromed tray guides	•	•	•	•	
MCS Mix Chamber System	-	-	-	-	
Forced refrigeration	Tangential	Tangential	Tangential	Tangential	Tangential
Fume scape outlet	Vault	Vault	Vault	Vault	Vault
Light 	Side 25+25	25 + 25	25+25	25+25	25
SAFETY SYSTEMS					
Glazed door	3	2	2	2	2
Door opening security disconnection	•	-	-	-	-
Children safety	•	-	-	-	-
Grill protector	•	•	-	-	-
Anti-tip tray system	•	٠	•	*	٠
Safety thermostat	•	•	•	•	٠
ACCESORIES					
ACCESORIES	1				
Baking tray			- 1	- 1	-
Deep tray, 50 mm	1	1	1	1	1
Chromed cooking grid Tray handle	-	1 	-	-	1
POWER CONSUMPTION					
Turbo, W	2400	-	-	-	27
Grill / Maxi grill, W	1700 / 2750	1700/2750	2000	2500	1800
Traditional, W	2105	2105			-
Multifunction motor, W	30	30	30	30	27
					27
Bottom heat, W	1055	1055	4000	4000	2200
Cooling fan motor, W	18	18	18	18	18
	220/240	220/240	220/240	220/240	220/240
Voltage, V	220/240	220/240	220/240	220/240	220/240
ELECTRICAL FEATURES Voltage, V Frequency, HZ Maximum connection rating, W	220/240 50/60 3553	220/240 50/60 2848	220/240 50/60 2098	220/240 50/60 98	220/240 50/60 70

¹⁾ In a scale embracing from A (more efficient) to G (less efficient). Commission directive 2002/40/EC. According to Norm EN50304; 2014 update 65/2014. Models that are steam only or including microwave not subject to legislation. Subject to change without notice.


Model	HR 750 BG G	MODELS	HLC 847 C
nergy Efficiency Index (EEI) - Main/Top cavity	101,3	Energy Efficiency Index (EEI)	-
Energy Efficiency Class - Main/Top cavity	Α	Energy Efficiency Class	-
Energy cosumption per cycle in conventional mode (kWh) - Main/Top cavity	0,83	Energy cosumption per cycle in conventional mode (kWh)	-
Energy consumption per cycle in fan-forced convection mode (kWh) - Main cavity	0,8	Energy consumption per cycle in fan-forced convection mode (kWh)	-
Number of cavities	1	Number of cavities	1
Heat source - MainMain/Top cavity	Electric	Heat source	 Eléctrica
/olume (I) - MainMain/Top cavity	57	Volume (I)	40
DIMENSIONS		DIMENSIONS	
External, mm	595	External, mm	455x595x 559
Width, mm	595	Inner cavity, mm	232x475x365
	562		
Depth, mm Inner height, mm	313	CLEANING SYSTEMS	
		DualClean	-
Inner width, mm	455	Pyrolytic	
Inner depth, mm	396	HydroClean®	PRO
CLEANING SYSTEMS		Esmalte	Slippery
HydroClean [®]	-	FEATURES	
Easy cleaning enamel	•	Туре	Combi MF Turbo + Microw
FEATURES		Stainless steel (fingerprint proof)	•/Black
Туре	Multifunction Turbo	Cooking functions	16
	Anthracite/Beige / Bright Cream	Temperature regulator	30-270°
Stainless steel (fingerprint proof)	B - brass	Touch Control	• / TFT 4"
Cooking functions	9	LED ring iluminated knobs	•
Fouch control digital timer	-	SoftClose	
Analogic timer with stop programmer	•	Recipes	20 recipes
Mechanical timer with stop programmer		Meat probe	
Telescopic tray guides	2		
Chromed tray guides	•	SlowCook: low temperature cooking	•
MCS Mix Chamber System	-	Tangential ventilation	*
Forced refrigeration	Dinamic	Express quick heating	Automatic
Fume scape outlet	Vault	Telescopic guides	1 easy slide
 Light	25	Drop-down grill	-
		Light	25W
SAFETY SYSTEMS	_	SAFETY SYSTEMS	
Glazed door	2	Glazed door	3
Door opening security disconnection		Automatic disconnection security system	•
Children safety	<u> </u>	Children safety block, timer and door	
Grill protector	•	Grill protection	•
Anti-tip tray system	•	Anti-tip tray system	•
Safety thermostat	•	ACCESORIES	
ACCESORIES		MultiCook / cast aluminium tray	
	1		dass
Baking tray	1	Anti-tip baking / deep tray (50 mm)	glass
Deep tray, 50 mm Chromed cooking grid	1	Anti-tip reinforced / cooking grid	*
Chromed cooking grid Tray handle		POWER CONSUMPTION	
nay na luje		Turbo, W	1.600
POWER CONSUMPTION		Grill / Maxi grill, W	1400/2500
Turbo, W	2000	Traditional, W	2.100
Grill / Maxi grill, W	1500 / 2600	Multifunction motor, W	30
Fraditional, W	-	Bottom heat, W	1.000
Multifunction motor, W	30	Cooling fan motor, W	18
Bottom heat, W	1150	Mwo power, W	1000
Cooling fan motor, W	18		
ELECTRICAL FEATURES		ELECTRICAL FEATURES Voltage, V	220-240
ELECTRICAL FEATURES	220/240		
Voltage, V	220/240	Frequency, HZ	50
Frequency, HZ	50/60	Maximum connection rating, W	3.400
Maximum connection rating, W	2693	Cable connection lenght, cm	110

195+plug


Cable connection lenght, cm





IOVEN • HLB 860 • HLB 850 • HLB 840 HLB 830 • HSB 645 • HSB 615 • HBB 605 HBB 535 • HBB 435



HLF 940 • HSF 900










HSF 930 G • HSF 924 G

HGS 740

HR 750 HLC 847 SC







VS 152 GS CP 15 GS