

GFL 57650 EOS IX Built-in filter hood with Rim extraction and 3 speeds, 50cm









LED

Perimeter extraction

Stop Delay Timer

DESCRIPTION

Built-in filter hood with Rim extraction and 3 speeds, 50cm

COLOURS



REFERENCE

REF. 113100002 EAN. 8434778016369


FEATURES

Built-in filter group Rim extraction Electronic control 3 speeds + 1 intensive

Free Outlet exhaust capacity (m3/h): 800 Max speed exhaust capacity (m3/h): 559 Min speed exhaust capacity (m3/h): 285 Intensive speed exhaust capacity (m3/h): 646

Intensive speed sound level (dBA): 71 Max speed sound level (dBA): 66 Min speed sound level (dBA): 52

2 LED Lamps
1 Aluminium filter
Stop Delay Time
Operating pilot light
Anti-return valve included
Outlet reduction included
Optional Charcoal Filter: C01RTK



DIMENSIONS

Product height (mm): 316 Product width (mm): 532 Product depth (mm): 284 Product length (mm): Net weight (Kg): 9

TECHNICAL DETAILS

FEATURES

Ø Outlet (mm): 150
Type of inner light: LED

Inside light Consumption (W): 7,4

Plug type: Shucko

Cable Connection Length (cm): 100

Power rate (V): 220-240 Frequency (Hz): 50/60 Total hood power (W): 288 Number of motors: 1 Motor power (W): 280 Air flow (Qmin) m3/h: 285 Air flow (Qmax): 559 Air flow (Qboost): 646

ACCESSORIES

Anti Return valve: Yes
Outlet reduction: Yes
Outlet extension: No

Optional Charcoal Filter: C01RTK **Regenerative charcoal filter:** No

Conventional recirculation kit (opt) - w/tube cover: No

Regenerative recirculation kit (opt) - w/tube cover: No Conventional recirculation kit (opt) - w/o tube cover: No Regenerative recirculation kit (opt) - w/o tube cover: No

MODELS

Number of filters: 1

Filter description: Aluminum Filter

Opening system: Manual Control panel: Electronic Stop delay timer: Yes Number of speeds: 3 + 1

ENERGY LABEL

