

Cold Line

Meals and memories are kept inside

T

E

K

A

WORLDWIDE NOVELTY

New Sommelier wine coolers

THE PERFECT PLACE **FOR YOUR WINE**

A three way proposal:

Taste your wine like never before, thanks to its perfect aging and conservation.

Enjoy the perfect wine for every occasion at the right temperature, with its multiple independent cooling zones, special for reds, whites and sparkling!

Let yourself be seduced by exquisite design. Your wine cooler is also a decorative element in your home.



Fresh veggies for loving meals

AND THIS WHILE YOU GIVE YOUR KITCHEN
A **WELL-DESERVED STYLISH TOUCH.**

Keeping your food fresh for longer is a necessity. Our Cold Line range offers a high performing and stylish way to do it, where design is key, but not at the cost of efficiency and long-lasting functioning.

Discover our many Cold Line solutions for your kitchen.



SCAN AND
DISCOVER

Everytime. Everywhere.

BEAUTY NEVER GETS OLD

American Retro is born. A timeless fridge that perfectly combines the elegant aesthetics of the 50's with today's technology. The latest cold technology now with classic beauty that makes it fit harmonically in any lounge.

Its matte black finish and retro design with curve lines adapts to any space at your home as any original decorative piece. American retro stands out for its design excellence.

Everything you ever wanted on a fridge. Design with personality and a retro look, without giving up on the most advanced features inside.

American retro performs with the latest technology in cold line, and presents IonClean, Teka's innovative antibacterial system.




SCAN AND
DISCOVER

New Crystal front door refrigerators

PURE MATERIALS, SOPHISTICATED KITCHEN.

With a beautiful look, our Crystal Door range is designed to add an elegant touch to your kitchen, with its glassy doors and its invisible door handles, which give it a minimalistic look.

On the inside, our Crystal Door range includes our innovative IonClean technology, which eliminates odours and bacteria, VitaCare Box for independent humidity control, which keeps your veggies and fruits like the first day, and long-life no frost system which keeps your food fresh for longer. Its many features are proof that design does not need to come at the cost of superior performance.



SCAN AND
DISCOVER

Freshness and convenience in complete harmony

IonClean technology

IonClean technology creates negative ions that neutralise bacteria and bad smell particles. Air inside the fridge will be superb this way and always fresh and free of odours.

TempGuard

Our TempGuard system controls and keeps the temperature thanks to sensors located inside. Any change is automatically fixed. Your fridge always at the real temperature your food needs.

MultiZone compartment: From freezer to fridge in just one touch

Enough room to keep food cold or even freeze it, thanks to the compartment with adjustable temperature: from cold to frozen. You can set the temperature you want to from -18°C to 7°C and have a complete control of your food and appliance.

LongLife No Frost

Keep your food perfect: goal achieved. LongLife No Frost technology keeps every compartment at the perfect moisture level thanks to the three independent cooling circuits. Your food remains fresh for longer.

FlexiRack

Adjust the height of the door shelf by just pressing a side button.

GourmetBox

Precision is to keep food at perfect temperature.

Your food remains fresh for longer at the right temperature. The latest technology of the 0°C box. Gourmet Box, a soft close telescopic drawer, allows you to choose the right temperature between -2 and 3°C through a touching display at the top. Welcome to wellness.

VitaCare Box

From farm to table VitaCareBox drawer has a personalised moisture control to keep your fruit and vegetables always fresh, preserving all their vitamins and nutrients for longer.

Bar on Door

Take drinks without opening the door with just one touch. Easy access to a special compartment for drinks avoiding opening the whole refrigerator. The BarOnDoor goes beyond an intelligent design, its simplicity at its best.

10 years Warranty Inverter Motor

Silence, durability and efficiency.

Feel the peace at home. Less consumption and more silence with the long-lasting inverter compressor. We take care of stillness and quietness at your home, while saving you money. Our refrigerators and freezers ranges are designed based on efficiency. Save more with the most advanced technology.




NEW

MAESTRO RVI 30097 GBK



- **Built-in Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 93 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 287 / 246 litres



COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 1898mm Width 833mm Depth 685mm




NEW

MAESTRO RVI 20046 GBK



- **Built-in/Free standing Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 44 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 150 / 134 litres



COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 1901mm Width 605mm Depth 681mm




NEW

MAESTRO RVI 20041 GBK



- **Built-in Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 41 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 100 / 83 litres



COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 595mm Width 590mm Depth 563mm




NEW

MAESTRO RVI 10024 GBK



- **Built-in Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 24 bottles
- Front and back adjustable feet
- LED Illumination
- Climate class: N/ST
- Total capacity (Gross/net): 59 / 54 litres



COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 455mm Width 590mm Depth 557mm




NEW

MAESTRO RVF 20110 GBK



- **Free standing Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 110 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/N/ST
- Total capacity (net): 309 litres



COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 1850mm Width 910mm Depth 750mm



NEW

MAESTRO RVF 10051 GBK



- Free standing Wine Cooler
- Inner control display
- Electronic adjustable thermostat
- Capacity: 51 bottles
- Front and back adjustable feet
- LED Illumination
- Climate class: SN/N/ST
- Total capacity (net): 159 litres



NEW

MAESTRO RVF 10032 GBK



- Free standing Wine Cooler
- Inner control display
- Electronic adjustable thermostat
- Capacity: 32 bottles
- Front and back adjustable feet
- LED Illumination
- Climate class: SN/N/ST
- Total capacity (gross/net): 100 / 83 litres



NEW

MAESTRO RVC 10008 GBK



- Free standing Wine Cooler
- Inner control display
- Electronic adjustable thermostat
- Capacity: 8 bottles
- Front and back adjustable feet
- LED Illumination
- Climate class: SN/N
- Total capacity (net): 25 litres



NEW

MAESTRO RVU 10008 GBK



- Built-in Wine Cooler
- Inner control display
- Electronic adjustable thermostat
- Capacity: 8 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 25 / 23 litres



NEW

MAESTRO RVU 10020 GBK



- Built-in Wine Cooler
- Inner control display
- Electronic adjustable thermostat
- Capacity: 20 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 66 / 58 litres




NEW

MAESTRO RVU 20046 GBK



- Built-in/Free standing Wine Cooler
- Inner control display
- Electronic adjustable thermostat
- Capacity: 46 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 150 / 134 litres




COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1256.3mm Width 477mm Depth 475mm




COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 767mm Width 380mm Depth 585mm




COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1901mm Width 605mm Depth 681mm




COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 820mm Width 145mm Depth 549mm




COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 820mm Width 295mm Depth 573mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 820mm Width 595mm Depth 574mm




NEW

MAESTRO RFD 77820 SS EU



- **Free Standing french door refrigerator**
- LongLife No Frost with 3 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- Gourmet box + 2 VitaCare Box drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST/T
- Total capacity (gross/net): 582 / 500 litres
- Bottle rack and ice cube tray included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1898mm Width 833mm Depth 685mm




NEW

MAESTRO RFD 77820 GBK EU



- **Urban Colors Edition**
- **Free Standing french door refrigerator**
- LongLife No Frost with 3 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- Gourmet box + 2 VitaCare Box drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST/T
- Total capacity (gross/net): 582 / 500 litres
- Bottle rack and ice cube tray included



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1898mm Width 833mm Depth 685mm




NEW

MAESTRO RBF 78615 RTR



- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Climate class: T/SN
- Total capacity (gross/net): 341 / 324 litres
- Bottle rack and ice cube tray included



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 1901mm Width 605mm Depth 681mm




NEW

MAESTRO RMF 77920 EU SS



- **Free Standing side by side refrigerator**
- LongLife No Frost with 3 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- FreshBox drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST/T
- Total capacity (gross/net): 648 / 637 litres
- 2 ice cube trays and twister ice maker included



COLOR


Stainless Steel

EXTERNAL DIMENSIONS


Height 1935mm Width 908mm Depth 775 (762)mm



MAESTRO RMF 99250 SS



- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- Safety glass shelves
- Automatic ice maker
- On holidays function
- Fast freezing and fast cooling function
- ECO Function
- LED Illumination
- Climate class: SN/T
- Total capacity (gross/net): 820 / 713 litres
- Bottle rack included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 2120mm Width 1210mm Depth 710mm



MAESTRO RMF 75920



- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 3 independent circuits
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- ECO Function
- LED Illumination
- Climate class: N/T
- Total capacity (gross/net): 615 / 596 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 1850mm Width 910mm Depth 750mm



TOTAL RMF 74810 SS



- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- 2 safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- ECO Function
- LED Illumination
- Climate class: T/ST/N
- Total capacity (gross/net): 544 / 493 litres
- 2 Ice cube trays and twister ice maker included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1775mm Width 833mm Depth 740mm




NEW

MAESTRO RLF 74925 SS EU



- **Free Standing side by side refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- Automatic ice maker and Automatic water dispenser
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST/T
- Total capacity (gross/net): 574 / 490 litres
- 2 ice cube trays included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1788mm Width 895mm Depth 774mm




NEW

MAESTRO RLF 74920 SS EU



- **Free Standing side by side refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- Automatic ice maker and Automatic water dispenser
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- Glass shelves in freezer
- LED Illumination
- Climate class: T
- Total capacity (gross/net): 573 / 490 litres
- 2 Ice cube trays and twister ice maker included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 1788mm Width 895mm Depth 774mm



MAESTRO RLF 74920 WT



- **Free Standing side by side refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- 4 safety glass shelves
- Automatic ice maker and Automatic water dispenser
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- Glass shelves in freezer
- LED Illumination
- Climate class: N/T
- Total capacity (gross/net): 573 / 490 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1788mm Width 895mm Depth 745mm




NEW

MAESTRO RLF 74910 EU SS



- **Free Standing side by side refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST
- Total capacity (gross/net): 587 / 510 litres
- 2 Ice cube tray and twister ice maker included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1788mm Width 895mm Depth 774mm




NEW

MAESTRO RLF 74910 EU WH



- **Free Standing side by side refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST
- Total capacity (gross/net): 587 / 510 litres
- 2 Ice cube tray and twister ice maker included




COLOR

White

EXTERNAL DIMENSIONS


Height 1788mm Width 895mm Depth 774mm



MAESTRO RBF 78720 SS EU



- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 510 / 461 litres
- Bottle rack, 2 ice cube trays and twister ice maker included



COLOR

Stainless Steel


EXTERNAL DIMENSIONS

Height 1920mm Width 700mm Depth 712mm

MAESTRO RBF 78720 GBK EU



- **Urban Colors Edition**
- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 510 / 461 litres
- Bottle rack included
- Bottle rack, 2 ice cube trays and twister ice maker included



COLOR

Black Glass


EXTERNAL DIMENSIONS

Height 1920mm Width 700mm Depth 721mm

MAESTRO RBF 78720 GWH EU



- **Urban Colors Edition**
- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 510 / 461 litres
- Bottle rack, 2 ice cube trays and twister ice maker included



COLOR

White Glass


EXTERNAL DIMENSIONS

Height 1920mm Width 700mm Depth 721mm

MAESTRO RBF 78620



- **Urban Colors Edition**
- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 379 / 360 litres
- Bottle rack and ice cube tray included



COLOR

Black Glass


EXTERNAL DIMENSIONS

Height 2010mm Width 595mm Depth 660mm

MAESTRO RBF 78620



- **Urban Colors Edition**
- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 379 / 360 litres
- Bottle rack and ice cube tray included



COLOR

White Glass


EXTERNAL DIMENSIONS

Height 2010mm Width 595mm Depth 660mm

MAESTRO RBF 78630 SS EU



- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 379 / 360 litres
- Bottle rack and ice cube tray included



COLOR

Stainless Steel


EXTERNAL DIMENSIONS

Height 2010mm Width 595mm Depth 650mm






MAESTRO RBF 74620 SS EU



- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 341 / 330 litres
- Bottle rack and ice cube tray included




COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 1860mm Width 595mm Depth 650mm

TOTAL NFL 430 S



- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST/T
- Total capacity (gross/net): 360 / 326 litres
- Bottle rack and ice cube tray included




COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 2010mm Width 595mm Depth 630mm

TOTAL NFL 430 S



- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST/T
- Total capacity (gross/net): 360 / 326 litres
- Bottle rack and ice cube tray included




COLOR
White

EXTERNAL DIMENSIONS
Height 2010mm Width 595mm Depth 630mm

TOTAL NFL 345 C E-INOX EU



- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (gross/net): 325 / 302 litres
- Ice cube tray included




COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 1880mm Width 595mm Depth 635mm

TOTAL NFL 345 C WHITE EU



- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/T
- Total capacity (gross/net): 325 / 302 litres
- Ice cube tray included




COLOR
White

EXTERNAL DIMENSIONS
Height 1880mm Width 595mm Depth 635mm

EASY NFL 342 C



- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/T
- Total capacity (gross/net): 325 / 302 litres
- Ice cube tray included



COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 1880mm Width 595mm Depth 635mm



EASY NFL 342 C



- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (gross/net): 325 / 302 litres
- Ice cube tray included

EASY NFL 320 C



- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST/T
- Total capacity (gross/net): 302 / 295 litres
- Ice cube tray included

EASY NFL 320



- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Electronic adjustable thermostat on fridge
- FreshBox drawer
- Safety glass shelves
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST/T
- Total capacity (gross/net): 305 / 295 litres
- Ice cube tray included

NFL 460 SS



- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- ZeroBox drawer + 1 FreshBox drawer
- 3 safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/N/ST/T
- Total capacity (net): 378 litres
- Bottle rack included
- Ice cube tray included

MAESTRO RTF 15810




- **Free Standing top freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- 3 safety glass shelves
- Fast freezing and fast cooling function
- Front adjustable feet
- Glass shelves in freezer
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 625 / 575 litres
- Twister ice maker and ice cube tray included

RSF 75640 SS



- **Free Standing single door freezer**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- Fast freezing and fast cooling function
- Front adjustable feet
- Reversible doors
- Climate class: SN/N/ST/T
- Total capacity (gross): 372 litres




COLOR

White

EXTERNAL DIMENSIONS

Height 1880mm Width 595mm Depth 635mm




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1880mm Width 595mm Depth 635mm



COLOR

White

EXTERNAL DIMENSIONS

Height 1880mm Width 595mm Depth 635mm




COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 2018mm Width 595mm Depth 690mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1860mm Width 840mm Depth 750mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1850mm Width 595mm Depth 618mm



RSL 75640 SS



- **Free Standing single door fridge**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/N/ST/T
- Total capacity (net):362 litres

MAESTRO TS3 370 X EU



- **Free Standing larder**
- Manual defrost
- Manual adjustable thermostat
- 2 FreshBox drawers
- 4 safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ T
- Total capacity (gross/net): 415 / 367 litres
- Bottle rack included

MAESTRO TS3 370 EU



- **Free Standing larder**
- Manual defrost
- Manual adjustable thermostat
- 2 FreshBox drawers
- 4 safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ T
- Total capacity (gross/net): 415 / 367 litres
- Bottle rack included

MAESTRO TGF3 270 X EU



- **Free Standing freezer**
- Full No Frost
- Manual adjustable thermostat
- Fast freezing function
- Front adjustable feet
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 290 / 250 litres
- 2 ice cube trays included

TOTAL TGF3 270 EU



- **Free Standing freezer**
- Full No Frost
- Manual adjustable thermostat
- Fast freezing function
- Front adjustable feet
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 290 / 250 litres
- 2 ice cube trays included

MAESTRO C13 350 NF EU



- **Built-in bottom freezer refrigerator**
- No Frost in freezer
- Inverter motor
- Inner control display
- Electronic adjustable thermostat
- FreshBox drawer
- 3 safety glass shelves
- Fast freezing function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 275 / 255 litres
- Bottle rack and ice cube tray included




COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 1850mm Width 595mm Depth 618mm




COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 1714mm Width 595mm Depth 655mm



COLOR
White

EXTERNAL DIMENSIONS
Height 1714mm Width 595mm Depth 655mm




COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 1714mm Width 595mm Depth 655mm



COLOR
White

EXTERNAL DIMENSIONS
Height 1714mm Width 595mm Depth 655mm



COLOR
White

EXTERNAL DIMENSIONS
Height 1776mm Width 540mm Depth 545mm






TOTAL CI3 330 NF EU



- **Built-in bottom freezer refrigerator**
- No Frost in freezer
- Manual adjustable thermostat
- FreshBox drawer
- 3 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 275 / 262 litres
- Bottle rack and ice cube tray included



COLOR
White


EXTERNAL DIMENSIONS
Height 1775mm Width 540mm Depth 545mm



TOTAL CI3 342 EU



- **Built-in bottom freezer refrigerator**
- No Frost in freezer
- Inner control display
- Manual adjustable thermostat
- 2 FreshBox drawer
- 3 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 285 / 271 litres
- Bottle rack and 2 ice cube trays included



COLOR
White


EXTERNAL DIMENSIONS
Height 1775mm Width 540mm Depth 545mm



TOTAL TKI4 350 SD UK



- **Built-in bottom freezer refrigerator**
- Manual defrost
- Manual adjustable thermostat
- 4 safety glass shelves
- FreshBox drawers
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 265 / 265 litres
- Ices cube tray and bottle rack included



COLOR
White


EXTERNAL DIMENSIONS
Height 1775mm Width 540mm Depth 545mm



TOTAL TKI4 325 DD EU



- **Built-in bottom freezer refrigerator**
- No Frost in freezer
- Inverter motor
- Inner control display
- Electronic adjustable thermostat
- FreshBox drawers + ZeroBox drawer
- 3 safety glass shelves
- Fast freezing function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 275 / 255 litres
- Ice cube tray and bottle rack included



COLOR
White


EXTERNAL DIMENSIONS
Height 1775mm Width 540mm Depth 545mm



TOTAL TKI4 325 EU



- **Built-in bottom freezer refrigerator**
- No Frost in freezer
- Inverter motor
- Manual adjustable thermostat
- 2 FreshBox drawers
- 5 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 275 / 255 litres
- Ice cube tray included



COLOR
White


EXTERNAL DIMENSIONS
Height 1775mm Width 540mm Depth 545mm



TOTAL TKI4 215 EU



- **Built-in top freezer refrigerator**
- Manual defrost
- Manual adjustable thermostat
- FreshBox drawers
- 4 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 210 / 175 litres
- Ice cube tray and bottle rack included



COLOR
White


EXTERNAL DIMENSIONS
Height 1215mm Width 540mm Depth 545mm



TOTAL TKI2 300 EU WH



- **Built-in top freezer refrigerator**
- Manual defrost
- Inner control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- 4 safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 315 / 309 litres
- Bottle rack included



COLOR
☐ White


EXTERNAL DIMENSIONS
Height 1775mm Width 540mm Depth 545mm



TOTAL TGI2 200 NF EU



- **Built-in freezer**
- Full No Frost
- Inner control display
- Electronic adjustable thermostat
- Fast freezing function
- Front adjustable feet
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 220 / 196 litres
- Ice cube tray included



COLOR
☐ White


EXTERNAL DIMENSIONS
Height 1775mm Width 540mm Depth 545mm



TOTAL TKI3 150 EU



- **Built-in top freezer refrigerator**
- Manual defrost
- Manual adjustable thermostat
- FreshBox drawers
- 3 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 135 / 126 litres



COLOR
☐ White


EXTERNAL DIMENSIONS
Height 866mm Width 545mm Depth 545mm



TOTAL TKI3 130 EU



- **Built-in top freezer refrigerator**
- Manual defrost
- Manual adjustable thermostat
- FreshBox drawers
- 2 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 121 / 110 litres
- Ice cube tray included



COLOR
☐ White


EXTERNAL DIMENSIONS
Height 866mm Width 545mm Depth 545mm



TOTAL TKI3 145 D EU



- **Built-in table top fridge**
- Manual defrost
- Manual adjustable thermostat
- 3 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 130 / 128 litres



COLOR
☐ White


EXTERNAL DIMENSIONS
Height 818mm Width 595mm Depth 545mm



TOTAL TGI2 120 D EU



- **Built-in freezer**
- Manual defrost
- Inner control display
- Electronic adjustable thermostat
- Fast freezing function
- Front adjustable feet
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 96 / 87 litres
- Ice cube tray included



COLOR
☐ White


EXTERNAL DIMENSIONS
Height 818mm Width 595mm Depth 545mm



TOTAL TF13 130 D EU




- **Built-in table top refrigerator**
- Manual defrost
- Manual adjustable thermostat
- 2 safety glass shelves
- Mini freezer included
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 125 / 107 litres
- Ice cube tray included



COLOR
White


EXTERNAL DIMENSIONS
Height 818mm Width 595mm Depth 545mm



EASY TS1 130 EU



- **Free Standing table top fridge**
- Manual defrost
- Manual adjustable thermostat
- Freshbox drawers
- Safety glass shelves
- Front adjustable feet
- Reversible doors
- Climate class: N/ST
- Total capacity (gross/net): 136 / 133 litres



COLOR
White


EXTERNAL DIMENSIONS
Height 845mm Width 553mm Depth 574mm



EASY TS1 135



- **Free Standing table top refrigerator**
- Manual defrost
- Manual adjustable thermostat
- Safety glass shelves
- Mini freezer included
- Front adjustable feet
- Reversible doors
- Climate class: N/ST
- Total capacity (gross): 102 litres
- Ice cube tray included



COLOR
White


EXTERNAL DIMENSIONS
Height 845mm Width 501mm Depth 540mm



EASY TG1 80 EU



- **Free Standing table top freezer**
- Manual defrost
- Manual adjustable thermostat
- Front adjustable feet
- Reversible doors
- Climate class: N/ST
- Total capacity (gross/net): 94 / 84 litres
- Ice cube tray included



COLOR
White

EXTERNAL DIMENSIONS
Height 845mm Width 553mm Depth 574mm

Model	RVi 30097 GBK	RVi 20046 GBK	RVi 20041 GBK	RVi 10024 GBK	RVF 20110 GBK	RVF 10051 GBK
Product information sheet						
Eney efficiency class	-	-	-	-	-	-
Annual consumption (KWh/year)	162	140	142	100	147	133
Total Gross Capacity (litres)	287	140	100	59	309	160
Refrigerator compartment capacity (litres)	-	-	-	-	-	-
Chilling compartment capacity (litres)	-	-	-	-	-	-
Freezer compartment capacity (litres)	-	-	-	-	-	-
Freezer clasification (stars)	-	-	-	-	-	-
No frost in refrigeration compartment	-	-	-	-	-	-
No frost no chiller	-	-	-	-	-	-
No frost in chiller compartment	-	-	-	-	-	-
Temperature rise time (autonomy)	-	-	-	-	-	-
Freezing capacity (kg/24h)	-	-	-	-	-	-
Climate class	N/ST	N/ST	N/ST	N/ST	SN/N/ST	SN/N/ST
Noise level (dB)	38	39	38	37	43	40
Type of installation	Built-in	Built-in	Built-in	Built-in	Built-in/Free standing	Free-standing
Electrical features						
Power rate (W)	180	100	100	85	140	93
Defrost element power (W)	-	-	-	-	-	-
Energy consumption (Kw/day)	0,444	0,384	0,389	0,274	0,678	0,609

Model	RVF 10032 GBK	RVC 10008 GBK	RVU 10008 GBK	RVU 10020 GBK	RVU 20046 GBK
Product information sheet					
Eney efficiency class	-	-	-	-	-
Annual consumption (KWh/year)	89		133	98	145
Total Gross Capacity (litres)	100	25	25	66	150
Refrigerator compartment capacity (litres)	-	-	-	-	-
Chilling compartment capacity (litres)	-	-	-	-	-
Freezer compartment capacity (litres)	-	-	-	-	-
Freezer clasification (stars)	-	-	-	-	-
No frost in refrigeration compartment	-	-	-	-	-
No frost no chiller	-	-	-	-	-
No frost in chiller compartment	-	-	-	-	-
Temperature rise time (autonomy)	-	-	-	-	-
Freezing capacity (kg/24h)	-	-	-	-	-
Climate class	SN/N/ST	SN/N	N/ST	N/ST	N/ST
Noise level (dB)	42	39	39	39	39
Type of installation	Free-standing	Free-standing countertop	Built-in	Built-in/Free standing	Built-in/Free standing
Electrical features					
Power rate (W)	80	70	70	74	100
Defrost element power (W)	-	-	-	-	-
Energy consumption (Kw/day)	0,406		0,364	0,268	0,397

Model	RFD 77820 SS EU	RFD 77820 GBK EU	RBF 78615 RTR	RMF 77920 EU SS	RMF 99250 SS	RMF 75920	RMF 74810 SS	RLF 74925 SS EU
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	French door	French door	Refrigerator	Bottom freezer	Refrigerator	Bottom freezer	Bottom freezer	Side by Side
Low-noise appliance	-	-	-	-	-	-	-	-
Design type	Free standing	Free standing	Free standing	Free standing	-	-	-	Free standing
Wine storage appliance	-	-	-	-	-	-	-	-
Other refrigerating appliance	1	1	1	1	-	-	-	1
Overall dimensions								
Height (mm)	1898	1898	1901	1935	-	-	-	1765
Width (mm)	833	833	605	905	-	910	-	897
Depth (mm)	685	685	681	775	-	750	-	761
Total volume (dm3 or l)	535	535	330	636	-	-	-	516
EEl	100	100	99,80%	100	-	-	-	99,7
Energy efficiency class	E	E	E	E	A++	-	DOE	E
Airborne acoustical noise emissions (dB(A) re 1 pW)	41	41	41	43	-	-	-	41
Airborne acoustical noise emission class	C	C	C	D	-	-	-	C
Annual energy consumption (kWh/a)	314	314	250	339	-	-	-	318
Climate class	SN/N/ST/T	SN/N/ST/T	T/SN	SN/N/ST/T	-	-	-	SN/N/ST/T
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	10	10	10	10	-	-	-	10
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43	43	43	43	-	-	-	43
Winter setting	-	-	-	-	-	-	-	-
Compartment 1 - Type (UE 2019/2017)	Fresh food	Fresh food	Fresh food	FRESH FOOD	-	-	-	FRESH FOOD
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	348	348	229,6	441	-	-	-	334
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	4	4	4	4	-	-	-	4
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 1 - Defrosting type (UE 2019/2017)	A	A	A	A	-	-	-	A
Compartment 1 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	1	-	-	-	-	-
Compartment 1 - Nc (UE 2019/2017)	-	-	75	-	-	-	-	-
Compartment 1 - Mc (UE 2019/2017)	-	-	0.12	-	-	-	-	-
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	-	-	1	-	-	-	-	-
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	-	-	1	-	-	-	-	-
Compartment 2 - Type (UE 2019/2017)	4 STAR	4 STAR	4-star	4 STARS	-	-	-	4 STARS
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	187	187	100,6	195	-	-	-	154
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-18	-18	-18	-18	-	-	-	≤-18
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	12	12	8,4	15	-	-	-	14
Compartment 2 - Defrosting type (UE 2019/2017)	A	A	A	A	-	-	-	A
Compartment 2 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	2,1	-	-	-	-	-
Compartment 2 - Nc (UE 2019/2017)	-	-	138	-	-	-	-	-
Compartment 2 - Mc (UE 2019/2017)	-	-	0.15	-	-	-	-	-
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	-	-	1,1	-	-	-	-	-
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	-	-	1	-	-	-	-	-
Compartment 3 - Type (UE 2019/2017)	-	-	-	-	-	-	-	2 STARS
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	-	-	-	-	-	-	-	25

Model	RFD 77820 SS EU	RFD 77820 GBK EU	RBF 78615 RTR	RMF 77920 EU SS	RMF 99250 SS	RMF 75920	RMF 74810 SS	RLF 74925 SS EU
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Defrosting type (UE 2019/2017)	-	-	-	-	-	-	-	A
Compartment 3 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Type (UE 2019/2017)	-	-	-	-	-	-	-	1 STAR
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	-	-	-	-	-	-	-	3
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Defrosting type (UE 2019/2017)	-	-	-	-	-	-	-	A
Compartment 4 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Defrosting type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	LED	LED	LED	LED	-	-	-	LED
Light source (a) (b) Energy efficiency class	-	-	F	-	-	-	-	G
PRODUCT FICHE								
Category	7	7	7	7	7	7	7	7
Energy efficiency class (1)	A++	A++	A++	A++	A++	A+	DOE	A++
Annual consumption (KWh/year) (2)	333	333	263	380	-	481	507	322
Total Gross Capacity (L)	582	582	341	648	820	615	544	574
Refrigerator compartment capacity (L)	304	304	230	455	466	422	327	334
Chilling compartment capacity (L)	31	31	22	-	-	-	-	-
Freezer compartment capacity (L)	165	165	94	182	247	174	156,7	156

Model	RFD 77820 SS EU	RFD 77820 GBK EU	RBF 78615 RTR	RMF 77920 EU SS	RMF 99250 SS	RMF 75920	RMF 74810 SS	RLF 74925 SS EU
Freezer classification (stars)	4	4	4	4	4	4	4	4
No frost in refrigeration compartment	√	√	√	√	√	√	√	√
No frost in chiller	√	√	√	√	–	√	√	√
No frost in freezer compartment	√	√	√	√	√	√	√	√
Temperature rise time (autonomy) (3)	15	15	10	16	13	13	15	7 (6 AT 1/3/2021)
Freezing Capacity (Kg/24h)	13	13	8	15	13	18	18	14
Climate class	SN/T	N/T	SN/T	N/T	SN/T	N/T	TÜSTON	SN/T
Noise level (dB)	41	41	41	43	48	45	45	41
ELECTRICAL FEATURES								
Power Rate (W)	250	250	197	175	391	268	/	188
Defrost element power (W)	250	250	145	262	430	246	230	240
Energy consumption (Kw/day)	0,92	0,92	0,72	1,04	–	1,32	1,39	0,88

Model	RLF 74920 SS EU	RLF 74920 WT	RLF 74910 EU SS	RLF 74910 EU WH	RBF 78720 SS EU	RBF 78720 GBK EU	RBF 78720 GWH EU	RBF 78620
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	Side by Side	Side by Side	Side by Side	Side by Side	Refrigerator	Refrigerator	Refrigerator	Refrigerator
Low-noise appliance	–	–	–	–	–	–	–	–
Design type	Free standing	–	Free standing	Free standing	FREE STANDING	FREE STANDING	FREE STANDING	FREE STANDING
Wine storage appliance	–	–	–	–	–	–	–	–
Other refrigerating appliance	1	–	1	1	1	1	1	1
Overall dimensions								
Height (mm)	1765	–	1765	1765	1920	1920	1920	2010
Width (mm)	897	895	897	897	700	700	700	595
Depth (mm)	761	745	761	761	712	712	721	650
Total volume (dm3 or l)	516	–	532	532	481	481	481	366,7
EEl	99,8	–	125	125	99,10%	100%	99,10%	99,2
Energy efficiency class	E	–	F	F	E	E	E	E
Airborne acoustical noise emissions (dB(A) re 1 pW)	41	–	41	41	41	41	41	41
Airborne acoustical noise emission class	C	–	C	C	C	C	C	C
Annual energy consumption (kWh/a)	317	–	401	401	287	287	287	250,1
Climate class	SN/N/ST/T	–	SN/N/ST	SN/N/ST	SN/T	SN/T	SN/T	T/SN
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	10	–	10	10	10	10	10	10
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43	–	38	38	43	43	43	43
Winter setting	–	–	–	–	–	–	–	–
Compartment 1 - Type (UE 2019/2017)	FRESH FOOD	–	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	334	–	335	335	344	344	344	266,1
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	±0□≤+4	–	4	4	4	4	4	>4
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	8,3	–	–	8,3
Compartment 1 - Defrosting type (UE 2019/2017)	A	–	A	A	A	A	A	A
Compartment 1 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	4
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	1	1	1	1
Compartment 1 - Nc (UE 2019/2017)	–	–	–	–	75	75	75	75
Compartment 1 - Mc (UE 2019/2017)	–	–	–	–	0,12	0,12	0,12	0,12
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	1	1	1	1
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	1	1	1	1
Compartment 2 - Type (UE 2019/2017)	4 STARS	–	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	154	–	181	181	137	137	137	100,6

Model	RLF 74920 SS EU	RLF 74920 WT	RLF 74910 EU SS	RLF 74910 EU WH	RBF 78720 SS EU	RBF 78720 GBK EU	RBF 78720 GWH EU	RBF 78620
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	≤-18	–	-18	-18	-18	-18	-18	<-18
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	14	–	10	10	9	9	9	9
Compartment 2 - Defrosting type (UE 2019/2017)	A	–	A	A	A	A	A	A
Compartment 2 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	-18	–	-18
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	2,1	2,1	2,1	2,1
Compartment 2 - Nc (UE 2019/2017)	–	–	–	–	138	138	138	138
Compartment 2 - Mc (UE 2019/2017)	–	–	–	–	0,15	0,15	0,15	0,15
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	1,1	1,1	1,1	1,1
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	1	1	1	1
Compartment 3 - Type (UE 2019/2017)	2 STARS	–	2 STAR	2 STAR	–	–	–	–
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	25	–	16	16	–	–	–	–
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	-12	-12	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	A	–	A	A	–	–	–	–
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	1 STAR	–	–	–	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	3	–	–	–	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	A	–	–	–	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	RLF 74920 SS EU	RLF 74920 WT	RLF 74910 EU SS	RLF 74910 EU WH	RBF 78720 SS EU	RBF 78720 GBK EU	RBF 78720 GWH EU	RBF 78620
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	LED	–	LED	LED	LED	LED	LED	–
Light source (a) (b) Energy efficiency class	G	–	G	G	–	F	F	–
PRODUCT FICHE								
Category	7	7	7	7	7	7	7	7
Energy efficiency class (1)	A++	A++	A+	A+	A++	A++	A++	A++
Annual consumption (KWh/year) (2)	322	322	405	405	321	321	321	274
Total Gross Capacity (L)	573	573	587	587	510	510	510	379
Refrigerator compartment capacity (L)	334	334	335	335	333	333	333	266
Chilling compartment capacity (L)	–	–	–	–	24	24	24	22
Freezer compartment capacity (L)	156	156	175	175	128	128	128	94
Freezer classification (stars)	4	4	4	4	4	4	4	4
No frost in refrigeration compartment	✓	✓	✓	✓	✓	✓	✓	✓
No frost in chiller	✓	✓	–	–	✓	✓	✓	✓
No frost in freezer compartment	✓	✓	✓	✓	✓	✓	✓	✓
Temperature rise time (autonomy) (3)	7	7	10	10	24	24	24	18
Freezing Capacity (Kg/24h)	14	14	9	9	9	9	9	8
Climate class	T	N/T	SN/N/ST	SN/N/ST	SN/T	SN/T	SN/T	SN/T
Noise level (dB)	41	43	41	41	41	41	41	42
ELECTRICAL FEATURES								
Power Rate (W)	188	188	130	130	206	206	206	162
Defrost element power (W)	240	240	240	240	185	185	185	145
Energy consumption (Kw/day)	0,88	0,88	1,11	1,11	0,88	0,88	0,88	0,75

Model	RBF 78620	RBF 78630 SS EU	RBF 74620 SS EU	NFL 430 S	NFL 430 S	NFL 345 C E-INOX EU	NFL 345 C WHITE EU	NFL 342 C
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Refrigerator
Low-noise appliance	–	–	–	–	–	–	–	–
Design type	FREE STANDING	FREE STANDING	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing
Wine storage appliance	–	–	–	–	–	–	–	–
Other refrigerating appliance	1	1	1	1	1	1	1	1
Overall dimensions								
Height (mm)	2010	2010	1860	2010	2010	1880	1880	1880
Width (mm)	595	595	595	595	595	595	595	595
Depth (mm)	650	650	650	635	635	630	630	630
Total volume (dm3 or l)	366,7	366	330	330	330	310	310	310
EEl	99,2	79,20%	99,8	99,59	99,59	100	100	100
Energy efficiency class	E	D	E	E	E	E	E	E
Airborne acoustical noise emissions (dB(A) re 1 pW)	41	37,5	41	43	43	42	42	42
Airborne acoustical noise emission class	C	C	C	D	D	D	D	D
Annual energy consumption (kWh/a)	250,1	250,94	249,7	231	231	235	235	235
Climate class	T/5N	T/5N	T/5N	N/T	N/T	N/5T	N/5T	N/5T
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	10	10	10	16	16	16	16	16
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43	43	43	38	38	38	38	38
Winter setting	–	–	–	–	–	–	–	–
Compartment 1 - Type (UE 2019/2017)	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	266,1	266	230	247	247	224,4	224,4	224,4

Model	RBF 78620	RBF 78630 SS EU	RBF 74620 SS EU	NFL 430 S	NFL 430 S	NFL 345 C E-INOX EU	NFL 345 C WHITE EU	NFL 342 C
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	>4	4	>4	≥0□≤+4	≥0□≤+4	4	4	4
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	8,3	8,2	8	–	–	–	–	–
Compartment 1 - Defrosting type (UE 2019/2017)	A	A	A	A	A	A	A	A
Compartment 1 - Target temperature (°C) (UE 2019/2017)	4	–	4	–	–	–	–	–
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	1	1	1	–	–	–	–	–
Compartment 1 - Nc (UE 2019/2017)	75	75	75	–	–	–	–	–
Compartment 1 - Mc (UE 2019/2017)	0,12	0,12	0,12	–	–	–	–	–
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	1	1	1	–	–	–	–	–
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	1	1	1	–	–	–	–	–
Compartment 2 - Type (UE 2019/2017)	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	100,6	101	101	83	83	85,6	85,6	85,6
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	<18	-18	<18	≤-18	≤-18	-18	-18	-18
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	9	8	–	3,89	3,89	3,89	3,89	3,89
Compartment 2 - Defrosting type (UE 2019/2017)	A	A	A	A	A	A	A	A
Compartment 2 - Target temperature (°C) (UE 2019/2017)	-18	–	-18	–	–	–	–	–
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	2,1	2,1	2,1	–	–	–	–	–
Compartment 2 - Nc (UE 2019/2017)	138	138	138	–	–	–	–	–
Compartment 2 - Mc (UE 2019/2017)	0,15	0,15	0,15	–	–	–	–	–
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	1,1	1,1	1,1	–	–	–	–	–
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	1	1	1	–	–	–	–	–
Compartment 3 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	RBF 78620	RBF 78630 SS EU	RBF 74620 SS EU	NFL 430 S	NFL 430 S	NFL 345 C E-INOX EU	NFL 345 C WHITE EU	NFL 342 C
Compartment 4 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Defrosting type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	-	LED	-	LED	LED	LED	LED	LED
Light source (a) (b) Energy efficiency class	-	F	-	F	F	F	F	F
PRODUCT FICHE								
Category	7	7	7	7	7	7	7	7
Energy efficiency class (1)	A++	A+++	A++	A++	A++	A++	A++	A++
Annual consumption (KWh/year) (2)	274	182	263	231	231	245	245	245
Total Gross Capacity (L)	379	379	341	360	360	325	325	325
Refrigerator compartment capacity (L)	266	266	230	245	245	224	224	224
Chilling compartment capacity (L)	22	22	22	-	-	-	-	-
Freezer compartment capacity (L)	94	94	101	76	76	78	78	78
Freezer classification (stars)	4	4	4	4	4	4	4	4
No frost in refrigeration compartment	√	√	√	√	√	√	√	√
No frost in chiller	√	√	√	-	-	-	-	-
No frost in freezer compartment	√	√	√	√	√	√	√	√
Temperature rise time (autonomy) (3)	18	18	10	15 (9 AT 1/3/2021)	15 (9 AT 1/3/2021)	15	15	15
Freezing Capacity (Kg/24h)	8	8	8	4	4	4	4	4
Climate class	SN/T	SN/T	T/SN	N/ST/T	N/ST/T	N/T	N/T	N/T
Noise level (dB)	42	42	42	41	41	40	40	41
ELECTRICAL FEATURES								
Power Rate (W)	162	162	197	150	150	85	85	85
Defrost element power (W)	145	145	145	190	190	170	170	170
Energy consumption (Kw/day)	0,75	0,50	0,72	0,64	0,64	0,61	0,61	0,61

Model	NFL 342 C	NFL 320 C	NFL 320	NFL 460 SS	RTF 15810	RSF 75640 SS	RSL 75640 SS	TS3 370 X EU
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Top Freezer	Top Freezer	Top Freezer	Top Freezer
Low-noise appliance	-	-	-	-	-	-	-	-
Design type	Free standing	Free standing	Free standing	Free standing	-	Free standing	Free standing	Free-Standing
Wine storage appliance	-	-	-	-	-	-	-	-
Other refrigerating appliance	1	1	1	1	-	1	1	1
Overall dimensions								
Height (mm)	1880	1880	1880	2018	-	1850	1850	1714
Width (mm)	595	595	595	595	840	595	595	595

Model	NFL 342 C	NFL 320 C	NFL 320	NFL 460 SS	RTF 15810	RSF 75640 SS	RSL 75640 SS	TS3 370 X EU
Depth (mm)	630	630	630	690	750	618	618	655
Total volume (dm3 or l)	310	310	310	378	-	273	362	367
EEl	100	124,8	124,8	79,7	-	99,7	99,6	41,7
Energy efficiency class	E	F	F	D	-	E	E	F
Airborne acoustical noise emissions (dB(A) re 1 pW)	42	43	43	41	-	41	41	38
Airborne acoustical noise emission class	D	D	D	C	-	C	C	C
Annual energy consumption (kWh/a)	235	293	293	212	-	245	118	148,1
Climate class:	N/ST	N/ST	N/ST	SN/N/ST/T	-	SN/N/ST/T	SN/N/ST/T	SN-T
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	16	16	16	10	-	10	10	5
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	38	38	38	43	-	43	43	43
Winter setting	-	-	-	-	-	-	-	-
Compartment 1 - Type (UE 2019/2017)	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	-	4-star	FRESH FOOD	Fresh food
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	224,4	224	224	256	-	259	362	367
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	4	0≤+4	0≤+4	≥0□≤+4	-	≥0, ≤+4 or ≤-18	≥0, ≤+4	4
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	-	-	-	-	-	12,4	-	A
Compartment 1 - Defrosting type (UE 2019/2017)	A	A	A	A	-	A	A	-
Compartment 1 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 1 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 1 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Type (UE 2019/2017)	4 STARS	4 STARS	4 STARS	-	-	2-star	-	-
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	85,6	86	86	-	-	14	-	-
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-18	≤-18	≤-18	-	-	≥0, ≤+4 or ≤-12	-	-
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	3,89	3,89	3,89	-	-	-	-	-
Compartment 2 - Defrosting type (UE 2019/2017)	A	A	A	A	-	A	-	-
Compartment 2 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Type (UE 2019/2017)	-	-	-	4 STARS	-	-	-	-
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	-	-	-	122	-	-	-	-
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-	-	-	≤-18	-	-	-	-
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	-	-	-	8,5	-	-	-	-
Compartment 3 - Defrosting type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-

Model	NFL 342 C	NFL 320 C	NFL 320	NFL 460 SS	RTF 15810	RSF 75640 SS	RSL 75640 SS	TS3 370 X EU
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	LED	LED	LED	LED	–	–	LED	LED
Light source (a) (b) Energy efficiency class	F	F	F	G	–	–	G	G
PRODUCT FICHE								
Category	7	7	7	7	7	–	–	1
Energy efficiency class (1)	A++	A+	A+	D	A+	E	E	A+
Annual consumption (KWh/year) (2)	245	292	292	212	462	245	118	145
Total Gross Capacity (L)	325	302	305	378	625	273	362	415
Refrigerator compartment capacity (L)	224	224	224	256	435	–	362	367
Chilling compartment capacity (L)	–	–	–	–	34	–	–	–
Freezer compartment capacity (L)	78	78	78	122	140	273	–	–
Freezer classification (stars)	4	4	4	4	4	4	–	–
No frost in refrigeration compartment	√	√	√	√	√	–	√	–
No frost in chiller	–	–	–	√	√	–	–	–
No frost in freezer compartment	√	√	√	√	√	√	–	–
Temperature rise time (autonomy) (3)	15	15	15	12	17	8	–	–
Freezing Capacity (Kg/24h)	4	4	4	8,5	10	12,4	–	–
Climate class	N/T	N/ST/T	N/ST/T	SN/N/ST/T	SN/T	SN/N/ST/T	SN/N/ST/T	SN/T
Noise level (dB)	41	41	41	41	44	41	41	38
ELECTRICAL FEATURES								
Power Rate (W)	85	100	100	130	193	–	–	75
Defrost element power (W)	170	170	170	170	220	200	–	–

Model	NFL 342 C	NFL 320 C	NFL 320	NFL 460 SS	RTF 15810	RSF 75640 SS	RSL 75640 SS	TS3 370 X EU
Energy consumption (Kw/day)	0,61	0,78	0,78	0,58	1,27	0,67	0,32	0,40
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	Top Freezer	Top Freezer	Top Freezer	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Refrigerator
Low-noise appliance	–	–	–	–	–	–	–	–
Design type	Free-Standing	Free-Standing	Free-Standing	Built-in	BUILT-IN	BUILT-IN	Built-in	BUILT-IN
Wine storage appliance	–	–	–	–	–	–	–	–
Other refrigerating appliance	1	1	1	1	1	1	1	1
Overall dimensions								
Height (mm)	1714	1714	1714	1776	1775	1775	1775	1775
Width (mm)	595	595	595	540	540	540	540	540
Depth (mm)	655	655	655	545	545	545	545	545
Total volume (dm3 or l)	367	256	256	262	262	271	365	262
EEL	41,7	41,9	41,9	32,9	41,9	41,9	41,9	32,9
Energy efficiency class	F	F	F	E	F	F	F	E
Airborne acoustical noise emissions (dB(A) re 1 pW)	38	39	39	38	38	37	37 dBA	38
Airborne acoustical noise emission class	C	C	C	C	C	C	C	C
Annual energy consumption (kWh/a)	148,1	299	299	224	280	281	287	224
Climate class	SN-T	SN/T	SN/T	SN-ST	SN/ST	SN-ST	SN/ST	SN-ST
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	5	-15	-15	-5	5	-5	5	-5
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43	43	43	38	38	38	38	38
Winter setting	–	–	–	–	–	–	–	–
Compartment 1 - Type (UE 2019/2017)	Fresh food	4-star	4-star	Fresh food	Fresh food	Fresh food	Fresh food	Fresh food
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	367	256	256	193	193	193	163	193
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	4	-20	-20	4	2 Celsius	2 Celsius	2 Celsius	4
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	A	16,5	16,5	A	A	M	A	A
Compartment 1 - Defrosting type (UE 2019/2017)	–	A	A	–	–	–	–	–
Compartment 1 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Type (UE 2019/2017)	–	–	–	4-star	4-star	4-star	4-star	4-star
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	–	–	–	69	69	78	102	69.0 liters
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	-18	2 Celsius	2 Celsius	2 Celsius	-18 Celsius
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	3,2	3,2	3,6	4,7	3,2
Compartment 2 - Defrosting type (UE 2019/2017)	–	–	–	A	A	M	M	A
Compartment 2 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	YES
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	TS3 370 EU	TGF3 270 X EU	TGF3 270 EU	C13 350 NF EU	C13 330 NF EU	C13 342 EU	TKi4 350 SD UK	TKi4 325 DD EU
Compartment 3 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	LED	–	–	LED on Ceiling	LED on Ceiling	LED on Ceiling	LED on Ceiling	LED on Ceiling
Light source (a) (b) Energy efficiency class	G	–	–	–	–	–	–	–
PRODUCT FICHE								
Category	1	8	8	7	7	7	7	7
Energy efficiency class (1)	A+	A+	A+	A++	A+	A+	A+	A++
Annual consumption (KWh/year) (2)	145	307	307	240	286	282	291	240
Total Gross Capacity (L)	415	290	290	275	275	285	265	275
Refrigerator compartment capacity (L)	367	–	–	186	193	193	163	186

Model	TS3 370 EU	TGF3 270 X EU	TGF3 270 EU	C13 350 NF EU	C13 330 NF EU	C13 342 EU	TKi4 350 SD UK	TKi4 325 DD EU
Chilling compartment capacity (L)	–	–	–	19	–	–	–	19
Freezer compartment capacity (L)	–	250	250	69	69	78	102	69
Freezer classification (stars)	–	4	4	4	4	4	4	4
No frost in refrigeration compartment	–	–	–	–	–	–	–	–
No frost in chiller	–	–	–	–	–	–	–	–
No frost in freezer compartment	–	√	√	√	√	–	–	√
Temperature rise time (autonomy) (3)	–	18	18	13	13	20	14	13
Freezing Capacity (Kg/24h)	–	16	16	3,5	4	4	4,8	3,5
Climate class	SN/T	SN/T	SN/T	SN/ST	SN/ST	SN/ST	SN/ST	SN/ST
Noise level (dB)	38	39	39	38	38	37	37	38
ELECTRICAL FEATURES								
Power Rate (W)	75	90	90	125	115	100	90	125
Defrost element power (W)	–	175	175	120	120	–	–	120
Energy consumption (Kw/day)	0,40	0,84	0,84	0,66	0,79	0,77	0,80	0,66

Model	TKI4 325 EU	TKI4 215 EU	TKI2 300 EU WH	TGI2 200 NF EU	TKI3 150 EU	TKI3 130 EU	TKI3 145 D EU	TGI2 120 D EU
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	3 Celsius	3 Celsius	-	-	-	-20	-	-20
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	3,6	2	-	-	-	2,6	-	4,9
Compartment 2 - Defrosting type (UE 2019/2017)	M	M	-	-	-	M	-	M
Compartment 2 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	YES
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Defrosting type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Defrosting type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Defrosting type (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Target temperature (°C) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Nc (UE 2019/2017)	-	-	-	-	-	-	-	-

Model	TKI4 325 EU	TKI4 215 EU	TKI2 300 EU WH	TGI2 200 NF EU	TKI3 150 EU	TKI3 130 EU	TKI3 145 D EU	TGI2 120 D EU
Compartment 5 - Mc (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	-	-	-	-	-	-	-	-
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	-	-	-	-	-	-	-	-
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	LED on Ceiling	Stat Bulb (LED)	Stat Bulb (LED)	-	LED	LED	LED	-
Light source (a) (b) Energy efficiency class	-	-	-	-	G	G	G	-
PRODUCT FICHE								
Category	7	7	1	8	1	7	1	8
Energy efficiency class (1)	A++	A+	A+	A+	A++	A++	A++	A+
Annual consumption (KWh/year) (2)	221	211	146	301	94	141	92	183
Total Gross Capacity (L)	285	210	315	220	135	121	130	96
Refrigerator compartment capacity (L)	193	156	309	-	126	97	128	-
Chilling compartment capacity (L)	-	-	-	-	-	-	-	-
Freezer compartment capacity (L)	78	19	-	196	-	13	-	87
Freezer classification (stars)	4	4	-	4	-	4	-	4
No frost in refrigeration compartment	-	-	-	-	-	-	-	-
No frost in chiller	-	-	-	-	-	-	-	-
No frost in freezer compartment	-	-	-	√	-	-	-	-
Temperature rise time (autonomy) (3)	20	16	-	13	-	9	-	19
Freezing Capacity (Kg/24h)	4	2	-	10	-	2	-	6
Climate class	SN/ST	SN/ST	SN/T	SN/ST	SN/T	SN/ST	SN/T	SN/T
Noise level (dB)	35	35	36	39	35	35	35	36
ELECTRICAL FEATURES								
Power Rate (W)	120	65	110	110	75	65	65	75
Defrost element power (W)	-	-	-	150	-	-	-	-
Energy consumption (Kw/day)	0,61	0,58	0,40	0,83	0,26	0,40	0,25	0,50

Model	TFI3 130 D EU	TS1 130 EU	TS1 135	TGI 80 EU
Product information sheet (UE 2019/2017)				
Type of refrigerating appliance	Built-under	Table top	Table top	Table top
Low-noise appliance	-	-	-	-
Design type	BUILT-IN	Free standing	Free standing	Free standing
Wine storage appliance	-	-	-	-
Other refrigerating appliance	1	1	1	1
Overall dimensions				
Height (mm)	818	845	845	845
Width (mm)	595	553	501	553
Depth (mm)	545	574	540	574
Total volume (dm3 or l)	107	131	98	83
EEl	31,2	125	123	125
Energy efficiency class	F	F	F	F
Airborne acoustical noise emissions (dB(A) re 1 pW)	37	39	39	41
Airborne acoustical noise emission class	C	C	C	C
Annual energy consumption (kWh/a)	181,04	113	172	205
Climate class	SN-T	N/ST	N/ST	N/ST
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	5	16	16	16
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43	38	38	38
Winter setting	-	-	-	-
Compartment 1 - Type (UE 2019/2017)	Fresh food	FRESH FOOD	FRESH FOOD	4 STARS
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	92	131	84	83
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	4	4	4	-18

Model	TFI3 130 D EU	TS1 130 EU	TS1 135	TG1 80 EU
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	A	–	–	4
Compartment 1 - Defrosting type (UE 2019/2017)	–	A	A	M
Compartment 1 - Target temperature (°C) (UE 2019/2017)	–	–	–	–
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–
Compartment 1 - Nc (UE 2019/2017)	–	–	–	–
Compartment 1 - Mc (UE 2019/2017)	–	–	–	–
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–
Compartment 2 - Type (UE 2019/2017)	–	–	4 STARS	–
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	15	–	14	–
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-20	–	-18	–
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	2,5	–	2	–
Compartment 2 - Defrosting type (UE 2019/2017)	M	–	M	–
Compartment 2 - Target temperature (°C) (UE 2019/2017)	–	–	–	–
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–
Compartment 2 - Nc (UE 2019/2017)	–	–	–	–
Compartment 2 - Mc (UE 2019/2017)	–	–	–	–
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–
Compartment 3 - Type (UE 2019/2017)	–	–	–	–
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	–	–	–	–
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–

Model	TFI3 130 D EU	TS1 130 EU	TS1 135	TG1 80 EU
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–
Light source parameters (a) (b):				
Light source (a) (b) Type of light source	LED	LED	LED	–
Light source (a) (b) Energy efficiency class	G	–	–	–
PRODUCT FICHE				
Category	7	1	7	8
Energy efficiency class (1)	A++	A+	A++	A+
Annual consumption (kWh/year) (2)	138	117	131	176
Total Gross Capacity (L)	125	136	102	94
Refrigerator compartment capacity (L)	92	133	84	–
Chilling compartment capacity (L)	–	–	–	–
Freezer compartment capacity (L)	15	–	14	84
Freezer classification (stars)	4	–	4	4
No frost in refrigeration compartment	–	–	–	–
No frost in chiller	–	–	–	–
No frost in freezer compartment	–	–	–	–
Temperature rise time (autonomy) (3)	10	–	15	20
Freezing Capacity (Kg/24h)	2	–	2	6
Climate class	SN/T	ST/N	ST/N	ST/N
Noise level (dB)	37	39	39	39
ELECTRICAL FEATURES				
Power Rate (W)	65	70	70	70
Defrost element power (W)	–	–	–	–
Energy consumption (Kw/day)	0,38	0,32	0,36	0,48