

Dishwashers

Caring for your loved ones
through pure hygiene



Your time is what really matters

We believe in constantly finding ways to make life more meaningful. Because of this, we help you get rid of those chores that you want to get over with, so that you can dedicate your time to what really matters.

With our Dishwashers you will find not only the freedom to forget about doing the dishes after lunch, but also the most intuitive and efficient way to do so.

Discover all the possibilities and let us do the job for you.

Built-in and free installation solutions,
both with the highest performance

It doesn't matter the type of dishwasher you are looking for. We have a solution for you. Our built-in and free installation options will certainly fit the needs of any kitchen.



WORLDWIDE **NOVELTY**

New Dishwashers Series

DESIGNED FOR **THOSE WHO DEMAND MORE**

Efficient design and persistent hygiene come together to bring the ultimate dishwasher to you, with higher speed and better performance, offering the finest care to your kitchenware, in both, built-in and free-standing installation options.

With its IonClean technology, which eliminates 99.9% of bacteria and microorganisms, safety and health come first. Its Whisper Program keeps your dishwasher quiet while the magic happens. In fact, our Built-in model is so silent, that a little red light on is what will let you know that the dishwasher is performing.

Flexibility, speed and performance are these model's banners. And of course, more magic: choose your preferred detergent type, and your dishwasher will do the rest, automatic door opening at the end of the cycle to finish the dishes drying process, and SmartSensor, which will adjust the washing parameters depending on the amount of dirt on your dishes.

Stay amazed.



SCAN AND
DISCOVER

Clever technology for the finest hygiene



SmartSensor

This innovative system identifies through sensors the dirtiness level of your kitchenware and adjusts the washing parameters based on this. Optimal results in each cycle.



MultiCleaner

Use any kind of detergent you like, pods or powder, as your Dishwasher will adapt to either with the MultiCleaner system.



PremiumDry

A perfect finishing is achieved thanks to an excellent performance with minimum consumption. At the end of each cycle, the PremiumDry system will automatically open the Dishwasher door to complete the dishes drying process.



3rd Cutlery Tray

Your cutlery perfectly clean and with no food traces, thanks to our new wider and more flexible tray. Move and set its mobile parts to adjust to your needs in every cycle.



Beam on Floor

Our Dishwasher are so silent, that we have included a beam of light*, so that you can identify when it is working. When the light beam is off, it means your Dishwasher is done with your dishes.

Delivering technology to keep you safe

IonClean technology

Our IonClean technology* guarantees the highest hygiene through negative ions, eliminating bacteria and neutralizing the common odours.

Hygiene program

Sterilise your dishes with our Hygiene program*. Eliminate all kinds of bacteria and allergens, thanks to the high temperature of this special program.

Inverter Motor


Last generation inverter motor*. Its technology and resistance guarantee minimum energy consumption, a significant noise decrease, and long-lasting performance.



MAESTRO DFS 76850 WH



- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- Motor Inverter
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry, IonClean, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 42 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 76850 SS



- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- Motor Inverter
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry, IonClean, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 42 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 76810 WH



- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- PremiumDry automatic opening system
- Sliding extra tray
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Express, PowerWash, ExtraDry, IonClean, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 44 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 76810 SS



- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- PremiumDry automatic opening system
- Sliding extra tray
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Express, PowerWash, ExtraDry, IonClean, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 44 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 46750 WH



- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 7
- Washing temperatures: 50°, 55°, 60°, 65°, 70°C
- PremiumDry automatic opening system
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 46750 SS



- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 7
- Washing temperatures: 50°, 55°, 60°, 65°, 70°C
- PremiumDry automatic opening system
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 46710 WH



- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 55°, 60°, 65°, 70° C
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



TOTAL DFS 46710 SS



- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 55°, 60°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 26650 WH



- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 13 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65°C
- FlexiSet 2 lower basket
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 26650 SS



- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 13 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65°C
- FlexiSet 2 lower basket
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 26610 WH



- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 12 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65° C
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 26610 SS



- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 12 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65° C
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 598mm Depth 600mm



MAESTRO DFS 74850 WH



- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 10 plate settings
- Washing programs: 6
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Express, PowerWash, Extra-Dry, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 44 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 448mm Depth 600mm



MAESTRO DFS 74850 SS



- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 10 plate settings
- Washing programs: 6
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Express, PowerWash, Extra-Dry, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 44 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 448mm Depth 600mm



MAESTRO DFS 44750 WH



- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 10 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 55°, 60°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry, IonClean, AlternativeWash
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 448mm Depth 600mm



TOTAL DFS 44750 SS



- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 10 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 55°, 60°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special functions: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry, IonClean, AlternativeWash
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 448mm Depth 600mm



MAESTRO DFS 24650 WH



- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel
- Capacity: 9 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65°C
- FlexiSet 2 lower basket
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 448mm Depth 600mm



MAESTRO DFS 24650 SS



- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel
- Capacity: 9 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65°C
- FlexiSet 2 lower basket
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation



COLOR
 Stainless Steel

EXTERNAL DIMENSIONS
Height 845mm Width 448mm Depth 600mm






MAESTRO DFS 24610 WH



- **Free standing Dishwasher**
- Electronic control panel
- Capacity: 9 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 65°, 70°C
- FlexiSet 2 lower basket
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Sliding Detergent drawer
- Column installation



COLOR
White


EXTERNAL DIMENSIONS
Height 845mm Width 448mm Depth 600mm



MAESTRO DSI 76850 SS



- **PremiumCare series**
- **Partially integrated Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 65°, 65°, 70°C
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Express, PowerWash, ExtraDry, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 44 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height 815mm Width 598mm Depth 570mm



TOTAL DSI 46750 SS



- **ExpertCare series**
- **Partially integrated Dishwasher**
- Electronic control panel with display
- Capacity: 13 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 50°, 55°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Beam on floor
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height 815mm Width 598mm Depth 570mm



MAESTRO DSI 46750 SS



- **ExpertCare series**
- **Partially integrated Dishwasher**
- Electronic control panel with display
- Capacity: 13 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 50°, 55°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Beam on floor
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height 815mm Width 598mm Depth 570mm



TOTAL DSI 44700 SS



- **ExpertCare series**
- **Partially integrated Dishwasher**
- Electronic control panel with display
- Capacity: 9 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 55°, 60°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height 815mm Width 448mm Depth 570mm



MAESTRO DFI 76950



- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 15 plate settings
- Washing programs: 9
- Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C
- Motor Inverter
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 1 lower basket
- Fast program: 30 minutes
- Special programs: DualCare, GlassCare, AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash, IonClean
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 42 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR
Black


EXTERNAL DIMENSIONS
Height 818mm Width 598mm Depth 550mm



TOTAL DFI 46950 XL



- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 15 plate settings
- Washing programs: 9
- Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C
- Motor Inverter
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 4 lower basket
- Fast programs: 30 minutes
- Special programs: GlassCare, DualCare, AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Beam on floor
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- SlidingDoor installation system
- Column installation



COLOR
Black


EXTERNAL DIMENSIONS
Height 861mm Width 598mm Depth 550mm



TOTAL DFI 46950



- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 15 plate settings
- Washing programs: 9
- Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C
- Motor Inverter
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 4 lower basket
- Fast programs: 30 minutes
- Special programs: GlassCare, DualCare, AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Beam on floor
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- SlidingDoor installation system
- Column installation



COLOR
Black

EXTERNAL DIMENSIONS
Height 818mm Width 598mm Depth 550mm



TOTAL DFI 46900



- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 9
- Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C
- Motor Inverter
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 4 lower basket
- Fast programs: 30 minutes
- Special programs: GlassCare, AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR
Black


EXTERNAL DIMENSIONS
Height 818mm Width 598mm Depth 550mm



TOTAL DFI 46700



- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 7
- Washing temperatures: 35°, 40°, 50°, 65°, 70°C
- Motor Inverter
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 4 lower basket
- Fast programs: 30 minutes
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR
Black


EXTERNAL DIMENSIONS
Height 818mm Width 598mm Depth 550mm



MAESTRO DFI 74910



- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 11 plate settings
- Washing programs: 9
- Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C
- Motor Inverter
- PremiumDry automatic opening system
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 1 lower basket
- Fast programs: 30 minutes
- Special programs: GlassCare, DualCare, AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 45 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR
Black


EXTERNAL DIMENSIONS
Height 818mm Width 448mm Depth 550mm



TOTAL DFI 44700



- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 10 plate settings
- Washing programs: 7
- Washing temperatures: 35°, 40°, 50°, 65°, 70°C
- Motor Inverter
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- Fast programs: 30 minutes
- Special programs: AutoClean, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR
Black


EXTERNAL DIMENSIONS
Height 818mm Width 448mm Depth 550mm



TOTAL LP2 140 EU



- **Free standing table top Dishwasher**
- Electronic control panel with display
- Capacity: 6 plate settings
- Washing programs: 6
- Washing temperatures: 40°, 45°, 50°, 60°, 65°, 70°C
- Fast programs: 30 minutes
- ECO program
- AquaSafe safety system
- Low salt and rinse indicator
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Adjustable back feet from front



COLOR

White

EXTERNAL DIMENSIONS

Height 438mm Width 550mm Depth 500mm

Model	DFS 76850 WH	DFS 76850 SS	DFS 76810 WH	DFS 76810 SS	DFS 46750 WH	DFS 46750 SS	DFS 46710 WH
Product information sheet (UE 2019/2017)							
Supplier's address (UE 2019/2017)	–	–	–	–	–	–	–
Model identifier: (UE 2019/2017)	DFS 76850 WH	DFS 76850 SS	DFS 76810 WH	DFS 76810 SS	DFS 46750 WH	DFS 46750 SS	DFS 46710 WH
Rated capacity (ps) (UE 2019/2017)	14	14	14	14	14	14	14
Height (cm) (UE 2019/2017)	84,5	84,5	84,5	84,5	84,5	84,5	84,5
Width (cm) (UE 2019/2017)	59,8	59,8	59,8	59,8	59,8	59,8	59,8
Depth (cm) (UE 2019/2017)	60	60	60	60	60	60	60
Energy Efficiency Index (EEI) (UE 2019/2017)	43,9	43,9	49,9	49,9	49,9	49,9	55,9
Energy Efficiency class (UE 2019/2017)	C	C	D	D	D	D	E
Cleaning performance index (IC) (UE 2019/2017)	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (ID) (UE 2019/2017)	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Energy consumption in kWh (per cycle), based on the eco program (UE 2019/2017)	0,747	0,747	0,849	0,849	0,849	0,849	0,951
Water consumption in litres (per cycle), based on the eco program (UE 2019/2017)	9,8	9,8	10	10	11	11	11
Duration of the eco program (Tt) (h:min) (UE 2019/2017)	3:18	3:18	3:18	3:18	3:18	3:18	3:40
Type (UE 2019/2017)	–	–	–	–	–	–	–
Airborne acoustical noise emissions (dB(A) re 1 pW) (UE 2019/2017)	42	42	44	44	46	46	47
Airborne acoustical noise emission class (UE 2019/2017)	B	B	B	B	C	C	C
Power consumption in off-mode (Po) (W) (UE 2019/2017)	0,49	0,49	0,49	0,49	0,49	0,49	0,49
Power consumption in standby mode (Psm) (W) (UE 2019/2017)	/	/	/	/	/	/	/
Delay start (W) (if applicable) (UE 2019/2017)	1	1	1	1	1	1	1
Networked standby (W) (if applicable) (UE 2019/2017)	–	–	–	–	–	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	24	24	24	24	24	24	24
Technical documentation (UE) 2019/2017							
Standard programme energy consumption (SPEC) (kWh/cycle) (UE 2019/2017)	0,747	0,747	0,849	0,849	0,849	0,849	0,951
Does standby mode include the display of information? (UE 2019/2017)	1	1	1	1	1	1	1
Power consumption in standby mode (Psm) in condition of networked standby (if applicable) (W) (UE 2019/2017)	/	/	/	/	/	/	/
Power consumption in delay start (Pds) (if applicable) (W) (UE 2019/2017)	1	1	1	1	1	1	1
Duration of the Left-on Mode (Tl) (min) (EP) (UE 2019/2017)	15	15	15	15	15	15	15
Electrical connection							
Power rate (V)	220	220	220	220	220	220	220
Frequency (Hz)	50	50	50	50	50	50	50
Minimum Nominal Power (W)	1760	1760	1760	1760	1760	1760	1760
Maximum Nominal Power (W)	2100	2100	2100	2100	2100	2100	2100
Rated current (A)	8	8	8	8	8	8	8
Power of heating element (W)	1800	1800	1800	1800	1800	1800	1800
Inverter motor	1	1	–	–	–	–	–
Circulation Motor Type	BLDC	BLDC	rmal	rmal	rmal	rmal	rmal
Discharge Motor Type	BLDC	BLDC	Stad	Stad	Stad	Stad	Stad
Plug Type	EU	EU	EU	EU	EU	EU	EU
Conecting wire (cm)	150	150	150	150	150	150	150
Water connections							
Hot water maximum temperature (°C)	30	30	30	30	30	30	30
Water inlet hose length (m)	1,5	1,5	1,5	1,5	1,5	1,5	1,5
Water outlet hose length (m)	1,38	1,38	1,38	1,38	1,38	1,38	1,38

Model	DFS 46710 SS	DFS 26650 WH	DFS 26650 SS	DFS 26610 WH	DFS 26610 SS	DFS 74850 WH	DFS 74850 SS	DFS 44750 WH
Product information sheet (UE 2019/2017)								
Supplier's address (UE 2019/2017)	-	-	-	-	-	-	-	-
Model identifier: (UE 2019/2017)	DFS 46710 SS	DFS 26650 WH	DFS 26650 SS	DFS 26610 WH	DFS 26610 SS	DFS 74850 WH	DFS 74850 SS	DFS 44750 WH
Rated capacity (ps) (UE 2019/2017)	14	13	13	12	12	10	10	10
Height (cm) (UE 2019/2017)	84,5	84,5	84,5	84,5	84,5	84,5	84,5	84,5
Width (cm) (UE 2019/2017)	59,8	59,8	59,8	59,8	59,8	44,8	44,8	44,8
Depth (cm) (UE 2019/2017)	60	60	60	60	60	60	60	60
Energy Efficiency Index (EEI) (UE 2019/2017)	55,9	55,9	55,9	61,9	61,9	49,9	49,9	55,9
Energy Efficiency class (UE 2019/2017)	E	E	E	F	F	D	D	E
Cleaning performance index (IC) (UE 2019/2017)	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (ID) (UE 2019/2017)	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Energy consumption in kWh (per cycle), based on the eco program (UE 2019/2017)	0,951	0,937	0,937	1,021	1,021	0,674	0,674	0,755
Water consumption in litres (per cycle), based on the eco program (UE 2019/2017)	11	11	11	11,5	11,5	8	8	9
Duration of the eco program (Tt) (h:min) (UE 2019/2017)	3:40	3:50	3:50	3:50	3:50	3:18	3:18	3:55
Type (UE 2019/2017)	-	-	-	-	-	-	-	-
Airborne acoustical noise emissions (dB(A) re 1 pW) (UE 2019/2017)	47	49	49	49	49	44	44	47
Airborne acoustical noise emission class (UE 2019/2017)	C	C	C	C	C	B	B	C
Power consumption in off-mode (Po) (W) (UE 2019/2017)	0,49	0,49	0,49	0,49	0,49	0,49	0,49	0,49
Power consumption in standby mode (Psm) (W) (UE 2019/2017)	/	/	/	/	/	/	/	/
Delay start (W) (if applicable) (UE 2019/2017)	1	1	1	1	1	1	1	1
Networked standby (W) (if applicable) (UE 2019/2017)	-	-	-	-	-	-	-	-
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	24	24	24	24	24	24	24	24
Technical documentation (UE) 2019/2017								
Standard programme energy consumption (SPEC) (kWh/cycle) (UE 2019/2017)	0,951	0,937	0,937	0,96	0,96	0,674	0,674	0,755
Does standby mode include the display of information? (UE 2019/2017)	1	1	1	1	1	1	1	1
Power consumption in standby mode (Psm) in condition of networked standby (if applicable) (W) (UE 2019/2017)	/	/	/	/	/	/	/	/
Power consumption in delay start (Pds) (if applicable) (W) (UE 2019/2017)	1	1	1	1	1	1	1	1
Duration of the Left-on Mode (Tu) (min) (EP) (UE 2019/2017)	15	15	15	15	15	15	15	15
Electrical connection								
Power rate (V)	220	220	220	220	220	220	220	220
Frequency (Hz)	50	50	50	50	50	50	50	50
Minimum Nominal Power (W)	1760	1760	1760	1760	1760	1760	1760	1760
Maximum Nominal Power (W)	2100	2100	2100	2100	2100	2100	2100	2100
Rated current (A)	8	8	8	8	8	8	8	8
Power of heating element (W)	1800	1800	1800	1800	1800	1800	1800	1800
Inverter motor	-	-	-	-	-	-	-	-
Circulation Motor Type	rmal	rmal	rmal	rmal	rmal	rmal	rmal	rmal
Discharge Motor Type	Stad	Stad	Stad	Stad	Stad	Stad	Stad	Stad
Plug Type	EU	EU	EU	EU	EU	EU	EU	EU
Conecting wire (cm)	150	150	150	150	150	150	150	150
Water connections								
Hot water maximum temperature (°C)	30	30	30	30	30	30	30	30
Water inlet hose length (m)	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5
Water outlet hose length (m)	1,38	1,38	1,38	1,38	1,38	1,38	1,38	1,38

Model	DFS 44750 SS	DFS 24650 WH	DFS 24650 SS	DFS 24610 WH	DSI 76850 SS	DSI 46750 SS	DSI 46750 SS	DSI 44700 SS
Product information sheet (UE 2019/2017)								
Supplier's address (UE 2019/2017)	-	-	-	-	-	-	-	-
Model identifier: (UE 2019/2017)	DFS 44750 SS	DFS 24650 WH	DFS 24650 SS	DFS 24610 WH	DSI 76850 SS	DSI 46750 SS	DSI 46750 SS KSA	DSI 44700 SS
Rated capacity (ps) (UE 2019/2017)	10	9	9	9	14	13	# REF!	9
Height (cm) (UE 2019/2017)	84,5	84,5	84,5	84,5	81,5	81,5	81,5	81,5
Width (cm) (UE 2019/2017)	44,8	44,8	44,8	44,8	59,8	59,8	59,8	44,8
Depth (cm) (UE 2019/2017)	60	60	60	60	57	57	57	57
Energy Efficiency Index (EEI) (UE 2019/2017)	55,9	55,9	55,9	61,9	49,9	55,9	55,9	55,9
Energy Efficiency class (UE 2019/2017)	E	E	E	F	D	E	E	E
Cleaning performance index (IC) (UE 2019/2017)	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (ID) (UE 2019/2017)	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Energy consumption in kWh (per cycle), based on the eco program (UE 2019/2017)	0,755	0,704	0,704	0,78	0,849	0,937	0,937	0,704
Water consumption in litres (per cycle), based on the eco program (UE 2019/2017)	9	9	9	9,5	10	11	11	9
Duration of the eco program (Tt) (h:min) (UE 2019/2017)	3:55	3:55	3:55	3:55	3:18	3:50	3:50	3:55
Type (UE 2019/2017)	-	-	-	-	-	-	-	-
Airborne acoustical noise emissions (dB(A) re 1 pW) (UE 2019/2017)	47	47	47	49	44	47	# REF!	47
Airborne acoustical noise emission class (UE 2019/2017)	C	C	C	C	B	C	C	C
Power consumption in off-mode (Po) (W) (UE 2019/2017)	0,49	0,49	0,49	0,49	0,49	0,49	0,49	0,49
Power consumption in standby mode (Psm) (W) (UE 2019/2017)	/	/	/	/	/	/	/	/
Delay start (W) (if applicable) (UE 2019/2017)	1	1	1	1	1	1	1	1
Networked standby (W) (if applicable) (UE 2019/2017)	-	-	-	-	-	-	-	-
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	24	24	24	24	24	24	24	24
Technical documentation (UE) 2019/2017								
Standard programme energy consumption (SPEC) (kWh/cycle) (UE 2019/2017)	0,755	0,704	0,704	0,78	0,849	0,937	0,937	0,704
Does standby mode include the display of information? (UE 2019/2017)	1	1	1	1	1	1	1	1
Power consumption in standby mode (Psm) in condition of networked standby (if applicable) (W) (UE 2019/2017)	/	/	/	/	/	/	/	/
Power consumption in delay start (Pds) (if applicable) (W) (UE 2019/2017)	1	1	1	1	1	1	1	1
Duration of the Left-on Mode (Tu) (min) (EP) (UE 2019/2017)	15	15	15	15	15	15	15	15
Electrical connection								
Power rate (V)	220	220	220	220	220	220	220	220
Frequency (Hz)	50	50	50	50	50	50	60	50
Minimum Nominal Power (W)	1760	1760	1760	1760	1760	1760	1760	1760
Maximum Nominal Power (W)	2100	2100	2100	2100	2100	2100	2100	2100
Rated current (A)	8	8	8	8	8	8	8	8
Power of heating element (W)	1800	1800	1800	1800	1800	1800	1800	1800
Inverter motor	-	-	-	-	-	-	-	-
Circulation Motor Type	rmal	rmal	rmal	rmal	rmal	rmal	rmal	rmal
Discharge Motor Type	Stad	Stad	Stad	Stad	Stad	Stad	Stad	Stad
Plug Type	EU	EU	EU	EU	EU	EU	UK	EU
Conecting wire (cm)	150	150	150	150	150	150	150	150
Water connections								
Hot water maximum temperature (°C)	30	30	30	30	30	30	30	30
Water inlet hose length (m)	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5
Water outlet hose length (m)	1,38	1,38	1,38	1,38	1,38	1,38	1,38	1,38

Model	DFI 76950	DFI 46950 XL	DFI 46950	DFI 46900	DFI 46700	DFI 74910	DFI 44700	LP2 140 EU
Product information sheet (UE 2019/2017)								
Supplier's address (UE 2019/2017)	–	–	–	–	–	–	–	C/ CAJO, 17 / 39011 / SANTANDER / ESPAÑA
Model identifier: (UE 2019/2017)	DFI 76950	DFI 46950 XL	DFI 46950	DFI 46900	DFI 46700	DFI 74910	DFI 44700	LP2 140 EU
Rated capacity (ps) (UE 2019/2017)	15	15	15	14	14	11	11	10
Height (cm) (UE 2019/2017)	82	82	82	82	82	82	82	82
Width (cm) (UE 2019/2017)	60	60	60	60	60	45	45	45
Depth (cm) (UE 2019/2017)	55	55	55	55	55	55	55	55
Energy Efficiency Index (EEI) (UE 2019/2017)	49.9	55.9	55.9	55.9	55.9	55.9	55.9	–
Energy Efficiency class (UE 2019/2017)	D	E	E	E	E	E	E	F
Cleaning performance index (IC) (UE 2019/2017)	1.13	1.13	1.13	1.13	1.13	1.13	1.13	–
Drying performance index (ID) (UE 2019/2017)	1.07	1.07	1.07	1.07	1.07	1.07	1.07	–
Energy consumption in kWh (per cycle), based on the eco program (UE 2019/2017)	0.861	0.965	0.965	0.951	0.951	0.805	0.755	0.61
Water consumption in litres (per cycle), based on the eco program (UE 2019/2017)	9.5	9.5	9.5	9.5	9.5	8.7	8.7	9
Duration of the eco program (Tt) (h:min) (UE 2019/2017)	4:05	4:05	4:05	3:40	3:40	3:04	3:59	–
Type (UE 2019/2017)	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	–
Airborne acoustical noise emissions (dB(A) re 1 pW) (UE 2019/2017)	42	42	46	46	46	45	45	44
Airborne acoustical noise emission class (UE 2019/2017)	B	C	C	C	C	C	C	C
Power consumption in off-mode (Po) (W) (UE 2019/2017)	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.49
Power consumption in standby mode (Psm) (W) (UE 2019/2017)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	–
Delay start (W) (if applicable) (UE 2019/2017)	1.90	1.90	1.90	1.90	1.90	1.90	1.90	–
Networked standby (W) (if applicable) (UE 2019/2017)	–	–	–	–	–	–	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	24	24	24	24	24	24	24	24
Technical documentation (UE 2019/2017)								
Standard programme energy consumption (SPEC) (kWh/cycle) (UE 2019/2017)	1.7	1.7	1.7	1.7	1.7	1.4	1.4	–
Does standby mode include the display of information? (UE 2019/2017)	–	–	–	–	–	–	–	–
Power consumption in standby mode (Psm) in condition of networked standby (if applicable) (W) (UE 2019/2017)	–	–	–	–	–	–	–	–
Power consumption in delay start (Pds) (if applicable) (W) (UE 2019/2017)	–	–	–	–	–	–	–	–
Duration of the Left-on Mode (Tl) (min) (EP) (UE 2019/2017)	5	5	5	5	5	5	5	–
Electrical connection								
Power rate (V)	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50	50	50	50
Minimum Nominal Power (W)	1800	1800	1800	1800	1800	1800	1800	1280
Maximum Nominal Power (W)	2.100	2.100	2.100	2.100	2.100	2.100	2.100	1.280
Rated current (A)	10	10	10	10	10	10	10	–
Power of heating element (W)	1800	1800	1800	1800	1800	1800	1800	–
Inverter motor	1	1	1	1	1	1	1	–
Circulation Motor Type	BLDC	BLDC	BLDC	BLDC	BLDC	BLDC	BLDC	–
Discharge Motor Type	Stad	Stad	Stad	Stad	Stad	Stad	Stad	–
Plug Type	EU	EU	EU	EU	EU	EU	EU	EU
Conecting wire (cm)	–	–	–	–	–	–	–	–
Water connections								
Hot water maximum temperature (°C)	–	–	–	–	–	–	–	–
Water inlet hose length (m)	–	–	–	–	–	–	–	–
Water outlet hose length (m)	–	–	–	–	–	–	–	–