

Hobs

Add some of your own magic
to each of your recipes



WORLDWIDE **NOVELTY**

Infinity | G1 Edition

COOKING WILL NEVER BE THE SAME

The new Infinity | G1 Edition Induction and Gas Hobs will be the solution to enjoy cooking like never before.

Their black matt finishing with copper details make them a work of art, with fine lines and tasteful details.

Our Infinity | G1 Edition Induction Hobs, with Flex cooking zones, ceramic glass surface and direct functions, will prove to be the ideal cooking assistant, accompanying you at every step of the cooking process.

In the case of our Infinity | G1 Edition Gas Hobs, their ergonomic knobs will be a pleasure to touch and use. Their glass top, easy to clean, gives an elegant touch to any kitchen.



Designed down to the last detail

Outstanding combination of black glass and copper details. Ergonomic and great-looking control panel, for the most absolute convenience.



Options to choose from

Induction or gas: choose your favorite and enjoy either way.



Discover the complete edition

Get the most out of your Infinity | G1 Edition Hobs, by matching them with the rest of the products of the edition.

SCAN AND
DISCOVER

WORLDWIDE **NOVELTY**

MasterSense Air induction hob

REDEFINING INTEGRATION

The perfect combination for a renewed kitchen: induction hob with direct functions through temperature sensors, intuitive control panel, and integrated high performance hood, with automatic ignite in sync with the hob.

The best of the two worlds, at once.



WORLDWIDE NOVELTY

Alexa, I want to make some rice

WELCOME TO INTELLIGENT COOKING.

This intelligent induction hob features voice control and an automatic Rice Cooking function. Alexa® Will give your step by step guidance on how to cook delicious rice.



Auto ignition

Your Hood turns itself on and is regulated automatically.




Always know what is going on

Access all the information on your hob from wherever you want.



Teka Home App

Discover all the different features on the Teka Home App.



MasterSense Series

THE HIGHEST PRECISION

The MasterSense series includes direct cooking functions with temperature sensors to guarantee perfect results on each recipe. It also has additional features, such as XXL zones, which detect the size and shape of different kitchenware and activate the heat accordingly, and Flex zones, for kitchenware of up to 40 cm.

Enjoy special features, such as SlideCooking, with this series available in different sizes and finishes, with the best design and durability, thanks to its worldwide renowned Schott ceramic glass.



SCAN AND
DISCOVER

The Hybrid Series

THE BEST OF THE **TWO WORLDS**

Why give up something when you can have it all?

Teka presents The Hybrid, a new concept of a mixed hob available in various sizes for your kitchen, combining gas and induction. Cook with gas or induction, depending on your needs.



SCAN AND
DISCOVER

VarioPro Series


REINVENT YOUR KITCHEN

Discover our new VarioPro series. A modular range that you can design to suit your kitchen and your lifestyle, with the hood where you need it most, next to your hob.

Choose and combine your hood as you wish with Induction, Gas, Highlight hobs or Teppanyaki.



SCAN AND
DISCOVER



A varied range, everything **delivering** **perfect results**

Induction

- Very fast
- Very easy to clean
- Direct heating
- Safety – Not burn in the surface

Vitroc ceramic

- Cost effective
- Use any kitchenware

Gas on Glass

- Ease-to-clean and elegant glass surface
- Traditional cooking
- Use any kitchenware
- Direct control
- Fast

Gas on Steel

- The power of gas plus cast iron grids
- Traditional cooking
- Robust stainless steel surface
- Use any kitchenware
- Exact power control
- Fast

Mixed

Enjoy the versatility of having two different cooking technologies at the same time. Traditional clay kitchenware or the latest pans; it's up to you.



SCAN AND
DISCOVER

Choose your pan and meal size, **your hob will do the rest**

Temperature sensors

Find the right cooking temperature for the best results can be a challenge. Thanks to temperature sensors we can reach a uniform and constant cooking temperature. A smart and healthy way to give you a helping hand in the kitchen.

Direct Functions

A wide variety of cooking techniques can be easily performed with Direct Functions, which control the specific hob behaviour to reach the desired results. We take care of you through precision, thanks to the 10 intuitive functions.

	Grilling		Melting
	Pan Frying		Keep Warm
	Deep Frying		Confit
	Quick Boiling		Poach
	Simmering		Rice Cooking

EXCLUSIVE RICECOOKING FUNCTION

Let your hob do it for you.

The first and only hob capable of automatically cooking a complete dish from beginning to end. Our DirectSense hob automatically prepares delicious rice, by only choosing the Direct Function on the control panel, adding the ingredients into the pan, and covering it.

This superb hob includes 9 more direct functions, and thanks to its FullFlex zone, it is possible to cook along the whole hob, or activate the XL zone, and take advantage of the whole induction surface, with kitchenware of up to 40 cm.



SCAN AND
DISCOVER

Wider and more intuitive cooking zones

FullFlex zones

Cook with no limits thanks to our FullFlex technology using the whole cooking surface. Use your imagination and cook with pans of any size.

XXL zones

Cooking for all the family or create that big paella you were talking about with friends weeks ago. With Paella zone XXL, 320mm, everybody is welcome at home to enjoy meals. Cook with big pans and create great memories.

Flex induction

Designed to use every single corner of the cooking area with different shape pans. Perfect for grill, Teppanyaki or rectangular pots.

SlideCooking

Just move the pan from one side to another and SlideCooking will do the rest. The hob automatically changes the power for maximum convenience, so you can cook with high intensity on the front zone of the hob, with medium intensity at the center, or you can slide your pan to the back to keep warm.



One control to rule them all

iKnob

Feel the power of absolute control. An induction hob unique in every sense thanks to the exclusive design. Power and precision in just one control. The hob control works with the removable knob with a soft touch.

MultiSlider

Independent and direct control of each part of the hob to reach a higher precision level. Slide your finger or press the power you need. You will never be wrong with your recipes thanks to the new touch control MultiSlider.

ExactFlame

Trying to guess the power of the flame it's something of the past. With ExactFlame you can easily control flame power with the highest precision. You can choose a range of power from 1 to 9, ready for any kind of cooking you need at any time.

Ergonomic Gas Knobs

Designed to become one with your finger-tips, our Ergonomic Gas Knobs are shaped to offer subtle comfort at every touch.



SCAN AND
DISCOVER

High quality finishing to complement the safest technology

We know you choose Teka because you choose quality. That is why we work hard every day to make that claim our life philosophy, where durability and resistance are definitely important features.

Schott Ceran®

Having a partnership with a market leader known for its supreme quality is no coincidence, when product quality is a promise. Schott® ceramic glass is a key component for our great long-lasting hobs.

Ceramic glass

Kitchen beauty and easy cleaning are only some of our ceramic glass hobs advantages, as they also increase your kitchen counter space, which is especially handy for reduced-space kitchens.

Total and Frontal Bevel

Smooth edges that turn our hobs into safer and more beautiful and resistant options. Edge bevel can be partial or total.

Rounded glass

For those who prefer originality above all. Our rounded glass hobs add a touch of design and uniqueness to any kitchen.

Stainless steel frame

Our hobs' inox frame adds a special finishing, and gives extra protection to the glass edges.



Caring for you and your loved ones

Child Lock

Our child lock feature helps you prevent your little ones from changing your hob settings.

Auto Lock

For safety, our hobs automatically locks itself after a period of no activity.

High Quality Burners

Because we know you prefer long-lasting products, our Gas hobs are equipped with high-quality burners that ensure perfect functioning for years to come.

Autoignition

Fast and easy ignition for your Gas hob at the simple touch of a key.




NEW

MAESTRO IBF 64 INFINITY G1



- **Infinity G1 special edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Flex induction hob**
- Exclusive matte black finishing
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 4 Flex zones Ø 235 X 188,5 mm
- Ceramic glass surface
- Auto-lock safety disconnection
- Cooking timer
- Power Plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 53mm Width 600mm Depth 510mm




NEW

MAESTRO GBC 64 INFINITY G1



- **Infinity | G1 Edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Gas on Glass hob**
- Exclusive matte black finishing
- Frontal mechanical control panel with ergonomic design
- 4 cooking zones
- 1 fast burner, 2,80 kW
- 1 semi fast burner, 1,75 kW
- 1 semi fast burner, 1,40 kW
- 1 auxiliary burner, 1,00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 6950 W



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 50mm Width 605mm Depth 515mm




NEW

MAESTRO GBC 75 INFINITY G1



- **Infinity | G1 Edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Gas on Glass hob**
- Exclusive matte black finishing
- Frontal mechanical control panel with ergonomic design
- 5 cooking zones
- 1 double ring burner, 3,50 kW
- 1 fast burner, 2,80 kW
- 1 semi fast burner, 1,75 kW
- 1 semi fast burner, 1,40 kW
- 1 auxiliary burner, 1,00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 10450 W
- Optional: Wok support



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 50mm Width 605mm Depth 515mm




NEW

MAESTRO GBC 82 INFINITY G1



- **Infinity G1 special edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Gas on Glass hob**
- Exclusive matte black finishing
- Frontal mechanical control panel with ergonomic design
- 2 cooking zones
- 2 double ring burners, 5,00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 10000 W
- Wok support included








COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 53mm Width 900mm Depth 510mm




NEW

MAESTRO AFF 87600 MST BK



- **Induction hob with integrated hood**
- **Automatic hood activation**
- Direct functions: Confit, poach, grilling, pan frying, deep frying, slimmering, melting
- Touch control multiSlider
- 4 cooking zones
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power Plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power: 7200 (IH) + 200 (AH)
- Optional: Teppanyaki and grilling plate
- FreshAir function
- Brushless EcoPower Motor
- 9 speeds
- Intensive speed sound level (dBA): 66
- Max speed sound level (dBA): 65
- Min speed sound level (dBA): 43
- 2 aluminium filters with 12 layers
- Stop delay timer
- Filter saturation indicator



COLOR

Black

EXTERNAL DIMENSIONS


Height 215mm Width 770mm Depth 490mm

NEW

MAESTRO AFC 87628 MST BK



- **Induction hob with integrated hood**
- **Automatic hood activation**
- Direct functions: Confit, poach, grilling, pan frying, deep frying, slimmering, melting
- Touch control multiSlider
- 3 cooking zones, including wide paella zone
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power Plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power: 7200 (IH) + 200 (AH)
- Optional: Teppanyaki and grilling plate
- FreshAir function
- Brushless EcoPower Motor
- 9 speeds
- Intensive speed sound level (dBA): 66
- Max speed sound level (dBA): 65
- Min speed sound level (dBA): 43
- 2 aluminium filters with 12 layers
- Stop delay timer
- Filter saturation indicator



COLOR

Black

EXTERNAL DIMENSIONS


Height 215mm Width 770mm Depth 490mm

NEW

MAESTRO IZF 68780 MST BK



- **Teka Home: smart appliances with Wi-Fi connection**
- **FullFlex Induction hob**
- HobToHood, automatic hood connection during cooking
- Direct functions with temperature sensors: rice cooking, confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting, keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 262,5 x 195 mm
- Ceramic glass surface
- Auto-lock safety disconnection
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W



COLOR

Black

EXTERNAL DIMENSIONS


Height 57mm Width 600mm Depth 510mm

NEW

MAESTRO IZF 68770 MST BK



- **Teka Home: smart appliances with Wi-Fi connection**
- **FullFlex Induction hob**
- HobToHood, automatic hood connection during cooking
- Direct functions with temperature sensors: rice cooking, confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting, keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 262,5 x 195 mm
- Ceramic glass surface
- Auto-lock safety disconnection
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W



COLOR

Black

EXTERNAL DIMENSIONS


Height 57mm Width 600mm Depth 510mm

NEW

MAESTRO IZF 88770 MST BK



- **Induction hob**
- **Direct functions: Quick boiling and keep warm**
- **iKnob Touch Control**
- 3 cooking zones
- 1 zone Ø 190/300 mm
- 1 zone Ø 215 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black

EXTERNAL DIMENSIONS


Height 57mm Width 800mm Depth 510mm

NEW

MAESTRO IZF 99770 MST BK



- **Teka Home: smart appliances with Wi-Fi connection**
- **FullFlex Induction hob**
- SlideCooking function
- HobToHood, automatic hood connection during cooking
- Direct functions with temperature sensors: rice cooking, confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting, keep warm
- Touch Control MultiSlider
- 6 cooking zones
- 4 zones Ø 262,5 x 195 mm
- 2 zones Ø 252,8 x 195 mm
- Ceramic glass surface
- Auto-lock safety disconnection
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 11100 W








COLOR

Black

EXTERNAL DIMENSIONS

Height 57mm Width 900mm Depth 510mm




NEW

MAESTRO IZF 99700 MST



- Urban Colors Edition
- MasterSense Series
- FullFlex Induction hob
- SlideCooking Function
- Direct functions with temperature sensors: Rice cooking, confit, keep warm, poaching, grilling, pan frying, deep frying, quick boiling, simmering and melting
- Touch Control MultiSlider
- 6 cooking zones
- 6 zone Ø 262,5 X 195 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 11.100 W



COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 57mm Width 900mm Depth 510mm

NEW

MAESTRO IZF 88700 MST



- Urban Colors Edition
- MasterSense Series
- FullFlex Induction hob
- SlideCooking Function
- Direct functions with temperature sensors: Rice cooking, keep warm, confit, poaching, grilling, keep warm, pan frying, deep frying, quick boiling, simmering and melting
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 296,5 X 197,5 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W



COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 57mm Width 800mm Depth 510mm

NEW

MAESTRO IZF 68700 MST



- Urban Colors Edition
- MasterSense Series
- FullFlex Induction hob
- Direct functions with temperature sensors: Rice cooking, confit, poaching, grilling, pan frying, deep frying, quick boiling, keep warm, simmering and melting
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 262,5 X 195 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass


EXTERNAL DIMENSIONS

Height 57mm Width 600mm Depth 510mm

MAESTRO IT 6450 IKNOB



- Induction hob
- Direct functions: Quick boiling and keep warm
- iKnob Touch Control
- 4 cooking zones
- 1 zone Ø 210 mm
- 2 zones Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Slim metal frame


EXTERNAL DIMENSIONS

Height 50mm Width 605mm Depth 515mm

MAESTRO IKNOB IT 6350



- Induction hob
- Direct functions: Quick boiling and keep warm
- iKnob Touch Control
- 3 cooking zones
- 1 zone Ø 190/300 mm
- 1 zone Ø 215 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Slim metal frame


EXTERNAL DIMENSIONS

Height 50mm Width 605mm Depth 515mm

TOTAL IZS 97630 MST



- Urban Colors Edition
- MasterSense Series
- Flex Induction hob
- SlideCooking function
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 5 cooking zones
- 1 zone Ø 320/180 mm
- 2 zones Ø 228 x 200 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 10.800 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR

Black

EXTERNAL DIMENSIONS


Height 53mm Width 900mm Depth 510mm



MAESTRO IZS 96700 MST



- Urban Colors Edition
- MasterSense Series
- Flex Induction hob
- SlideCooking function
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 280 mm
- 2 zone Ø 228 x 200 mm
- 1 zone Ø 185 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 900mm Depth 510mm

MAESTRO IZS 86630 MST



- Urban Colors Edition
- MasterSense Series
- Flex Induction hob
- SlideCooking function
- Direct functions with temperature sensors: Poaching, confit, grilling, pan frying, deep frying, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 280 mm
- 2 zones Ø 228 x 200 mm
- 1 zone Ø 185 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 800mm Depth 510mm

MAESTRO IZS 67620 MST



- Urban Colors Edition
- MasterSense Series
- Flex Induction hob
- SlideCooking function
- Direct functions with temperature sensors: Confit, poach, grilling, pan frying, deep frying, simmering and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 2 zones Ø 228 x 200 mm
- 1 zone Ø 280/150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

MAESTRO IZS 66800 MST



- Urban Colors Edition
- MasterSense Series
- Flex Induction hob
- SlideCooking function
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 228 x 200 mm
- 1 zone Ø 215 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

MAESTRO IZS 34700 MST



- Urban Colors Edition
- MasterSense Series
- Modular Flex Induction hob
- SlideCooking function
- Direct functions with temperature sensors: Poaching, confit, grilling, pan frying, deep frying, simmering and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 2 zones Ø 255 x 200 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 300mm Depth 510mm

MAESTRO IZC 63632 SM MST





- Urban Colors Edition
- MasterSense Series
- Induction hob
- Direct functions with temperature sensors: Poaching, pan frying, quick boiling, simmering and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
Steam Grey Glass
FRAME Front bevelled Glass


EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm



MAESTRO IZC 63632 ST MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Poaching, confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
Stone Grey Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

MAESTRO IZC 63632 BK MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
Black Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

MAESTRO IZC 63632 LB MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
London brick brown glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

MAESTRO IZC 63632 WH MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep fryingq, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
White Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

TOTAL IZC 94620 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 2 zones Ø 185 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 900mm Depth 400mm

TOTAL IZC 93320 MST





- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, poach, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 900mm Depth 400mm




NEW

MAESTRO IZC 83620 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass


EXTERNAL DIMENSIONS

Height 53mm Width 800mm Depth 400mm

TOTAL IZC 64630 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Grilling, confit, pan frying, deep frying, quick boiling, simmering, melting, deep frying and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 2 zones Ø 185 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Front bevelled Glass


EXTERNAL DIMENSIONS

Height 53mm Width 600mm Depth 510mm

TOTAL IZC 64630 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

London brick brown glass

FRAME Front bevelled Glass


EXTERNAL DIMENSIONS

Height 53mm Width 600mm Depth 510mm

TOTAL IZC 64630 SM MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Grilling, poaching, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Steam Grey Glass

FRAME Front bevelled Glass


EXTERNAL DIMENSIONS

Height 53mm Width 600mm Depth 510mm

TOTAL IZC 64630 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Stone Grey Glass

FRAME Front bevelled Glass


EXTERNAL DIMENSIONS

Height 53mm Width 600mm Depth 510mm

TOTAL IZC 64630 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR





White Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm Width 600mm Depth 510mm






MAESTRO IZC 63630 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Quick boiling, confit, grilling, confit, pan frying, deep frying, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
 Black Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

MAESTRO IZC 63630 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Quick boiling, grilling, pan frying, deep frying, simmering, melting, confit and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
 White Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

MAESTRO IZC 63630 ST MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
 Stone Grey Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

MAESTRO IZC 32600 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Modular Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
 Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 300mm Depth 510mm

MAESTRO IZF 65320 BK MSP



- **Urban Colors Edition**
- **Flex Induction hob**
- Direct functions: simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 150/280 mm
- 2 zones Ø 230 X 188 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
 Black Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

MAESTRO IZF 64600 MSP







- **Urban Colors Edition**
- **FullFlex Induction hob**
- SlideCooking function
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 235 X 188,5 mm
- Ceramic glass surface
- Auto-lock safety system
- Indution : Cooking timer, power plus, child lock, residual heat indicator and power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
 Black Glass

FRAME Front bevelled Glass


EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm



TOTAL IZF 64440 MSP



- **Urban Colors Edition**
- **Flex Induction hob**
- Direct functions: Quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 235 X 188 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
Black Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

TOTAL IZF 94300 MSP



- **Urban Colors Edition**
- **Flex Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 280 mm
- 2 zones Ø 235 x 188,5 mm
- 1 zone Ø 185 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 900mm Depth 510mm

MAESTRO IZF 32400 MSP



- **Urban Colors Edition**
- **Modular induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 2 zones Ø 235 x 188,5 mm
- Ceramic glass surface
- Auto-lock safety system
- Indution : Cooking timer, power plus, child lock, residual heat indicator and power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 300mm Depth 510mm

TOTAL IZC 72310 MSP



- **Urban Colors Edition**
- **Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 zone Ø 280 mm
- 1 zone Ø 185 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 730mm Depth 430mm

TOTAL IZC 64320 MSP



- **Urban Colors Edition**
- **Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 215 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
Black Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

TOTAL IZC 53320 MSP




- **Urban Colors Edition**
- **Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 6800 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR
Black Glass


EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 435mm



TOTAL IZC 42400 MSP



- **Urban Colors Edition**
- **Modular Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 zone Ø 280 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 53mm Width 450mm Depth 510mm



TOTAL IZC 32310 MSP



- **Urban Colors Edition**
- **Modular induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 53mm Width 300mm Depth 510mm



TOTAL IZC 63320 BK MSS



- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS


Height 53mm Width 600mm Depth 510mm



EASY IZC 63015 BK MSS



- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 160/2800 mm
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR

Black Glass

FRAME Front Bevelled Glass

EXTERNAL DIMENSIONS


Height 58mm Width 600mm Depth 510mm



EASY IZC 64010 MSS



- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS


Height 58mm Width 600mm Depth 510mm



MAESTRO ITS 67620 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Flex induction hob**
- SlideCooking function
- Direct functions with temperature sensors: Grilling, poaching, confit, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 280/150 mm
- 2 zones Ø 228 x 200 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki








COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 53mm Width 606mm Depth 516mm



MAESTRO ITF 65320 BK MSP



- **Urban Colors Edition**
- **Flex Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 150/280 mm
- 2 zones Ø 230 X 188 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Slim Metal Frame


EXTERNAL DIMENSIONS

Height 53mm Width 606mm Depth 516mm

TOTAL ITC 64630 MST



- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Grilling, confit, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 2 zones Ø 185 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Slim Metal Frame


EXTERNAL DIMENSIONS

Height 53mm Width 606mm Depth 516mm

TOTAL ITC 63320 BK MSS



- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Slim Metal Frame


EXTERNAL DIMENSIONS

Height 53mm Width 606mm Depth 516mm

TOTAL IRC 63320 MSP



- **Urban Colors Edition**
- **Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 185 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W



COLOR

Black Glass


EXTERNAL DIMENSIONS

Height 53mm Width 590mm Depth 510mm

TOTAL IBC 64320 BK MSP



- **Urban Colors Edition**
- **Induction hob**
- Direct functions: Simmering, melting, quick boiling and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 215 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME C-edged glass


EXTERNAL DIMENSIONS

Height 53mm Width 600mm Depth 510mm

EASY IBC 64010 BK MSS



- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR






Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 58mm Width 600mm Depth 510mm






NEW
EASY IBC 64000 TTC



- **Urban Colors Edition**
- **Induction hob**
- Touch Control
- 4 cooking zones
- 2 zones Ø 180 mm
- 2 zones Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
 Black Glass
FRAME C-edged glass

EXTERNAL DIMENSIONS
Height 50mm Width 600mm Depth 510mm

TOTAL IBC 63320 BK MSS



- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W




COLOR
 Black Glass
FRAME C-edged glass

EXTERNAL DIMENSIONS
Height 53mm Width 600mm Depth 510mm

EASY IBC 63015 BK MSS



- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 160/280 mm
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
 Black Glass
FRAME C-edged Glass

EXTERNAL DIMENSIONS
Height 58mm Width 600mm Depth 510mm

NEW
EASY IBC 63010 MSS



- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 280 mm
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 5900 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR
 Black Glass
FRAME C-edged Glass

EXTERNAL DIMENSIONS
Height 50mm Width 600mm Depth 510mm

EASY IBC 32000 TTC



- **Urban Colors Edition**
- **Modular induction hob**
- Touch Control
- 2 cooking zones
- 1 zone Ø 210 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Power plus
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W




COLOR
 Black Glass

EXTERNAL DIMENSIONS
Height 53mm Width 300mm Depth 510mm

NEW
MAESTRO IZS 34600 DMS






- **Urban Colors Edition**
- **VarioPro Series**
- **Modular Flex Induction hob**
- SlideCooking function
- Direct functions with temperature sensors: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 2 zones Ø 255 x 200 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3500 W
- Optional: Grilling Plate
- Optional: Teppanyaki



COLOR
 Black Glass
FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 63mm Width 300mm Depth 510mm




NEW

TOTAL IZC 32300 DMS



- **Urban Colors Edition**
- **VarioPro Series**
- **Modular induction Hob**
- Direct functions with temperature sensors: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 zone Ø 210 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3500 W
- Optional: Grilling Plate
- Optional: Teppanyaki



COLOR

Black Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 55mm Width 300mm Depth 510mm

TOTAL IBR 64040 BK TTC

- **Induction hob**
- Touch control
- 4 cooking zones
- 1 zone Ø 210 mm
- 1 zone Ø 185 mm
- 2 zones Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Indution:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W



COLOR

Black Glass


EXTERNAL DIMENSIONS

Height mm Width mm Depth mm

MAESTRO IRC 9430 KS



- **Induction hob**
- Touch Control Slider
- 4 cooking zones
- 1 zone Ø 280 mm
- 2 zones Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Full Bevelled glass

EXTERNAL DIMENSIONS


Height 55mm Width 950mm Depth 520mm

NEW

MAESTRO TRC 83631



- **Urban Colors Edition**
- **Vitroc ceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 145/210/270 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5700 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Full Bevelled glass


EXTERNAL DIMENSIONS

Height 51mm Width 800mm Depth 400mm

TOTAL TRB 84300 TCS



- **Urban Colors Edition**
- **Vitroc ceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 170 x 265 mm
- 1 high lights Ø 120/180/210 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Maximum nominal power 7500 W



COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 51mm Width 800mm Depth 510mm

NEW

EASY TBC 64000 XFL BK



- **Urban Colors Edition**
- **Vitroc ceramic hob**
- 4 cooking zones
- 2 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Automatic safety disconnection
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6000 W
- Optional: Grilling plate
- Optional: Teppanyaki








COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 57mm Width 600mm Depth 510mm



EASY TBC 32010 TTC BK



- **Urban Colors Edition**
- **Modular vitroceramic hob**
- Touch Control
- 2 cooking zones
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 3000 W
- Optional: Grilling plate
- Optional: Teppanyaki

EASY TBC 32000 XFL BK



- **Urban Colors Edition**
- **Modular vitroceramic hob**
- 2 cooking zones
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 3000 W

TOTAL TT 642



- **Flex vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 zone Ø 170 x 265 mm
- 1 high lights Ø 120/180/210 mm
- 1 high lights Ø 145 mm
- 1 high lights Ø 145mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Residual heat indicator
- Power plus
- Child lock
- Maximum nominal power 6900 W

TOTAL TT 6420



- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 180/210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6200 W
- Optional: Grilling plate
- Optional: Teppanyaki

EASY TT 6415




- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Maximum nominal power 6300 W

NEW

TOTAL TT 6320



- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 120/180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5600 W
- Optional: Grilling plate
- Optional: Teppanyaki




COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 58mm Width 300mm Depth 510mm




COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 63mm Width 300mm Depth 510mm




COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 63mm Width 600mm Depth 510mm




COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 51mm Width 605mm Depth 515mm




COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 63mm Width 600mm Depth 510mm









COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS


Height 51mm Width 605mm Depth 515mm



EASY TT 6315



- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5400 W



COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS


Height 63mm Width 600mm Depth 510mm

NEW

TOTAL TZ 6320



- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 120/180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5600 W



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS


Height 51mm Width 600mm Depth 510mm

NEW

EASY TZ 6415



- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6300 W



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS


Height 51mm Width 600mm Depth 510mm

NEW

EASY TB 6415



- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6300 W



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS


Height 63mm Width 600mm Depth 510mm

NEW

EASY TB 6315



- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Easy installation kit
- Maximum nominal power 5400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS


Height 51mm Width 600mm Depth 510mm

NEW

EASY TB 6310



- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 180/230 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Easy installation kit
- Maximum nominal power 5100 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS







Height 63mm Width 600mm Depth 510mm



TEKA

TEKA


DIRECT
SENSE
Induction



EASY TB 5303



- **Vitroc ceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 4500 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME C-edged glass


EXTERNAL DIMENSIONS

Height 51mm Width 600mm Depth 435mm

TOTAL TB 642



- **Flex vitroc ceramic hob**
- Touch Control
- 4 cooking zones
- 1 zone Ø 170 x 265 mm
- 1 high lights Ø 120/180/210 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Residual heat indicator
- Power plus
- Child lock
- Maximum nominal power 6900 W



COLOR

Black Glass

FRAME Frameless Glass


EXTERNAL DIMENSIONS

Height 63mm Width 600mm Depth 510mm

TOTAL TBR 6420



- **Vitroc ceramic hob**
- Control panel
- 4 cooking zones
- 1 high lights Ø 210/180 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Tempered glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation system
- Maximum nominal power 6200 W



COLOR

Black Glass

FRAME Frameless


EXTERNAL DIMENSIONS

Height 63mm Width 600mm Depth 510mm

TOTAL TR 6320



- **Vitroc ceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 120/180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5600 W



COLOR

Black Glass

FRAME Frameless


EXTERNAL DIMENSIONS

Height 63mm Width 600mm Depth 510mm

MAESTRO TR 951



- **Vitroc ceramic hob**
- Touch Control
- 5 cooking zones
- 1 high lights Ø 145/210/270 mm
- 1 high lights Ø 120/180 mm
- 3 high lights Ø 145 mm
- Ceramic glass surface
- Cooking timer
- Residual heat indicator
- Power plus
- Child lock
- Easy installation kit
- Maximum nominal power 8900 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Full Bevelled glass


EXTERNAL DIMENSIONS

Height 51mm Width 900mm Depth 510mm

TOTAL TR 642



- **Flex vitroc ceramic hob**
- Touch Control
- 4 cooking zones
- 1 zone Ø 170 x 265 mm
- 1 high lights Ø 120/180/210 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Residual heat indicator
- Power plus
- Child lock
- Maximum nominal power 6900 W








COLOR

Black Glass

FRAME Frameless

EXTERNAL DIMENSIONS

Height 63mm Width 600mm Depth 510mm



TOTAL TR 6420



- **Vitroc ceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 180/210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6200 W



COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS


Height 63mm Width 600mm Depth 510mm

NEW

TOTAL TC 6400



- **Vitroc ceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 180/210 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 160 mm
- 1 high lights Ø 145mm
- Ceramic glass surface
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6500 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Full Bevelled glass

EXTERNAL DIMENSIONS


Height 51mm Width 590mm Depth 510mm

NEW

EASY TZ 6315



- **Vitroc ceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5400 W



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS


Height 51mm Width 600mm Depth 510mm

NEW

TOTAL TZ 6420



- **Vitroc ceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 180/210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6200 W



COLOR

Black Glass

FRAME Front bevelled Glass


EXTERNAL DIMENSIONS

Height 51mm Width 600mm Depth 510mm

TOTAL TZC 32320 TTC BK



- **Urban Colors Edition**
- **VarioPro Series**
- **Modular Vitroc ceramic hob**
- Touch Control
- 2 cooking zones
- 1 high lights Ø 120/180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Cooking timer
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 2900 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 58mm Width 300mm Depth 510mm

TOTAL VTC R 2DC E

- **Polyvalent vitroc ceramic hob**
- Frontal knobs on oven
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Residual heat indicator
- Maximum nominal power 6800 W






COLOR

Black Glass

FRAME Frameless

EXTERNAL DIMENSIONS


Height 115mm Width 600mm Depth 510mm



TOTAL VTC T 2DC E

• Polyvalent vitroceramic hob

- Frontal knobs on oven
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Residual heat indicator
- Maximum nominal power 6800 W



COLOR

Stainless Steel

FRAME Stainless steel frame


EXTERNAL DIMENSIONS

Height 115mm Width 600mm Depth 510mm

TOTAL VTC B 2DC E

• Polyvalent vitroceramic hob

- Frontal knobs on oven
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Residual heat indicator
- Maximum nominal power 6800 W



COLOR

Black Glass

FRAME Frameless Glass

EXTERNAL DIMENSIONS


Height 115mm Width 600mm Depth 510mm

EASY VTC B INOX



• Polyvalent vitroceramic hob

- Frontal knobs on oven
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6300 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Stainless Steel Frame

EXTERNAL DIMENSIONS

Height 115mm Width 600mm Depth 510mm



TOTAL JZC 96342 ABB




• Urban Colors Edition

• Hybrid Series

• Gas on glass + Induction hob

- ExactFlame
- Direct functions: Simmering, melting and keep warm
- Frontal control knobs + Touch Control MultiSlider
- 6 cooking zones
- 1 fast burner, 2,8 kW
- 1 semi fast burner, 1,7 kW
- 1 semi fast burner, 1,4 kW
- 1 auxiliary burner, 1 kW
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Induction:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Gas) 3500 W
- Maximum nominal power(Induction) 6950 W
- Silver knobs accessory available



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 98mm Width 900mm Depth 510mm



TOTAL JZC 96324 AB




• Urban Colors Edition

• Hybrid Series

• Gas on glass + Induction hob

- ExactFlame
- Frontal control knobs + Touch Control MultiSlider
- 6 cooking zones
- 1 fast burner, 2,8 kW
- 1 auxiliary burner, 1 kW
- 1 zone Ø 210 mm
- 1 zone Ø 180 mm
- 2 zones Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Induction:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Induction) 3400 W
- Maximum nominal power(Gas) 3800 W
- Silver knobs accessory available



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm Width 900mm Depth 510mm




TOTAL JZC 95314 AB



• Urban Colors Edition

• Gas on glass + Induction hob

- ExactFlame
- Frontal control knobs + Touch Control MultiSlider
- 5 cooking zones
- 1 double ring burner, 4,00 kW
- 1 zone Ø 210 mm
- 1 zone Ø 180 mm
- 2 zones Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Induction:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Gas) 4000 W
- Maximum nominal power(Induction) 7200 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 98mm Width 900mm Depth 510mm



TOTAL JZC 94313 CB



- **Urban Colors Edition**
- **Gas on glass + Induction hob**
- ExactFlame
- Frontal control knobs + Touch Control MultiSlider
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 zone Ø 180/280 mm
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Induction:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Gas) 4000 W
- Maximum nominal power(Induction) 7200 W
- Wok support included
- Silver knobs accessory available



COLOR
Black Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 98mm Width 900mm Depth 510mm

TOTAL JZC 94313 ABN



- **Gas on glass + Induction hob**
- ExactFlame
- Frontal control knobs + Touch Control MultiSlider
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 zone Ø 180/280 mm
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Induction:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Gas) 4000 W
- Maximum nominal power(Induction) 7200 W
- Wok support included
- Silver knobs accessory available



COLOR
Black Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 98mm Width 900mm Depth 510mm

TOTAL JZC 64322 AB



- **Urban Colors Edition**
- **Gas on glass + Induction hob**
- ExactFlame
- Direct functions: Simmering, melting and keep warm
- Frontal control knobs + Touch Control MultiSlider
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 1 auxiliary burner, 1 kW
- 1 zone Ø 210 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Induction:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Gas) 3800 W
- Maximum nominal power(Induction) 3500 W
- Optional: Wok support
- Silver knobs accessory available



COLOR
Black Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 98mm Width 600mm Depth 510mm

TOTAL JZC 63312 AB



- **Urban Colors Edition**
- **Gas on glass + Induction hob**
- ExactFlame
- Direct functions: Simmering, melting and keep warm
- Frontal control knobs + Touch Control
- 3 cooking zones
- 1 double ring burner, 4.00 kW
- 1 zone Ø 210 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power(Gas) 4000 W
- Maximum nominal power(Induction) 3500 W
- Optional: Wok support
- Silver knobs accessory available



COLOR
Black Glass


FRAME Front bevelled Glass

EXTERNAL DIMENSIONS
Height 98mm Width 600mm Depth 510mm

EASY CGC 60 4G AI AL



- **Polyvalent gas on glass hob**
- Frontal control knobs
- 4 cooking zones
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 7500 W



COLOR
Black Glass


FRAME C-edged glass

EXTERNAL DIMENSIONS
Height 115mm Width 600mm Depth 510mm

EASY CG.1 60 4G AI AL



- **Polyvalent gas on glass hob**
- Frontal control knobs
- 4 cooking zones
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 7500 W



COLOR
Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS
Height 115mm Width 590mm Depth 510mm



NEW

TOTAL GZC 96310



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 6 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 3 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 12.700 W
- Optional: Wok support
- Silver knobs accessory available

TOTAL GZC 95320 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 10.950 W
- Optional: Wok support
- Silver knobs accessory available

TOTAL GZC 75330 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 11.300 W
- Optional: Wok support
- Silver knobs accessory available

TOTAL GZC 75330 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 11.300 W
- Optional: Wok support

TOTAL GZC 75330 XB









- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 11.300 W
- Optional: Wok support
- Silver knobs accessory available

TOTAL GZC 75330 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 11.300 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 98mm Width 900mm Depth 510mm

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm Width 900mm Depth 510mm

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm Width 700mm Depth 510mm

COLOR

London brick brown glass

EXTERNAL DIMENSIONS

Height 110mm Width 700mm Depth 510mm

COLOR

Stone Grey Glass

EXTERNAL DIMENSIONS

Height 98mm Width 700mm Depth 510mm


COLOR

White Glass

EXTERNAL DIMENSIONS

Height 110mm Width 700mm Depth 510mm






TOTAL GZC 64320 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9550 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

White Glass


EXTERNAL DIMENSIONS

Height 98mm Width 600mm Depth 510mm

TOTAL GZC 64320 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9550 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

London brick brown glass


EXTERNAL DIMENSIONS

Height 98mm Width 600mm Depth 510mm

TOTAL GZC 64320 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9550 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Steam Grey Glass


EXTERNAL DIMENSIONS

Height 110mm Width 600mm Depth 510mm

TOTAL GZC 64320 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9550 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Stone Grey Glass


EXTERNAL DIMENSIONS

Height 98mm Width 600mm Depth 510mm

TOTAL GZC 64320 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9550 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Black Glass


EXTERNAL DIMENSIONS

Height 98mm Width 600mm Depth 510mm

TOTAL GZC 64300 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 semi fast burner, 1.4 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 6950 W
- Silver knobs accessory available






COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm Width 600mm Depth 510mm



TOTAL GZC 63310 XB



- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 3 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7800 W
- Optional: Wok support
- Silver knobs accessory available

TOTAL GZC 32309 XB



- **Urban Colors Edition**
- **VarioPro Series**
- **Modular gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 2 cooking zones
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 2750 W
- Silver knobs accessory available

EASY GBC 75030 KB



- **Gas on glass hob**
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 3.5 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9000 W
- Optional: Wok support

EASY GBC 64002



- **Gas on glass hob**
- Lateral control knobs
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7300 W

EASY GBC 64000 KB




- **Urban Colors Edition**
- **Gas on glass hob**
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7300 W

EASY GBC 64000 KB




- **Gas on glass hob**
- Frontal control knobs with ergonomic desing
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7300 W




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 98mm Width 600mm Depth 510mm




COLOR
Black

EXTERNAL DIMENSIONS
Height 55mm Width 300mm Depth 510mm




COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 110mm Width 700mm Depth 510mm




COLOR
Black Glass
FRAME C-edged glass

EXTERNAL DIMENSIONS
Height 110mm Width 600mm Depth 510mm







COLOR
White Glass

EXTERNAL DIMENSIONS
Height 110mm Width 600mm Depth 510mm



COLOR
Black Glass

EXTERNAL DIMENSIONS
Height 110mm Width 600mm Depth 510mm



NEW

EASY GBC 64003



- **Gas on glass hob**
- Lateral control knobs with ergonomic design
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7300 W

NEW

EASY GBC 64003



- **Gas on glass hob**
- Lateral control knobs with ergonomic design
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7300 W

TOTAL EFX 90.1 5G AI AL DR CI LEFT



- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 11.500 W
- Optional: Wok support

TOTAL EFX 70.1 5G AI AL DR CI LEFT



- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 11.500 W
- Optional: Wok support

TOTAL EFX 70.1 5G AI AL DR CI









- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 11.500 W
- Optional: Wok support

TOTAL EFX 60.1 4G AI AL DR CI



- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 8500 W
- Optional: Wok support



COLOR

Black Glass

FRAME C-edged glass

COLOR

Black Glass

FRAME C-edged glass

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 91mm Width 860mm Depth 510mm

COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 91mm Width 750mm Depth 510mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 91mm Width 750mm Depth 510mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 91mm Width 600mm Depth 510mm



TOTAL EFX 60.1 4G AI AL CI



- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 double ring burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 7500 W
- Optional: Wok support



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height 91mm Width 600mm Depth 510mm



TOTAL EX 90.1 6G AI DR CI



- **Gas hob**
- Frontal control knobs
- 6 cooking zones
- 1 double ring burner, 4.00 kW
- 4 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Cast iron grids
- Maximum nominal power 12.000 W
- Optional: Wok support



COLOR
Stainless Steel
FRAME Brushed stainless steel


EXTERNAL DIMENSIONS
Height 84mm Width 860mm Depth 500mm



TOTAL EX 90.1 5G AI AL DR LEFT CI



- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1. kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 12.050 W
- Optional: Wok support



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height 84mm Width 860mm Depth 500mm



TOTAL EX 90.1 5G AI AL DR CI




- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 3 semi fast burners, 1.7 kW
- Stainless steel surface
- Auto ignition
- Cast iron grids
- Maximum nominal power 12.050 W
- Optional: Wok support



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height 84mm Width 860mm Depth 500mm



TOTAL EX 70.1 5G AI AL DR CI



- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 11.300 W
- Optional: Wok support



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height 84mm Width 680mm Depth 500mm



TOTAL EX 60.1 4G AI AL DR CI



- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 fast burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 9550 W
- Optional: Wok support



COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 84mm Width 580mm Depth 500mm





TOTAL EX 60.1 4G AI AL CI



- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 7300 W
- Optional: Wok support

TOTAL EX 60.1 3G AI AL DR CI



- **Gas hob**
- Frontal control knobs
- 3 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 8550 W
- Optional: Wok support

TOTAL EH 60 4G AI AL TR CI NTB VN OB



- **Country Style Edition**
- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 triple ring burner, 3.5 kW
- 1 fast burner, 3.00 kW
- 1 semi fast burner, 1.7 kW
- 1 Auxiliary burner, 1 kW
- Enamelled surface
- Auto ignition
- Cast iron grids
- Maximum nominal power 9250 W

TOTAL EH 60 4G AI AL TR CI NTB AT OB



- **Country Style Edition**
- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 triple ring burner, 3.5 kW
- 1 fast burner, 3.00 kW
- 1 semi fast burner, 1.7 kW
- 1 Auxiliary burner, 1 kW
- Enamelled surface
- Auto ignition
- Automatic safety disconnection
- Cast iron grids
- Maximum nominal power 9250 W

TOTAL EH 60 4G AI AL TR CI NTB









- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 triple ring burner, 3.5 kW
- 1 fast burner, 3.00 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 9250 W

EASY HLX 60 4G AI AL



- **Gas hob**
- Lateral control knobs
- 4 cooking zones
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Maximum nominal power 7500 W



COLOR
Stainless Steel

COLOR
Stainless Steel

COLOR
Vanilla

COLOR
Anthracite Brass

COLOR
Stainless Steel

COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 84mm Width 580mm Depth 500mm

EXTERNAL DIMENSIONS
Height 84mm Width 580mm Depth 500mm

EXTERNAL DIMENSIONS
Height 84mm Width 580mm Depth 500mm

EXTERNAL DIMENSIONS
Height 84mm Width 580mm Depth 500mm

EXTERNAL DIMENSIONS
Height 84mm Width 580mm Depth 500mm


EXTERNAL DIMENSIONS
Height 35mm Width 580mm Depth 500mm



TOTAL EFX 60.1 2G 2H AI AL



- **Gas + Vitroceramic hob**
- Frontal control knobs
- 4 cooking zones
- 1 high lights Ø 180 mm
- 1 high lights Ø 140 mm
- 1 burner, 1.8 kW
- 1 burner, 1.2 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 4000 W



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height 91mm Width 600mm Depth 510mm



TOTAL EFX 90.1 4G 1H AI AL DR



- **Gas + Induction hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- 1 high light Ø 170 x 265 mm
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 8500 W
- Optional: Wok support




COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 91mm Width 860mm Depth 510mm



EASY EFX 32300 IH

- **Modular induction hob**
- Touch Control
- 2 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 145 mm
- Stainless steel surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Maximum nominal power 3600 W



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height mm Width mm Depth mm



TOTAL EFX 30.1 2H



- **Modular vitroceramic hob**
- 2 cooking zones
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 3000 W



COLOR
Black Glass
FRAME Stainless Steel Frame


EXTERNAL DIMENSIONS
Height 45mm Width 305mm Depth 510mm



MAESTRO EFX 30.1 2P



- **Modular vitroceramic hob**
- Frontal control knobs
- 2 cooking zones
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Stainless steel surface
- Auto-lock safety system
- Maximum nominal power 3000 W



COLOR
Stainless Steel


EXTERNAL DIMENSIONS
Height 45mm Width 305mm Depth 510mm



TOTAL GZC 32300 XB



- **Urban Colors Edition**
- **Modular gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 2 cooking zones
- 1 fast ring burner, 2.8 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 3800 W



COLOR
Black Glass


EXTERNAL DIMENSIONS
Height 98mm Width 300mm Depth 510mm



TOTAL GZC 31339 XB



- **Urban Colors Edition**
- **VarioPro Series**
- **Modular gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 1 cooking zone
- 1 double ring burner, 3.5 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 3500 W
- Silver knobs accessory available
- Optional: Wok support



COLOR

Black

EXTERNAL DIMENSIONS


Height 55mm Width 300mm Depth 510mm



TOTAL GZC 31330 XB



- **Modular gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 1 cooking zone
- 1 double ring burner, 5.00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 5000 W
- Optional: Wok support



COLOR

Black Glass

EXTERNAL DIMENSIONS


Height 98mm Width 300mm Depth 510mm



TOTAL EFX 30.1 2G AI AL CI



- **Gas hob**
- Frontal control knobs
- 2 cooking zones
- 1 fast ring burner, 2.8 kW
- 1 auxiliary ring burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 3800 W
- Optional: Wok support



COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 91mm Width 305mm Depth 510mm



TOTAL EFX 30.1 1G AI AL DR CI



- **Gas hob**
- Frontal control knobs
- 1 cooking zone
- 1 double ring burner, 4.00 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 4000 W
- Optional: Wok support



COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 91mm Width 305mm Depth 510mm



TOTAL EFX 30.1 FRYER



- **Modular fryer hob**
- Frontal control knobs
- Maximum nominal power 2300 W



COLOR

Stainless Steel

EXTERNAL DIMENSIONS


Height 45mm Width 305mm Depth 510mm



MAESTRO YZC 32600



- **VarioPro Series**
- **Modular teppanyaki hob**
- Frontal control knobs with ergonomic design
- 2 cooking zones
- 2 zones Ø 376 X 118 mm
- Ceramic glass surface
- Easy installation kit
- Maximum nominal power 2400 W



COLOR

Black Glass


EXTERNAL DIMENSIONS

Height 79mm Width 300mm Depth 510mm



TOTAL EFX 30 TEPPANYAKI

- **Modular teppanyaki hob**
- Frontal control knobs
- 1 zone Ø 376 X 118 mm
- Maximum nominal power 2400 W



COLOR
Stainless Steel

FRAME Frameless


EXTERNAL DIMENSIONS
Height mm Width 305mm Depth 510mm



TOTAL EFX 30.1 BBQ-GRILL



- **Modular grill barbecue**
- Frontal control knobs
- Stainless Steel surface
- Maximum nominal power 2400 W



COLOR
Stainless Steel

FRAME Brushed Stainless Steel

EXTERNAL DIMENSIONS
Height 145mm Width 300mm Depth 510mm

Model	IBF 64 Infinity G1	GBC 64 Infinity G1	GBC 75 Infinity G1	GBC 82 Infinity G1	AFF 87600 MST BK	AFC 87628 MST BK
BUILT-IN DIMENSIONS						
Width (mm)	560	570	570	705	770	770
Depth (mm)	490	480	480	405	490	490
Height (mm)	49	49	49	50	215	215

COOKING ELEMENTS						
COOKING ZONE -left front , (Type)	FlexZone	SEMIRAPID	SEMIRAPID	–	Flex Zone	Flex Zone
COOKING ZONE -left center , (Type)	–	–	–	DOUBLE RING	–	–
COOKING ZONE -left rear , (Type)	FlexZone	SEMIRAPID	SEMIRAPID	–	Flex Zone	Flex Zone
COOKING ZONE - center front , (Type)	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	DOUBLE RING	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	FlexZone	AUXILIARY	AUXILIARY	–	Flex Zone	–
COOKING ZONE -right center, (Type)	–	–	–	DOUBLE RING	–	Double Zone
COOKING ZONE -right rear, (Type)	FlexZone	RAPID	RAPID	–	Flex Zone	–
COOKING ZONE -left front , mm	235 X 188,5	–	–	–	235x188,5	228x200
COOKING ZONE -left center , mm	–	–	–	–	–	–
COOKING ZONE -left rear , mm	235 X 188,5	–	–	–	235x188,5	228x200
COOKING ZONE -center front , mm	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–
COOKING ZONE -right front, mm	235 X 188,5	–	–	–	228x200	–
COOKING ZONE -right center, mm	–	–	–	–	–	280 / 160
COOKING ZONE -right rear , mm	235 X 188,5	–	–	–	228x200	–
COOKING ZONE -left front, (W)	1750-2200	1400	1400	–	1750-2200	1750-2000
COOKING ZONE -left center, (W)	–	–	–	5000	–	–
COOKING ZONE -left rear, (W)	1750-2200	1750	1750	–	1750-2200	1750-2000
COOKING ZONE -center front, (W)	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	3500	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–
COOKING ZONE -right front, (W)	1750-2200	1000	1000	–	1750-2000	–
COOKING ZONE -right center, (W)	–	–	–	5000	–	2500-3600
COOKING ZONE -right rear, (W)	1750-2200	2800	2800	–	1750-2000	–

ELECTRICAL FEATURES						
Maximum Nominal Power (W)(Induction or VTC)	7200	–	–	–	7200 (IH) + 200 (AH)	7200 (IH) + 200 (AH)
Maximum Nominal Power (W) (Gas)	–	6950	10450	10000	–	–
Wire lenght (cm)	110	100	100	100	100	100

SAFETY SYSTEMS						
Child Lock	√	–	–	–	√	√
Automatic safety disconnection	√	√	√	√	√	√
Residual heat indicator	√	–	–	–	√	√

Model	IZF 68780 MST BK	IZF 68770 MST BK	IZF 88770 MST BK	IZF 99770 MST BK	IZC 63632 SM MST
BUILT-IN DIMENSIONS					
Width (mm)	560	560	750	860	560
Depth (mm)	490	490	490	490	490
Height (mm)	53	53	53	53	49
COOKING ELEMENTS					
COOKING ZONE -left front , (Type)	FlexZone	FlexZone	FlexZone	FlexZone	Single Zone
COOKING ZONE -left center , (Type)	-	-	-	-	-
COOKING ZONE -left rear , (Type)	FlexZone	FlexZone	FlexZone	FlexZone	Single Zone
COOKING ZONE - center front , (Type)	-	-	-	FlexZone	-
COOKING ZONE -center center , (Type)	-	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	FlexZone	-
COOKING ZONE -right front, (Type)	FlexZone	FlexZone	FlexZone	FlexZone	-
COOKING ZONE -right center, (Type)	-	-	-	-	Double Zone
COOKING ZONE -right rear, (Type)	FlexZone	FlexZone	FlexZone	FlexZone	-
COOKING ZONE -left front , mm	262,5 X 195	262,5 X 195	296,5 X 197,5	262,5 X 195	150
COOKING ZONE -left center , mm	-	-	-	-	-
COOKING ZONE -left rear , mm	262,5 X 195	262,5 X 195	296,5 X 197,5	262,5 X 195	215
COOKING ZONE -center front , mm	-	-	-	262,5 X 195	-
COOKING ZONE -center center, mm	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	262,5 X 195	-
COOKING ZONE -right front, mm	262,5 X 195	262,5 X 195	296,5 X 197,5	252,8 X 195	-
COOKING ZONE -right center, mm	-	-	-	-	320/180
COOKING ZONE -right rear , mm	262,5 X 195	262,5 X 195	296,5 X 197,5	252,8 X 195	-
COOKING ZONE -left front, (W)	2400-3000	2400-3000	2400-3000	2400-3000	1200-1600
COOKING ZONE -left center, (W)	-	-	-	-	-
COOKING ZONE -left rear, (W)	2400-3000	2400-3000	2400-3000	2400-3000	2100-3000
COOKING ZONE -center front, (W)	-	-	-	2400-3000	-
COOKING ZONE -center center, (W)	-	-	-	-	-
COOKING ZONE - center rear,(W)	-	-	-	2400-3000	-
COOKING ZONE -right front, (W)	2400-3000	2400-3000	2400-3000	1850 - 2200	-
COOKING ZONE -right center, (W)	-	-	-	-	2500-3600
COOKING ZONE -right rear, (W)	2400-3000	2400-3000	2400-3000	1850 - 2200	-
ELECTRICAL FEATURES					
Maximum Nominal Power (W)(Induction or VTC)	7400	7400	7400	11000	7200
Maximum Nominal Power (W) (Gas)	-	-	-	-	-
Wire lenght (cm)	110	110	110	110	110
SAFETY SYSTEMS					
Child Lock	√	√	√	√	√
Automatic safety disconnection	√	√	√	√	√
Residual heat indicator	√	√	√	√	√

Model	IZF 99700 MST	IZF 88700 MST	IZF 68700 MST	IT 6450 IKNOB	IKNOB IT 6350	IZS 97630 MST	IZS 96700 MST	IZS 86630 MST
BUILT-IN DIMENSIONS								
Width (mm)	860	750	560	560	560	860	860	750
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	53	53	53	50	50	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	FlexZone	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	-	-
COOKING ZONE -left center , (Type)	-	-	-	-	-	-	Single Zone	Double Zone
COOKING ZONE -left rear , (Type)	FlexZone	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	-	-
COOKING ZONE - center front , (Type)	FlexZone	-	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	-	-	-	-	-	Double Zone	Single Zone	Single Zone
COOKING ZONE -center rear , (Type)	FlexZone	-	-	-	-	-	-	-
COOKING ZONE -right front, (Type)	FlexZone	FlexZone	FlexZone	Single Zone	-	FlexZone	FlexZone	FlexZone
COOKING ZONE -right center, (Type)	-	-	-	-	Double Zone	-	-	-
COOKING ZONE -right rear, (Type)	FlexZone	FlexZone	FlexZone	Single Zone	-	FlexZone	FlexZone	FlexZone
COOKING ZONE -left front , mm	262,5 X 195	296,5 X 197,5	262,5 X 195	145	145	150	-	-
COOKING ZONE -left center , mm	-	-	-	-	-	-	280	280
COOKING ZONE -left rear , mm	262,5 X 195	296,5 X 197,5	262,5 X 195	210	210	215	-	-
COOKING ZONE -center front , mm	262,5 X 195	-	-	-	-	-	-	-
COOKING ZONE -center center, mm	-	-	-	-	-	320/180	185	150
COOKING ZONE -center rear , mm	262,5 X 195	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	252,8 X 195	296,5 X 197,5	262,5 X 195	180	-	228x200 (TBC)	228x200	228x200
COOKING ZONE -right center, mm	-	-	-	-	190 / 300	-	-	-
COOKING ZONE -right rear , mm	262,5 X 195	262,5 X 195	262,5 X 195	-	-	228x200	228x200	228x200
COOKING ZONE -left front, (W)	2400-3700	2400-3700	2400-3700	1400 - 1800	1400 - 1800	1200-1600	-	-
COOKING ZONE -left center, (W)	-	-	-	-	-	-	2100-3000	2100-2500
COOKING ZONE -left rear, (W)	2400-3700	2400-3700	2400-3700	2300 - 3200	2300 - 3200	2100-3000	-	-
COOKING ZONE -center front, (W)	2400-3700	-	-	-	-	-	-	-
COOKING ZONE -center center, (W)	-	-	-	-	-	2500-3600	1200-1600	1200-1600
COOKING ZONE - center rear,(W)	2400-3700	-	-	-	-	-	-	-
COOKING ZONE -right front, (W)	1850 - 2200	2400-3700	2400-3700	1850 - 2500	-	1750-2000	1750-2000	1750-2000
COOKING ZONE -right center, (W)	-	-	-	-	2500 - 3700	-	-	-
COOKING ZONE -right rear, (W)	1850 - 2200	2400-3700	2400-3700	1850 - 2500	-	1750-2000	1750-2000	1750-2000
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	11100	7400	7400	7400	7400	10800	7200	7200
Maximum Nominal Power (W) (Gas)	-	-	-	-	-	-	-	-
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	√	√	√	√	√	√	√	√
Automatic safety disconnection	-	-	-	√	√	-	-	-
Residual heat indicator	-	-	-	√	√	-	-	-

Model	IZS 67620 MST	IZS 66800 MST	IZS 34700 MST	IZC 63632 SM MST	IZC 63632 ST MST	IZC 63632 BK MST	IZC 63632 LB MST	IZC 63632 WH MST
BUILT-IN DIMENSIONS								
Width (mm)	560	560	280	560	560	560	560	560
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	49	49	49	49	49	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	FlexZone	Single Zone	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	FlexZone	Single Zone	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE - center front , (Type)	–	–	FlexZone	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	FlexZone	–	–	–	–	–
COOKING ZONE -right front, (Type)	–	FlexZone	–	–	–	–	–	–
COOKING ZONE -right center, (Type)	Double Zone	–	–	Double Zone	Double Zone	Double Zone	Double Zone	Double Zone
COOKING ZONE -right rear, (Type)	–	FlexZone	–	–	–	–	–	–
COOKING ZONE -left front , mm	228x200	150	–	150	150	150	150	150
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	228x200	215	–	215	215	215	215	215
COOKING ZONE -center front , mm	–	–	255x200	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	255x200	–	–	–	–	–
COOKING ZONE -right front, mm	–	228x200	–	–	–	–	–	–
COOKING ZONE -right center, mm	280/150	–	–	320/180	320/180	320/180	320/180	320/180
COOKING ZONE -right rear , mm	–	228x200	–	–	–	–	–	–
COOKING ZONE -left front, (W)	1750-2000	1200-1600	–	1200-1600	1200-1600	1200-1600	1200-1600	1200-1600
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	1750-2000	2100-3000	–	2100-3000	2100-3000	2100-3000	2100-3000	2100-3000
COOKING ZONE -center front, (W)	–	–	1750-2000	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	1750-2000	–	–	–	–	–
COOKING ZONE -right front, (W)	–	1750-2000	–	–	–	–	–	–
COOKING ZONE -right center, (W)	2500-3600	–	–	2500-3600	2500-3600	2500-3600	2500-3600	2500-3600
COOKING ZONE -right rear, (W)	–	1750-2000	–	–	–	–	–	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	3600	7200	7200	7200	7200	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	√	√	–	√	√	√	√	√
Automatic safety disconnection	–	–	–	√	√	√	√	√
Residual heat indicator	–	–	–	√	√	√	√	√

Model	IZC 94620 MST	IZC 93320 MST	IZC 83620 MST	IZC 64630 MST	IZC 64630 MST	IZC 64630 SM MST	IZC 64630 MST	IZC 64630 MST
BUILT-IN DIMENSIONS								
Width (mm)	860	860	780	560	560	560	560	560
Depth (mm)	380	380	380	490	490	490	490	490
Height (mm)	49	49	49	49	49	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	–	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	Single Zone	Single Zone	Single Zone	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	–	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE - center front , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	Single Zone	Single Zone	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	Single Zone	–	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -right center, (Type)	Single Zone	Double Zone	Double Zone	–	–	–	–	–
COOKING ZONE -right rear, (Type)	–	–	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left front , mm	215	–	–	150	150	150	150	150
COOKING ZONE -left center , mm	150	215	215	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	215	215	215	215	215
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	150	150	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	185	–	–	185	185	185	185	185
COOKING ZONE -right center, mm	185	320/180	320/180	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	2100-3000	–	–	1200-1600	1200-1600	1200-1600	1200-1600	1200-1600
COOKING ZONE -left center, (W)	1200-1600	2100-3000	2100-3000	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	–	–	2100-3000	2100-3000	2100-3000	2100-3000	2100-3000
COOKING ZONE -center front, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	1200-1600	1200-1600	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (W)	1800-2100	–	–	1800-2100	1800-2100	1800-2100	1800-2100	1800-2100
COOKING ZONE -right center, (W)	1800-2100	2500-3600	2500-3600	–	–	–	–	–
COOKING ZONE -right rear, (W)	–	–	–	1800-2100	1800-2100	1800-2100	1800-2100	1800-2100
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	7200	7200	7200	7200	7200	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	√	√	√	√	√	√	√	√
Automatic safety disconnection	–	–	–	√	√	√	√	√
Residual heat indicator	–	–	–	√	√	√	√	√

Model	IZC 63630 MST	IZC 63630 MST	IZC 63630 ST MST	IZC 32600 MST	IZF 65320 BK MSP	IZF 64600 MSP	IZF 64440 MSP	IZF 94300 MSP
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	280	560	560	560	860
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	49	49	49	49	49	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	Single Zone	Single Zone	–	FlexZone	FlexZone	Single Zone	–
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	Single Zone
COOKING ZONE -left rear , (Type)	Single Zone	Single Zone	Single Zone	–	FlexZone	FlexZone	Single Zone	–
COOKING ZONE - center front , (Type)	–	–	–	Single Zone	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	Single Zone
COOKING ZONE -center rear , (Type)	–	–	–	Single Zone	–	–	–	–
COOKING ZONE -right front, (Type)	–	–	–	–	–	FlexZone	FlexZone	FlexZone
COOKING ZONE -right center, (Type)	Double Zone	Double Zone	Double Zone	–	Double Zone	–	–	–
COOKING ZONE -right rear, (Type)	–	–	–	–	–	FlexZone	FlexZone	FlexZone
COOKING ZONE -left front , mm	150	150	150	–	230 X 188	235 X 188,5	150	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	280
COOKING ZONE -left rear , mm	215	215	215	–	230 X 188	235 X 188,5	215	–
COOKING ZONE -center front , mm	–	–	–	150	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	185
COOKING ZONE -center rear , mm	–	–	–	215	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–	235 X 188,5	235 X 188	235x188,5
COOKING ZONE -right center, mm	320/180	320/180	320/180	–	150/280	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	235x188,5
COOKING ZONE -left front, (W)	1200-1600	1200-1600	1200-1600	–	1750-2200	1750-2200	1200-1600	–
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	2100-2500
COOKING ZONE -left rear, (W)	2100-3000	2100-3000	2100-3000	–	1750-2200	1750-2200	2100-3000	–
COOKING ZONE -center front, (W)	–	–	–	1200-1600	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	1200-1600
COOKING ZONE - center rear,(W)	–	–	–	2100-3000	–	–	–	–
COOKING ZONE -right front, (W)	–	–	–	–	–	1750-2200	1750-2200	1750-2200
COOKING ZONE -right center, (W)	2500-3600	2500-3600	2500-3600	–	2500-3600	–	–	–
COOKING ZONE -right rear, (W)	–	–	–	–	–	1750-2200	1750-2200	1750-2200
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	7200	3600	7200	7200	7200	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	√	√	√	√	√	√	√	√
Automatic safety disconnection	√	√	√	–	√	√	√	–
Residual heat indicator	√	√	√	–	√	√	√	–

Model	IZF 32400 MSP	IZC 72310 MSP	IZC 64320 MSP	IZC 53320 MSP	IZC 42400 MSP	IZC 32310 MSP	IZC 63320 BK MSS	IZC 63015 BK MSS
BUILT-IN DIMENSIONS								
Width (mm)	280	695	560	580	420	280	560	560
Depth (mm)	490	360	490	415	490	490	490	490
Height (mm)	49	49	49	49	49	49	49	54
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	–	–	Single Zone	Single Zone	Single Zone	–	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	–	Single Zone	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	–	Single Zone	–	–	–	Single Zone	Single Zone
COOKING ZONE - center front , (Type)	FlexZone	–	–	–	–	Single Zone	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	FlexZone	–	–	Single Zone	–	Single Zone	–	–
COOKING ZONE -right front, (Type)	–	–	Single Zone	–	–	–	–	–
COOKING ZONE -right center, (Type)	–	Single Zone	–	Double Zone	–	–	Double Zone	Double Zone
COOKING ZONE -right rear, (Type)	–	–	Single Zone	–	Single Zone	–	–	–
COOKING ZONE -left front , mm	–	–	150	150	150	–	150	145
COOKING ZONE -left center , mm	–	185	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	215	–	–	–	215	180
COOKING ZONE -center front , mm	235x188,5	–	–	–	–	150	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	235x188,5	–	–	150	–	215	–	–
COOKING ZONE -right front, mm	–	–	215	–	–	–	–	–
COOKING ZONE -right center, mm	–	280	–	320/180	–	–	320/180	160/280
COOKING ZONE -right rear , mm	–	–	150	–	280	–	–	–
COOKING ZONE -left front, (W)	–	–	1200-1600	1200-1600	1200-1600	–	1200-1600	1200-1500
COOKING ZONE -left center, (W)	–	1800-2100	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	–	2100-3000	–	–	–	2100-3000	1700-2100
COOKING ZONE -center front, (W)	1750-2200	–	–	–	–	1200-1600	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	1750-2200	–	–	1200-1600	–	2100-3000	–	–
COOKING ZONE -right front, (W)	–	–	2100-3000	–	–	–	–	–
COOKING ZONE -right center, (W)	–	2100-2500	–	2500-3600	–	–	2500-3600	2500-3600
COOKING ZONE -right rear, (W)	–	–	1200-1600	–	2100-2500	–	–	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	3600	3600	7200	6800	3600	3600	7200	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	–	√	√	√	√	√	√	√
Automatic safety disconnection	–	–	√	–	–	–	√	√
Residual heat indicator	–	–	√	–	–	–	√	√

Model	IZC 64010 MSS	ITS 67620 MST	ITF 65320 BK MSP	ITC 64630 MST	ITC 63320 BK MSS	IRC 63320 MSP	IBC 64320 BK MSP	IBC 64010 BK MSS
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	560	560	570	560	560
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	54	46	46	46	46	49	49	54
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , (Type)	Single Zone	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE - center front , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (Type)	Single Zone	-	-	Single Zone	-	-	Single Zone	Single Zone
COOKING ZONE -right center, (Type)	-	Double Zone	Double Zone	-	Double Zone	Double Zone	-	-
COOKING ZONE -right rear, (Type)	Single Zone	-	-	Single Zone	-	-	Single Zone	Single Zone
COOKING ZONE -left front , mm	150	228x200	230 X 188	150	150	150	150	150
COOKING ZONE -left center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , mm	185	228x200	230 X 188	215	215	185	215	185
COOKING ZONE -center front , mm	-	-	-	-	-	-	-	-
COOKING ZONE -center center, mm	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	-	-	-	-
COOKING ZONE -right front, mm	185	-	-	185	-	-	215	185
COOKING ZONE -right center, mm	-	280/150	150/280	-	320/180	320/180	-	-
COOKING ZONE -right rear , mm	-	-	-	-	-	-	150	-
COOKING ZONE -left front, (W)	1200-1500	1750-2000	1750-2200	1200-1600	1200-1600	1200-1600	1200-1600	1200-1500
COOKING ZONE -left center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear, (W)	1700-2100	1750-2000	1750-2200	2100-3000	2100-3000	1800-2100	2100-3000	1700-2100
COOKING ZONE -center front, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -center center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE - center rear,(W)	-	-	-	-	-	-	-	-
COOKING ZONE -right front, (W)	1700-2100	-	-	1800-2100	-	-	2100-3000	1700-2100
COOKING ZONE -right center, (W)	-	2500-3600	2500-3600	-	2500-3600	2500-3600	-	-
COOKING ZONE -right rear, (W)	1200-1500	-	-	1800-2100	-	-	1200-1600	1200-1500
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	7200	7200	7200	7200	7200	7200
Maximum Nominal Power (W) (Gas)	-	-	-	-	-	-	-	-
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	√	-	√	√	√	√	√	√
Automatic safety disconnection	√	-	√	√	√	-	√	√
Residual heat indicator	√	-	√	√	√	-	√	√

Model	IBC 64000 TTC	IBC 63320 BK MSS	IBC 63015 BK MSS	IBC 63010 MSS	IBC 32000 TTC	IZS 34600 DMS	IZC 32300 DMS	IBR 64040 BK TTC
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	560	280	280	280	-
Depth (mm)	490	490	490	490	490	490	490	-
Height (mm)	50	49	54	50	49	63	55	-
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	Single Zone	Single Zone	Single Zone	-	-	-	-
COOKING ZONE -left center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , (Type)	Single Zone	Single Zone	Single Zone	Single Zone	-	-	-	-
COOKING ZONE - center front , (Type)	-	-	-	-	Single Zone	FlexZone	Single Zone	-
COOKING ZONE -center center , (Type)	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , (Type)	-	-	-	-	Single Zone	FlexZone	Single Zone	-
COOKING ZONE -right front, (Type)	Single Zone	-	-	-	-	-	-	-
COOKING ZONE -right center, (Type)	-	Double Zone	Double Zone	Single Zone	-	-	-	-
COOKING ZONE -right rear, (Type)	Single Zone	-	-	-	-	-	-	-
COOKING ZONE -left front , mm	145	150	145	145	-	-	-	-
COOKING ZONE -left center , mm	-	-	-	-	-	-	-	-
COOKING ZONE -left rear , mm	180	215	180	180	-	-	-	-
COOKING ZONE -center front , mm	-	-	-	-	145	255x200	145	-
COOKING ZONE -center center, mm	-	-	-	-	-	-	-	-
COOKING ZONE -center rear , mm	-	-	-	-	210	255x200	210	-
COOKING ZONE -right front, mm	180	-	-	-	-	-	-	-
COOKING ZONE -right center, mm	-	320/180	160/280	280	-	-	-	-
COOKING ZONE -right rear , mm	145	-	-	-	-	-	-	-
COOKING ZONE -left front, (W)	1200 - 1500	1200-1600	1200-1500	1200 - 1500	-	-	-	-
COOKING ZONE -left center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE -left rear, (W)	1700 - 2000	2100-3000	1700-2100	1700 - 2000	-	-	-	-
COOKING ZONE -center front, (W)	-	-	-	-	1200-1600	1750 - 2200	1250-1800	-
COOKING ZONE -center center, (W)	-	-	-	-	-	-	-	-
COOKING ZONE - center rear,(W)	-	-	-	-	2100-3000	1750 - 2200	2250-3000	-
COOKING ZONE -right front, (W)	1700 - 2000	-	-	-	-	-	-	-
COOKING ZONE -right center, (W)	-	2500-3600	2500-3600	2000 - 2300	-	-	-	-
COOKING ZONE -right rear, (W)	1200 - 1500	-	-	-	-	-	-	-
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	7200	5900	3600	3500	3500	-
Maximum Nominal Power (W) (Gas)	-	-	-	-	-	-	-	-
Wire lenght (cm)	110	110	110	110	110	110	110	-
SAFETY SYSTEMS								
Child Lock	√	√	√	√	-	√	√	-
Automatic safety disconnection	√	√	√	√	-	√	√	-
Residual heat indicator	√	√	√	√	-	√	√	-

Model	IRC 9430 KS	TRC 83631	TRB 84300 TCS	TBC 64000 XFL BK	TBC 32010 TTC BK	TBC 32000 XFL BK	TT 642	TT 6420
BUILT-IN DIMENSIONS								
Width (mm)	930	780	750	560	270	270	560	560
Depth (mm)	500	380	490	490	490	490	490	490
Height (mm)	50	51	47	53	58	59	–	51
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	–	Triple High Light	Single High Light	–	–	–	Single High Light
COOKING ZONE -left center , (Type)	Single Zone	Single High Light	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	–	Single High Light	Single High Light	–	–	–	Double High Light
COOKING ZONE - center front , (Type)	–	–	–	–	Single High Light	Single High Light	–	–
COOKING ZONE -center center , (Type)	–	Single High Light	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	Single High Light	Single High Light	–	–
COOKING ZONE -right front, (Type)	Single Zone	–	Single High Light	Single High Light	–	–	–	Single High Light
COOKING ZONE -right center, (Type)	Single Zone	Triple High Light	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	–	–	Extended High Light	Single High Light	–	–	–	Single High Light
COOKING ZONE -left front , mm	280	–	120/ 180/210	180	–	–	–	145
COOKING ZONE -left center , mm	145	180	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	145	145	–	–	–	180 / 210
COOKING ZONE -center front , mm	–	–	–	–	145	145	–	–
COOKING ZONE -center center, mm	–	145	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	180	180	–	–
COOKING ZONE -right front, mm	180	–	180	145	–	–	–	145
COOKING ZONE -right center, mm	180	145 / 210 / 270	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	180	–	–	–	–
COOKING ZONE -left front, (W)	2300 - 3700	–	2300/1600/800	1800	–	–	–	1200
COOKING ZONE -left center, (W)	1400 - 1800	1800	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	–	1200	1200	–	–	–	1400 - 2000
COOKING ZONE -center front, (W)	–	–	–	–	1200	1200	–	–
COOKING ZONE -center center, (W)	–	1200	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	1800	1800	–	–
COOKING ZONE -right front, (W)	1800 - 2500	–	1800	1200	–	–	–	1200
COOKING ZONE -right center, (W)	1800 - 2500	1050 - 1950 - 2700	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	–	–	1400-2200	1800	–	–	–	1800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7400	5700	7500	6000	3000	3000	6900	6200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	150	–	110	110	110	110	110	100
SAFETY SYSTEMS								
Child Lock	√	√	√	–	–	–	–	√
Automatic safety disconnection	√	√	–	–	–	–	√	√
Residual heat indicator	√	√	–	–	–	–	√	√

Model	TT 6415	TT 6320	TT 6315	TZ 6320	TZ 6415	TB 6415	TB 6315	TB 6310
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	560	560	560	560	560
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	–	51	–	51	51	63	51	63
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	–	Single High Light	–	Single High Light	Single High Light	Single High Light	Single High Light	Single High Light
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	Double High Light	–	Double High Light	Single High Light	Single High Light	Single High Light	Single High Light
COOKING ZONE - center front , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	–	–	–	–	Single High Light	Single High Light	–	–
COOKING ZONE -right center, (Type)	–	Double High Light	–	Double High Light	–	–	Double High Light	Double High Light
COOKING ZONE -right rear, (Type)	–	–	–	–	Single High Light	Single High Light	–	–
COOKING ZONE -left front , mm	–	145	–	145	145	145	145	145
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	120 / 180	–	120 / 180	210	210	180	180
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	145	145	–	–
COOKING ZONE -right center, mm	–	210 / 270	–	210 / 270	–	–	210 / 270	180 / 230
COOKING ZONE -right rear , mm	–	–	–	–	–	180	–	–
COOKING ZONE -left front, (W)	–	1200	–	1200	1200	1200	1200	1200
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	700 - 1700	–	700 - 1700	2100	2100	1800	1800
COOKING ZONE -center front, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (W)	–	–	–	–	1200	1200	–	–
COOKING ZONE -right center, (W)	–	1800 - 2700	–	1800 - 2700	–	–	1500 - 2400	1500 - 2400
COOKING ZONE -right rear, (W)	–	–	–	–	1800	1800	–	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	6300	5600	5400	5600	6300	6300	5400	5100
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	100	110	110	110	100	100	110	100
SAFETY SYSTEMS								
Child Lock	–	√	–	√	√	√	√	√
Automatic safety disconnection	√	√	√	√	√	√	√	√
Residual heat indicator	√	√	√	√	√	√	√	√

Model	TB 5303	TB 642	TBR 6420	TR 6320	TR 951	TR 642	TR 6420	TC 6400
BUILT-IN DIMENSIONS								
Width (mm)	580	560	560	560	860	560	560	570
Depth (mm)	415	490	490	490	490	490	490	492
Height (mm)	51	–	–	–	51	–	–	51
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single High Light	–	–	–	Single High Light	–	–	Single High Light
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	Single High Light	–	–	–	Double High Light	–	–	Double High Light
COOKING ZONE - center front , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	Triple High Light	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right front , (Type)	–	–	–	–	Single High Light	–	–	Single High Light
COOKING ZONE -right center , (Type)	Single High Light	–	–	–	–	–	–	–
COOKING ZONE -right rear , (Type)	–	–	–	–	Single High Light	–	–	Single High Light
COOKING ZONE -left front , mm	145	–	–	–	145	–	–	145
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	145	–	–	–	120 / 180	–	–	180 / 210
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center , mm	–	–	–	–	145 / 210 / 270	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front , mm	–	–	–	–	180	–	–	160
COOKING ZONE -right center , mm	210	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front , (W)	1200	–	–	–	1200	–	–	1200
COOKING ZONE -left center , (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (W)	1200	–	–	–	700 - 1700	–	–	1400 - 2000
COOKING ZONE -center front , (W)	–	–	–	–	–	–	–	–
COOKING ZONE -center center , (W)	–	–	–	–	1050 - 1950 - 2700	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–	–	–
COOKING ZONE -right front , (W)	–	–	–	–	1800	–	–	1500
COOKING ZONE -right center , (W)	2100	–	–	–	–	–	–	–
COOKING ZONE -right rear , (W)	–	–	–	–	1500	–	–	1800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	4500	6900	6200	5600	8900	6900	6200	6500
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	100	110	110	110	100	100
SAFETY SYSTEMS								
Child Lock	√	–	–	–	√	–	–	√
Automatic safety disconnection	√	√	√	√	√	√	√	√
Residual heat indicator	√	√	√	√	√	√	√	√

Model	TZ 6315	TZ 6420	TZC 32320 TTC BK	VTC R 2DC E	VTC T 2DC E	VTC B 2DC E	VTC B INOX	JZC 96342 ABB
BUILT-IN DIMENSIONS								
Width (mm)	560	560	270	560	560	560	580	860
Depth (mm)	490	490	490	492	492	492	492	490
Height (mm)	51	51	58	–	–	–	115	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single High Light	Single High Light	–	–	–	–	Single High Light	SEMIRAPID
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	Single High Light	Double High Light	–	–	–	–	Single High Light	SEMIRAPID
COOKING ZONE - center front , (Type)	–	–	Single High Light	–	–	–	–	AUXILIARY
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	Double High Light	–	–	–	–	RAPID
COOKING ZONE -right front , (Type)	–	Single High Light	–	–	–	–	Single High Light	Single Zone
COOKING ZONE -right center , (Type)	Double High Light	–	–	–	–	–	–	–
COOKING ZONE -right rear , (Type)	–	Single High Light	–	–	–	–	Single High Light	Single Zone
COOKING ZONE -left front , mm	145	145	–	–	–	–	210	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	180	180 / 210	–	–	–	–	145	–
COOKING ZONE -center front , mm	–	–	145	–	–	–	–	–
COOKING ZONE -center center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	120 / 180	–	–	–	–	–
COOKING ZONE -right front , mm	–	145	–	–	–	–	145	180
COOKING ZONE -right center , mm	210 / 270	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	145
COOKING ZONE -left front , (W)	1200	1200	–	–	–	–	2100	1400
COOKING ZONE -left center , (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (W)	1800	1400 - 2000	–	–	–	–	1200	1750
COOKING ZONE -center front , (W)	–	–	1200	–	–	–	–	1000
COOKING ZONE -center center , (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	700 - 1700	–	–	–	–	2800
COOKING ZONE -right front , (W)	–	1200	–	–	–	–	1200	1250-1800
COOKING ZONE -right center , (W)	1500 - 2400	–	–	–	–	–	–	–
COOKING ZONE -right rear , (W)	–	1800	–	–	–	–	1800	2250-3000
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	5400	6200	2900	6800	6800	6800	6300	3500
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	6950
Wire lenght (cm)	110	100	110	90	90	90	90	110
SAFETY SYSTEMS								
Child Lock	√	√	√	–	–	–	–	√
Automatic safety disconnection	√	√	–	–	–	–	–	√
Residual heat indicator	√	√	–	√	√	√	√	√

Model	JZC 96324 AB	JZC 95314 AB	JZC 94313 CB	JZC 94313 ABN	JZC 64322 AB	JZC 63312 AB	CGC 60 4G AI AL	CG.1 60 4G AI AL
BUILT-IN DIMENSIONS								
Width (mm)	860	860	860	860	560	560	580	570
Depth (mm)	490	490	490	490	490	490	492	492
Height (mm)	49	49	49	49	49	49	115	–
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	AUXILIARY	–	–	–	AUXILIARY	–	SEMIRAPID	–
COOKING ZONE -left center , (Type)	–	DOUBLE RING	DOUBLE RING	DOUBLE RING	–	DOUBLE RING	–	–
COOKING ZONE -left rear , (Type)	RAPID	–	–	–	RAPID	–	RAPID	–
COOKING ZONE - center front , (Type)	Single Zone	Single Zone	Single Zone	Single Zone	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	Single Zone	Single Zone	Single Zone	Single Zone	–	–	–	–
COOKING ZONE -right front, (Type)	Single Zone	Single Zone	–	–	Single Zone	Single Zone	AUXILIARY	–
COOKING ZONE -right center, (Type)	–	–	Double Zone	Double Zone	–	–	–	–
COOKING ZONE -right rear, (Type)	Single Zone	Single Zone	–	–	Single Zone	Single Zone	SEMIRAPID	–
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	145	145	145	145	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	210	210	180	180	–	–	–	–
COOKING ZONE -right front, mm	180	180	–	–	145	145	–	–
COOKING ZONE -right center, mm	–	–	180 / 280	180 / 280	–	–	–	–
COOKING ZONE -right rear , mm	145	145	–	–	210	210	–	–
COOKING ZONE -left front, (W)	1000	–	–	–	1000	–	1750	–
COOKING ZONE -left center, (W)	–	4000	5000	4000	–	4000	–	–
COOKING ZONE -left rear, (W)	2800	–	–	–	2800	–	3000	–
COOKING ZONE -center front, (W)	1200 - 1500	1200 - 1500	1200 - 1500	1200 - 1500	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	2000 - 2300	2000 - 2300	1700 - 2100	1700 - 2100	–	–	–	–
COOKING ZONE -right front, (W)	1700 - 2100	1700 - 2100	–	–	1250-1800	1250-1800	1000	–
COOKING ZONE -right center, (W)	–	–	2500 - 3600	2500 - 3600	–	–	–	–
COOKING ZONE -right rear, (W)	1200 - 1500	1200 - 1500	–	–	2250-3000	2250-3000	1750	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	–	–	7200	7200	3500	3500	–	–
Maximum Nominal Power (W) (Gas)	3800	4000	5000	4000	3800	4000	7500	–
Wire lenght (cm)	110	110	110	110	110	110	–	–
SAFETY SYSTEMS								
Child Lock	√	√	√	√	√	√	–	–
Automatic safety disconnection	–	–	√	√	√	√	–	–
Residual heat indicator	–	–	√	√	√	√	–	–

Model	GZC 96310	GZC 95320 XB	GZC 75330 XB	GZC 75330 XB	GZC 75330 XB	GZC 75330 XB	GZC 64320 XB	GZC 64320 XB
BUILT-IN DIMENSIONS								
Width (mm)	850	850	570	570	570	570	570	570
Depth (mm)	480	480	480	480	480	480	480	480
Height (mm)	49	49	49	49	49	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	AUXILIARY	–	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	DOUBLE RING	DOUBLE RING
COOKING ZONE -left center , (Type)	–	DOUBLE RING	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	RAPID	–	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID
COOKING ZONE - center front , (Type)	SEMIRAPID	SEMIRAPID	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	DOUBLE RING	DOUBLE RING	DOUBLE RING	DOUBLE RING	–	–
COOKING ZONE -center rear , (Type)	SEMIRAPID	SEMIRAPID	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	DOUBLE RING	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY
COOKING ZONE -right center, (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	SEMIRAPID	RAPID	RAPID	RAPID	RAPID	RAPID	RAPID	RAPID
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	1000	–	1750	1750	1750	1750	4000	4000
COOKING ZONE -left center, (W)	–	4000	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	2800	–	1750	1750	1750	1750	1750	1750
COOKING ZONE -center front, (W)	1400	1400	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	4000	4000	4000	4000	–	–
COOKING ZONE - center rear,(W)	1750	1750	–	–	–	–	–	–
COOKING ZONE -right front, (W)	4000	1000	1000	1000	1000	1000	1000	1000
COOKING ZONE -right center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	1750	2800	2800	2800	2800	2800	2800	2800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	1100	–	–	–	–	–	–	–
Maximum Nominal Power (W) (Gas)	12700	10950	11300	11300	11300	11300	9550	9550
Wire lenght (cm)	110	100	100	100	100	100	100	100
SAFETY SYSTEMS								
Child Lock	–	–	–	–	–	–	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	–
Residual heat indicator	–	–	–	–	–	–	–	–

Model	GZC 64320 XB	GZC 64320 XB	GZC 64320 XB	GZC 64300 XB	GZC 63310 XB	GZC 32309 XB	GBC 75030 KB	GBC 64002
BUILT-IN DIMENSIONS								
Width (mm)	570	570	570	570	570	280	570	570
Depth (mm)	480	480	480	480	480	490	480	480
Height (mm)	49	49	49	49	49	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	DOUBLE RING	DOUBLE RING	DOUBLE RING	SEMIRAPID	AUXILIARY	–	AUXILIARY	RAPID
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	RAPID	–	SEMIRAPID	SEMIRAPID
COOKING ZONE - center front , (Type)	–	–	–	–	–	AUXILIARY	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	DOUBLE RING	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	SEMIRAPID	–	–
COOKING ZONE -right front, (Type)	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	–	–	AUXILIARY	AUXILIARY
COOKING ZONE -right center, (Type)	–	–	–	–	DOUBLE RING	–	–	–
COOKING ZONE -right rear, (Type)	RAPID	RAPID	RAPID	RAPID	–	–	SEMIRAPID	SEMIRAPID
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	4000	4000	4000	1400	1000	–	1000	2800
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	1750	1750	1750	1750	2800	–	1750	1750
COOKING ZONE -center front, (W)	–	–	–	–	–	1000	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	3500	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	1750	–	–
COOKING ZONE -right front, (W)	1000	1000	1000	1000	–	–	1000	1000
COOKING ZONE -right center, (W)	–	–	–	–	4000	–	–	–
COOKING ZONE -right rear, (W)	2800	2800	2800	2800	–	–	1750	1750
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	–	–	–	–	–	–	–	1100
Maximum Nominal Power (W) (Gas)	9550	9550	9550	6950	7800	2750	–	7300
Wire lenght (cm)	100	100	100	100	100	110	100	100
SAFETY SYSTEMS								
Child Lock	–	–	–	–	–	–	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	–
Residual heat indicator	–	–	–	–	–	–	–	–

Model	GBC 64000 KB	GBC 64000 KB	GBC 64003	GBC 64003	EFX 90.1 5G AI AL DR CI LEFT	EFX 70.1 5G AI AL DR CI LEFT	EFX 70.1 5G AI AL DR CI	EFX 60.1 4G AI AL DR CI
BUILT-IN DIMENSIONS								
Width (mm)	570	570	575	575	833	553	553	553
Depth (mm)	480	480	405	405	475	473	473	473
Height (mm)	49	49	49	49	45	45	45	45
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	SEMIRAPID	SEMIRAPID	RAPID	RAPID	–	–	AUXILIARY	DOUBLE RING
COOKING ZONE -left center , (Type)	–	–	–	–	DOUBLE RING	DOUBLE RING	–	–
COOKING ZONE -left rear , (Type)	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	–	–	RAPID	SEMIRAPID
COOKING ZONE - center front , (Type)	–	–	–	–	AUXILIARY	AUXILIARY	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	DOUBLE RING	–
COOKING ZONE -center rear , (Type)	–	–	–	–	SEMIRAPID	SEMIRAPID	–	–
COOKING ZONE -right front, (Type)	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	SEMIRAPID	SEMIRAPID	SEMIRAPID	AUXILIARY
COOKING ZONE -right center, (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	RAPID	RAPID	SEMIRAPID	SEMIRAPID	RAPID	RAPID	SEMIRAPID	SEMIRAPID
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	1750	1750	2800	2800	–	–	1000	4000
COOKING ZONE -left center, (W)	–	–	–	–	4000	4000	–	–
COOKING ZONE -left rear, (W)	1750	1750	1750	1750	–	–	3000	1750
COOKING ZONE -center front, (W)	–	–	–	–	1000	1000	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	4000	–
COOKING ZONE - center rear,(W)	–	–	–	–	1750	1750	–	–
COOKING ZONE -right front, (W)	1000	1000	1000	1000	1750	1750	1750	1000
COOKING ZONE -right center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	2800	2800	1750	1750	3000	3000	1750	1750
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	–	–	1100	1100	–	–	–	–
Maximum Nominal Power (W) (Gas)	7300	7300	7300	7300	11500	11500	11500	8500
Wire lenght (cm)	100	100	100	100	100	110	100	100
SAFETY SYSTEMS								
Child Lock	–	–	–	–	–	–	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	–
Residual heat indicator	–	–	–	–	–	–	–	–

Model	EFX 60.1 4G AI AL CI	EX 90.1 6G AI DR CI	EX 90.1 5G AI AL DR LEFT CI	EX 90.1 5G AI AL DR CI	EX 70.1 5G AI AL DR CI	EX 60.1 4G AI AL DR CI	EX 60.1 4G AI AL CI	EX 60.1 3G AI AL DR CI
BUILT-IN DIMENSIONS								
Width (mm)	553	833	833	833	553	553	553	553
Depth (mm)	473	475	475	475	473	473	473	473
Height (mm)	45	32	32	32	32	32	32	32
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	RAPID	AUXILIARY	–	–	AUXILIARY	AUXILIARY	AUXILIARY	–
COOKING ZONE -left center , (Type)	–	–	DOUBLE RING	DOUBLE RING	–	–	–	DOUBLE RING
COOKING ZONE -left rear , (Type)	SEMIRAPID	SEMIRAPID	–	–	SEMIRAPID	DOUBLE RING	SEMIRAPID	–
COOKING ZONE - center front , (Type)	–	SEMIRAPID	SEMIRAPID	SEMIRAPID	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	DOUBLE RING	–	–	–
COOKING ZONE -center rear , (Type)	–	SEMIRAPID	SEMIRAPID	SEMIRAPID	–	–	–	–
COOKING ZONE -right front, (Type)	AUXILIARY	SEMIRAPID	AUXILIARY	AUXILIARY	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID
COOKING ZONE -right center, (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	SEMIRAPID	DOUBLE RING	RAPID	RAPID	RAPID	RAPID	RAPID	RAPID
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	3000	1000	–	–	1000	1000	1000	–
COOKING ZONE -left center, (W)	–	–	4000	4000	–	–	–	4000
COOKING ZONE -left rear, (W)	1750	1750	–	–	1750	4000	1750	–
COOKING ZONE -center front, (W)	–	1750	1750	1750	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	4000	–	–	–
COOKING ZONE - center rear,(W)	–	1750	1750	1750	–	–	–	–
COOKING ZONE -right front, (W)	1000	1750	1750	1750	1750	1750	1750	1750
COOKING ZONE -right center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	1750	4000	2800	2800	2800	2800	2800	2800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	–	–	–	–	–	–	–	–
Maximum Nominal Power (W) (Gas)	7500	12000	12050	12050	11300	9550	7300	8550
Wire lenght (cm)	100	110	100	100	100	100	100	100
SAFETY SYSTEMS								
Child Lock	–	–	–	–	–	–	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	–
Residual heat indicator	–	–	–	–	–	–	–	–

Model	EH 60 4G AI AL TR CI NTB VN OB	EH 60 4G AI AL TR CI NTB AT OB	EH 60 4G AI AL TR CI NTB	HLX 60 4G AI AL	EFX 60.1 2G 2H AI AL	EFX 90.1 4G 1H AI AL DR	EFX 32300 IH	EFX 30.1 2H
BUILT-IN DIMENSIONS								
Width (mm)	553	553	553	553	553	833	–	282
Depth (mm)	473	473	473	473	473	475	–	482
Height (mm)	32	32	32	52	45	45	–	45
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	TRIPLE RING	TRIPLE RING	TRIPLE RING	RAPID	Single High Light	DOUBLE RING	–	–
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	Single High Light	SEMIRAPID	–	–
COOKING ZONE - center front , (Type)	–	–	–	–	–	–	–	Single High Light
COOKING ZONE -center center , (Type)	–	–	–	–	–	Extended High Light	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–	–	Single High Light
COOKING ZONE -right front, (Type)	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	SEMIRAPID	–	–
COOKING ZONE -right center, (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	RAPID	RAPID	RAPID	SEMIRAPID	RAPID	AUXILIARY	–	–
COOKING ZONE -left front , mm	–	–	–	–	180	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	140	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	145
COOKING ZONE -center center, mm	–	–	–	–	–	170x265	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	180
COOKING ZONE -right front, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	3500	3500	3500	–	1800	4000	–	–
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	1750	1750	1750	1750	1200	1750	–	–
COOKING ZONE -center front, (W)	–	–	–	–	–	–	–	1200
COOKING ZONE -center center, (W)	–	–	–	–	–	2200	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–	–	1800
COOKING ZONE -right front, (W)	1000	1000	1000	1000	1000	1750	–	–
COOKING ZONE -right center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	3000	3000	3000	1750	3000	1000	–	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	–	–	–	–	–	–	–	3000
Maximum Nominal Power (W) (Gas)	9250	9250	9250	7500	4000	8500	–	–
Wire lenght (cm)	100	100	100	–	110	110	–	100
SAFETY SYSTEMS								
Child Lock	–	–	–	–	–	–	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	√
Residual heat indicator	–	–	–	–	–	–	–	√

Model	EFX 30.1 2P	GZC 32300 XB	GZC 31339 XB	GZC 31330 XB	EFX 30.1 2G AI AL CI
BUILT-IN DIMENSIONS					
Width (mm)	–	280	280	280	282
Depth (mm)	–	490	490	490	482
Height (mm)	–	49	49	49	45
COOKING ELEMENTS					
COOKING ZONE -left front , (Type)	–	–	–	–	–
COOKING ZONE -left center , (Type)	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	–	–	–	–
COOKING ZONE - center front , (Type)	–	AUXILIARY	–	–	AUXILIARY
COOKING ZONE -center center , (Type)	–	–	DOUBLE RING	DOUBLE RING	–
COOKING ZONE -center rear , (Type)	–	RAPID	–	–	RAPID
COOKING ZONE -right front, (Type)	–	–	–	–	–
COOKING ZONE -right center, (Type)	–	–	–	–	–
COOKING ZONE -right rear, (Type)	–	–	–	–	–
COOKING ZONE -left front , mm	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–
COOKING ZONE -left front, (W)	–	–	–	–	–
COOKING ZONE -left center, (W)	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	–	–	–	–
COOKING ZONE -center front, (W)	–	1000	–	–	1000
COOKING ZONE -center center, (W)	–	–	3500	5000	–
COOKING ZONE - center rear,(W)	–	2800	–	–	2800
COOKING ZONE -right front, (W)	–	–	–	–	–
COOKING ZONE -right center, (W)	–	–	–	–	–
COOKING ZONE -right rear, (W)	–	–	–	–	–
ELECTRICAL FEATURES					
Maximum Nominal Power (W)(Induction or VTC)	–	–	–	–	–
Maximum Nominal Power (W) (Gas)	–	3800	3500	5000	3800
Wire lenght (cm)	–	100	110	100	100
SAFETY SYSTEMS					
Child Lock	–	–	–	–	–
Automatic safety disconnection	√	–	–	–	–
Residual heat indicator	–	–	–	–	–

Model	EFX 30.1 1G AI AL DR CI	EFX 30.1 FRYER	YZC 32600	EFX 30 TEPPANYAKI	EFX 30.1 BBQ-GRILL
BUILT-IN DIMENSIONS					
Width (mm)	282	282	280	282	282
Depth (mm)	482	160	490	482	160
Height (mm)	45	482	75	60	482
COOKING ELEMENTS					
COOKING ZONE -left front , (Type)	–	–	–	–	–
COOKING ZONE -left center , (Type)	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	–	–	–	–
COOKING ZONE - center front , (Type)	–	–	Stainless Steel plate	–	–
COOKING ZONE -center center , (Type)	DOUBLE RING	Electric resistance	–	–	Electric resistance
COOKING ZONE -center rear , (Type)	–	–	Stainless Steel plate	–	–
COOKING ZONE -right front, (Type)	–	–	–	–	–
COOKING ZONE -right center, (Type)	–	–	–	–	–
COOKING ZONE -right rear, (Type)	–	–	–	–	–
COOKING ZONE -left front , mm	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	376 X 118	–	–
COOKING ZONE -center center, mm	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	376 X 118	–	–
COOKING ZONE -right front, mm	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–
COOKING ZONE -left front, (W)	–	–	–	–	–
COOKING ZONE -left center, (W)	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	–	–	–	–
COOKING ZONE -center front, (W)	–	–	1200	–	–
COOKING ZONE -center center, (W)	4000	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	1200	–	–
COOKING ZONE -right front, (W)	–	–	–	–	–
COOKING ZONE -right center, (W)	–	–	–	–	–
COOKING ZONE -right rear, (W)	–	–	–	–	–
ELECTRICAL FEATURES					
Maximum Nominal Power (W)(Induction or VTC)	–	–	2400	2400	2400
Maximum Nominal Power (W) (Gas)	4000	–	–	–	–
Wire lenght (cm)	100	135	100	100	135
SAFETY SYSTEMS					
Child Lock	–	–	–	–	–
Automatic safety disconnection	–	√	–	–	–
Residual heat indicator	–	–	–	–	–