

Laundry

The scent and softness of clean clothes
reminds us of the best stages of life



The most **absolute care**

A product range designed to care for your clothes and those of your loved ones.

Feel the soft and smooth touch of your clothes on the skin and enjoy the fresh smell of your laundry. Teka laundry range takes the best care of your clothes and brings a unique aroma to your whole home. The smell of freshness you can still remember from every Sunday morning when you were a child. The feeling of wearing brand new clothes that were just washed for the very first time and made you feel better, protected and comfortable to face a new day. Imagine getting such a feeling every time you do your laundry.



Hygienic and sterilized clothes

Take advantage of programs and functions especially designed to provide the highest hygiene and sterilization, while caring for your clothes. Eliminate 99.9% of bacteria and allergens.



Antiallergies program

The Antiallergies program is perfect to eliminate dirt and lower the risk of allergic reactions. Reduce any allergen that may be present in your cloth from pollen, mites, fungi or animal fur.

With the Allergy UK Seal of Approval, we certify the elimination of 99.9% of allergens, the main cause for skin allergies.



Steam function

An extra blow of hygiene. The steam eliminates germs, viruses and bacteria, and permits a fluffier laundry result with fewer wrinkles.



Stain type function

Every stain requires special care. Eliminate several types of common stains, such as those from coffee, sweat or oil. Your clothes as clean as the first day.



SoftCare drum

The easiest way to break water resistance. The innovating Softcare design of the drum, made of dozens of small cubes, improves the gentle care of your laundry during washing, drying and spinning, even caring for your most delicate wool clothes.



Highest performance always

Our new models have been designed with the latest laundry technology, taking complete advantage of its functionality to achieve the most efficient wash.

WASHING MACHINES



T-inverter motor

More efficiency and durability, with noise levels of only 50 dBs.



Smartwash

Ensure the minimum consumption with our smart system, which adjusts the washing parameters to the load.



SprayWash system

Better washing performance with the extra upper water outlet with detergent from the top of the washing machine, for a perfect recirculation system.



DIGITAL DISPLAY

2:40

FUNCIONES | FUNÇÕES

TEMP.

CENTRIF.

DELAY
START

SPEED
WASH

8°C

⦿

⌚

■

ALLERGY SAFE | T-INVERTER

DRYERS



ExcellentDry sensor

Delicate care for your clothes. Sensors control temperature and humidity to guarantee a perfectly dry result.



4DFilter

A 4 layer filter designed to catch fluff and remains, with an easy access for a deep cleaning.

A day with savings, a day with joy


SAVE TIME

High speed programs and features, for you to save your time for the really important things.

MyCycle

Choose your favourite program, type of clothes, temperature, speed, and more. Your washing machine will memorize your parameters for whenever you need them, designed just for you.

WASHING MACHINES



Super fast: 12-minute program

A light wash in only 12 minutes for those in a hurry.



SpeedWash function

Booster function to reduce the programs' washing times.

WASHER DRYERS



Wash&Dry 29 minutes

Wash and dry your clothes in only 29 minutes.

DRYERS



Shirts 12 minutes

Get them dry in record time.

SAVE ENERGY

Stay sustainable while giving up on nothing.

ECO3Plus

Our new laundry appliances incorporate several saving systems for sustainability. Last generation motors and smart solutions to drastically reduce the water and energy consumption. Our new Dryers' R290 coolant is an alternative natural solution with minimum environmental impact.

WASHING MACHINES

Live ECO system

Control and visualize the water and energy consumption of every program with the control bars on the display.






MAESTRO WMT 70945 WH



- **PremiumCare series**
- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 9 kg
- 15 washing programs
- Fast program: 12 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Speed wash, Steam, Anti-allergies, Stain type, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 618mm



MAESTRO WMT 70840 WH



- **PremiumCare series**
- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 12 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Speed wash, Easy ironing, Anti-allergies, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 593mm



MAESTRO WMT 70840 SS



- **PremiumCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Speed wash, Easy ironing, Anti-allergies, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 593mm



TOTAL WMT 40840 WH



- **ExpertCare series**
- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Easy ironing, Delay timer, Speed wash, Extra rinse, Anti-allergies
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 563mm



TOTAL WMT 40840 SS



- **ExpertCare series**
- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Speed wash, Extra rinse, Anti-allergies mode
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 563mm



TOTAL WMT 40820 WH



- **ExpertCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1200 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 533mm



TOTAL WMT 40720 WH



- **ExpertCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 7 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1200 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 533mm



TOTAL WMT 40720 SS



- **ExpertCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 7 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1200 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 533mm



EASY WMT 10820 WH



- **HomeCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Anti-allergies, Extra rinse
- SmartWash system
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 533mm



EASY WMT 10710 WH



- **HomeCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 7 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Anti-allergies, Extra rinse
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 533mm



EASY WMT 10610 WH



- **HomeCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 6 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate
- Special functions: Delay timer, Extra rinse
- SmartWash system
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 533mm



MAESTRO TKD 1491 EXP



- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 9 kg
- 16 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door



COLOR
 White

EXTERNAL DIMENSIONS
Height 850mm Width 595mm Depth 565mm






MAESTRO TKD 1481 SS EXP



- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 8 kg
- 16 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door



COLOR
 Stainless Steel


EXTERNAL DIMENSIONS
Height 850mm Width 595mm Depth 565mm



MAESTRO TKD 1481 EXP




- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 8 kg
- 16 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 850mm Width 595mm Depth 565mm



TOTAL TK5 1480 EXP



- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 850mm Width 595mm Depth 565mm



TOTAL TK5 1470 EXP



- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 7 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport program
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 850mm Width 595mm Depth 495mm



TOTAL TK5 1060 EXP



- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 6 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport
- Special functions: Speed wash, Delay timer, Extra rinse
- SmartWash system
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 850mm Width 595mm Depth 400mm



MAESTRO LI5 1481 EU



- **Built-in Washing Machine**
- Electronic control panel
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Delay timer function
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 820mm Width 596mm Depth 570mm



TOTAL LI5 1280 EU



- **Built-in Washing Machine**
- Electronic control panel
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Delay timer function
- SmartWash system
- Maximum spinning speed: 1200 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door




COLOR
White

EXTERNAL DIMENSIONS
Height 820mm Width 596mm Depth 70mm

TOTAL LI5 1080 EU



- **Built-in Washing Machine**
- Electronic control panel
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Delay timer function
- SmartWash system
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door




COLOR
White

EXTERNAL DIMENSIONS
Height 820mm Width 596mm Depth 70mm

MAESTRO WDT 71040 WH



- **PremiumCare Series**
- **Free standing Washer-Dryer**
- Electronic control panel with display
- Washing capacity: 10 kg
- Drying capacity: 6 kg
- Washing programs: 11
- Drying programs: 4
- Fast program: 12 minutes
- Special programs: ECO mode, Wool care, Delicate, AllergySafe, Quick Wash & Dry, Gentle Dry
- Special functions: Delay timer, Speed wash, Extra rinse
- Condenser heat pump
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door




COLOR
White

EXTERNAL DIMENSIONS
Height 845mm Width 597mm Depth 582mm

MAESTRO LSI5 1481 EU



- **Built-in Washer-Dryer**
- Electronic control panel
- Washing capacity: 8 kg
- Drying capacity: 5 kg
- Washing programs: 13
- Drying programs: 2
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Stain type function
- Condenser heat pump
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 35 cm wide porthole door




COLOR
White

EXTERNAL DIMENSIONS
Height 820mm Width 596mm Depth 70mm

MAESTRO TKD 1510 WD SS EXP



- **Free standing Washer-Dryer**
- Electronic control panel with display
- Washing capacity: 10 kg
- Drying capacity: 7 kg
- Washing programs: 16
- Drying programs: 6
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Easy iron, Quick Wash & Dry
- Special functions: Delay timer, Speed wash, Easy ironing, Extra rinse
- Condenser heat pump
- Maximum spinning speed: 1500 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door




COLOR
Stainless Steel

EXTERNAL DIMENSIONS
Height 850mm Width 595mm Depth 565mm

MAESTRO TKD 1510 WD EU EXP




- **Free standing Washer-Dryer**
- Electronic control panel with display
- Washing capacity: 10 kg
- Drying capacity: 7 kg
- Washing programs: 16
- Drying programs: 6
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Easy iron, Quick Wash & Dry
- Special functions: Delay timer, Speed wash, Easy ironing, Extra rinse
- Condenser heat pump
- Maximum spinning speed: 1500 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door



COLOR
White

EXTERNAL DIMENSIONS
Height 850mm Width 595mm Depth 565mm






MAESTRO TK5 1480 WD UAE



- **Free standing Washer-Dryer**
- Electronic control panel with display
- Washing capacity: 9 kg
- Drying capacity: 6 kg
- Washing programs: 11
- Drying programs: 4
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, AllergySafe, Quick Wash & Dry, Gentle Dry
- Special functions: Delay timer, Anti-allergies, Extra rinse, Stain type
- Condenser heat pump
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door




COLOR
 White

EXTERNAL DIMENSIONS
Height 850mm Width 600mm Depth 570mm

TOTAL TK3 1490 WD



- **Free standing Washer-Dryer**
- Electronic control panel with display
- Washing capacity: 9 kg
- Drying capacity: 6 kg
- Washing programs: 11
- Drying programs: 4
- Fast program: 12 minutes
- Special programs: ECO mode, Wool care, Delicate, AllergySafe, Quick Wash & Dry, Gentle Dry
- Special functions: Delay timer, Anti-allergies, Extra rinse, Stain type
- Condenser heat pump
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door




COLOR
 White

EXTERNAL DIMENSIONS
Height 845mm Width 597mm Depth 582mm

MAESTRO LS15 1481 EU EXP



- **Built-in Washer-Dryer**
- Electronic control panel
- Washing capacity: 8 kg
- Drying capacity: 5 kg
- Washing programs: 13
- Drying programs: 2
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Special functions: Delay timer, Stain type, Time dry
- Condenser heat pump
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 35 cm wide porthole door




COLOR
 White

EXTERNAL DIMENSIONS
Height 820mm Width 596mm Depth 570mm

MAESTRO SCT 70810 WH



- **PremiumCare series**
- **Free Standing Dryer**
- Condensed drying technology
- ExcellentDry sensor
- Electronic control panel with display
- Drying capacity: 8 kg
- Drying programs: 15
- Fast program: 12/29 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport, Baby Care, Refresh, Express
- Express: 29 minutes
- Shirts: 12 minutes
- Special functions: Delay timer, Easy ironing, Delicate, Drying level, Time Dry
- Child lock
- SoftCare drum
- Delay timer: 1-23 hours
- 47 cm wide porthole door
- Reversible door




COLOR
 White

EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 609mm

MAESTRO SHT 70820 WH



- **PremiumCare series**
- **Free Standing Dryer**
- Condensed heat pump drying technology
- ExcellentDry sensor
- Electronic control panel with display
- Drying capacity: 8 kg
- Drying programs: 15
- Fast program: 20/34 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport, Baby Care, Refresh, Express
- Express: 34 minutes
- Shirts: 20 minutes
- Special functions: Delay timer, Easy ironing, Delicate, Drying level, Time Dry
- Child lock
- SoftCare drum
- Delay timer: 1-23 hours
- 47 cm wide porthole door
- Reversible door




COLOR
 White

EXTERNAL DIMENSIONS
Height 845mm Width 596mm Depth 609mm

MAESTRO TKS 893 H



- **Free Standing Dryer**
- Condensed heat pump drying technology
- ExcellentDry sensor
- Electronic control panel
- Drying capacity: 8 kg
- Drying programs: 16
- ECO mode program
- Delay timer: 1-23 hours
- 48 cm wide porthole door



COLOR
 White


EXTERNAL DIMENSIONS
Height 845mm Width 595mm Depth 640mm



MAESTRO TKS 850 C



- **Free Standing Dryer**
- Condensed drying technology
- ExcellentDry sensor
- Electronic control panel
- Drying capacity: 8 kg
- Drying programs: 16
- Fast program: 45 minutes
- ECO mode program
- Delay timer: 1-24 hours
- 50 cm wide porthole door



COLOR

☐ White

EXTERNAL DIMENSIONS

Height 845mm Width 595mm Depth 615mm

Model	WMT 70945 WH	WMT 70840 WH	WMT 70840 SS	WMT 40840 WH	WMT 40840 SS	WMT 40820 WH	WMT 40720 WH	WMT 40720 SS
Product information sheet (UE 2019/2017)								
Rated capacity for the eco 40-60 programme (kg) (UE 2019/2017)	9	8	8	8	8	8	7	7
Dimensions								
Height (cm) (UE 2019/2017)	84,5	84,5	84,5	84,5	84,5	84,5	84,5	84,5
Width (cm) (UE 2019/2017)	59,6	59,6	59,6	59,6	59,6	59,6	59,6	59,6
Depth (cm) (UE 2019/2017)	61,8	59,3	59,3	56,3	56,3	53,3	53,3	53,3
Consumption and efficiency								
EEIW for the eco 40-60 programme (UE 2019/2017)	60	60	60	69	69	80	80	80
Energy efficiency class for the eco 40-60 programme (UE 2019/2017)	B	B	B	C	C	D	D	D
Washing efficiency index for the eco 40-60 programme (UE 2019/2017)	1,04	1,04	1,04	1,04	1,04	1,04	1,04	1,04
Rinsing effectiveness for the eco 40-60 programme (g/kg) (UE 2019/2017)	5	5	5	5	5	5	5	5
Energy consumption based on the eco 40-60 programme (kWh/cycle) (UE 2019/2017)	0,57	0,545	0,545	0,627	0,627	0,727	0,69	0,69
Water consumption based on the eco 40-60 programme (L/Cycle) (UE 2019/2017)	50	48	48	48	48	48	45	45
Maximum temperature inside the treated textile								
Maximum temperature inside the treated textile for the eco 40-60 programme at rated washing capacity (°C) (UE 2019/2017)	45	41	41	46	46	50	50	50
Maximum temperature inside the treated textile for the eco 40-60 programme at half capacity (°C) (UE 2019/2017)	32	32	32	31	31	27	27	27
Maximum temperature inside the treated textile for the eco 40-60 programme at quarter capacity (°C) (UE 2019/2017)	24	25	25	25	25	23	23	23
Remaining moisture content								
Remaining moisture content for the eco 40-60 programme at rated washing capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at half capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at quarter capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53	53
Spin speed								
Spin speed for the eco 40-60 programme at rated washing capacity (RPM) (UE 2019/2017)	1330	1330	1330	1330	1330	1120	1120	1120
Spin speed (rpm) for the eco 40-60 programme at half capacity (RPM) (UE 2019/2017)	1330	1330	1330	1330	1330	1120	1120	1120
Spin speed (rpm) for the eco 40-60 programme at quarter capacity (RPM) (UE 2019/2017)	1330	1330	1330	1330	1330	1120	1120	1120
Spin-drying efficiency class for the eco 40-60 programme (UE 2019/2017)	B	B	B	B	B	B	B	B
Eco 40-60 programme duration								
Eco 40-60 programme duration at rated washing capacity (h:min) (UE 2019/2017)	3:48:00	3:31:00	3:31:00	3:35:00	3:35:00	3:38:00	3:28:00	3:28:00
Eco 40-60 programme duration at half capacity (h:min) (UE 2019/2017)	2:54:00	2:48:00	2:48:00	2:48:00	2:48:00	2:40:00	2:40:00	2:40:00
Eco 40-60 programme duration at quarter capacity (h:min) (UE 2019/2017)	2:25:00	2:28:00	2:28:00	2:30:00	2:30:00	2:40:00	2:40:00	2:40:00
Other								
Type (UE 2019/2017)	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing
Airborne acoustical noise emissions in the spinning phase for the eco 40-60 programme (dB(A) re 1 pW) (UE 2019/2017)	75	75	75	76	76	77	78	78
Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme (UE 2019/2017)	B	B	B	B	B	C	C	C
Off-mode (W) (UE 2019/2017)	0,5	1	1	1	1	1	1	1
Standby mode (W) (UE 2019/2017)	0,5	1	1	1	1	1	1	1

Model	WMT 70945 WH	WMT 70840 WH	WMT 70840 SS	WMT 40840 WH	WMT 40840 SS	WMT 40820 WH	WMT 40720 WH	WMT 40720 SS
Delay start (W) (if applicable) (UE 2019/2017)	4	4	4	4	4	4	4	4
Networked standby (W) (if applicable) (UE 2019/2017)	2	2	2	2	2	2	2	2
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	2	2	2	2	2	2	2	2
This product has been designed to release silver ions during the washing cycle (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	WMT 10820 WH	WMT 10710 WH	WMT 10610 WH	TKD 1491 EXP	TKD 1481 SS EXP	TKD 1481 EXP	TK5 1480 EXP	TK5 1470 EXP
Product information sheet (UE 2019/2017)								
Rated capacity for the eco 40-60 programme (kg) (UE 2019/2017)	8	7	6	9	8	8	8	7
Dimensions								
Height (cm) (UE 2019/2017)	84,5	84,5	84,5	87,5	87,5	87,5	85	85
Width (cm) (UE 2019/2017)	59,6	59,6	59,6	68	68	68	59,5	59,5
Depth (cm) (UE 2019/2017)	53,3	53,3	53,3	66	66	66	56,5	49,5
Consumption and efficiency								
EEIW for the eco 40-60 programme (UE 2019/2017)	80	80	80	59,9	60	60	91	91
Energy efficiency class for the eco 40-60 programme (UE 2019/2017)	D	D	D	B	B	B	E	E
Washing efficiency index for the eco 40-60 programme (UE 2019/2017)	1,04	1,04	1,04	1,04	1,04	1,04	1,04	1,04
Rinsing effectiveness for the eco 40-60 programme (g/kg) (UE 2019/2017)	5	5	5	5	5	5	5	5
Energy consumption based on the eco 40-60 programme (kWh/cycle) (UE 2019/2017)	0,727	0,69	0,648	0,57	0,545	0,545	0,827	0,784
Water consumption based on the eco 40-60 programme (L/Cycle) (UE 2019/2017)	48	45	43	49	48	48	48	45
Maximum temperature inside the treated textile								
Maximum temperature inside the treated textile for the eco 40-60 programme at rated washing capacity (°C) (UE 2019/2017)	49	50	44	34	34	34	38	39
Maximum temperature inside the treated textile for the eco 40-60 programme at half capacity (°C) (UE 2019/2017)	36	27	36	34	29	29	33	35
Maximum temperature inside the treated textile for the eco 40-60 programme at quarter capacity (°C) (UE 2019/2017)	22	23	26	21	21	21	25	24
Remaining moisture content								
Remaining moisture content for the eco 40-60 programme at rated washing capacity (%) (UE 2019/2017)	62	62	62	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at half capacity (%) (UE 2019/2017)	62	62	62	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at quarter capacity (%) (UE 2019/2017)	62	62	62	53	53	53	53	53
Spin speed								
Spin speed for the eco 40-60 programme at rated washing capacity (RPM) (UE 2019/2017)	1000	1000	1000	1400	1400	1400	1400	1400
Spin speed (rpm) for the eco 40-60 programme at half capacity (RPM) (UE 2019/2017)	1000	1000	1000	1400	1400	1400	1400	1400
Spin speed (rpm) for the eco 40-60 programme at quarter capacity (RPM) (UE 2019/2017)	1000	1000	1000	1400	1400	1400	1400	1400
Spin-drying efficiency class for the eco 40-60 programme (UE 2019/2017)	C	C	C	B	B	B	B	B
Eco 40-60 programme duration								
Eco 40-60 programme duration at rated washing capacity (h:min) (UE 2019/2017)	3:38:00	3:28:00	3:13:00	3:48:00	3:38:00	3:38:00	3:28:00	3:28:00
Eco 40-60 programme duration at half capacity (h:min) (UE 2019/2017)	2:48:00	2:40:00	2:34:00	2:54:00	2:48:00	2:48:00	2:24:00	2:24:00

Model	WMT 10820 WH	WMT 10710 WH	WMT 10610 WH	TKD 1491 EXP	TKD 1481 SS EXP	TKD 1481 EXP	TK5 1480 EXP	TK5 1470 EXP
Eco 40-60 programme duration at quarter capacity (h:min) (UE 2019/2017)	2:48:00	2:40:00	2:32:00	2:54:00	2:48:00	2:48:00	2:24:00	2:24:00
Other								
Type (UE 2019/2017)	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing
Airborne acoustical noise emissions in the spinning phase for the eco 40-60 programme (dB(A) re 1 pW) (UE 2019/2017)	76	76	76	76	76	76	80	80
Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme (UE 2019/2017)	B	B	B	B	B	B	C	C
Off-mode (W) (UE 2019/2017)	1	1	1	0,5	0,5	0,5	0,5	0,5
Standby mode (W) (UE 2019/2017)	1	1	1	1	1	1	1	1
Delay start (W) (if applicable) (UE 2019/2017)	4	4	4	4	4	4	4	4
Networked standby (W) (if applicable) (UE 2019/2017)	–	2	2	–	–	–	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	2	2	2	2	2	2	2	2
This product has been designed to release silver ions during the washing cycle (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	TK5 1060 EXP	LI5 1481 EU	LI5 1280 EU	LI5 1080 EU
Product information sheet (UE 2019/2017)				
Rated capacity for the eco 40-60 programme (kg) (UE 2019/2017)	6	8	8	8
Dimensions				
Height (cm) (UE 2019/2017)	85	82	82	82
Width (cm) (UE 2019/2017)	59,5	60	60	60
Depth (cm) (UE 2019/2017)	40	53	53	53
Consumption and efficiency				
EEIW for the eco 40-60 programme (UE 2019/2017)	91	51,9	80	80
Energy efficiency class for the eco 40-60 programme (UE 2019/2017)	E	A	D	D
Washing efficiency index for the eco 40-60 programme (UE 2019/2017)	1,04	1,04	1,04	1,04
Rinsing effectiveness for the eco 40-60 programme (g/kg) (UE 2019/2017)	5	4,9	4,9	4,9
Energy consumption based on the eco 40-60 programme (kWh/cycle) (UE 2019/2017)	0,737	0,472	0,727	0,727
Water consumption based on the eco 40-60 programme (L/Cycle) (UE 2019/2017)	43	44	44	44
Maximum temperature inside the treated textile				
Maximum temperature inside the treated textile for the eco 40-60 programme at rated washing capacity (°C) (UE 2019/2017)	41	37	39	39
Maximum temperature inside the treated textile for the eco 40-60 programme at half capacity (°C) (UE 2019/2017)	33	30	36	36
Maximum temperature inside the treated textile for the eco 40-60 programme at quarter capacity (°C) (UE 2019/2017)	20	24	27	27
Remaining moisture content				
Remaining moisture content for the eco 40-60 programme at rated washing capacity (%) (UE 2019/2017)	62	53	53	62
Remaining moisture content for the eco 40-60 programme at half capacity (%) (UE 2019/2017)	62	53	53	62
Remaining moisture content for the eco 40-60 programme at quarter capacity (%) (UE 2019/2017)	62	53	53	62
Spin speed				
Spin speed for the eco 40-60 programme at rated washing capacity (RPM) (UE 2019/2017)	1000	1351	1151	951

Model	TK5 1060 EXP	LI5 1481 EU	LI5 1280 EU	LI5 1080 EU
Spin speed (rpm) for the eco 40-60 programme at half capacity (RPM) (UE 2019/2017)	1000	1351	1151	951
Spin speed (rpm) for the eco 40-60 programme at quarter capacity (RPM) (UE 2019/2017)	1000	1351	1151	951
Spin-drying efficiency class for the eco 40-60 programme (UE 2019/2017)	C	53	53	62
Eco 40-60 programme duration				
Eco 40-60 programme duration at rated washing capacity (h:min) (UE 2019/2017)	3:18:00	218	218	218
Eco 40-60 programme duration at half capacity (h:min) (UE 2019/2017)	2:36:00	168	168	168
Eco 40-60 programme duration at quarter capacity (h:min) (UE 2019/2017)	2:36:00	168	168	168
Other				
Type (UE 2019/2017)	Free standing	Built-in	Built-in	Built-in
Airborne acoustical noise emissions in the spinning phase for the eco 40-60 programme (dB(A) re 1 pW) (UE 2019/2017)	80	75	75	74
Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme (UE 2019/2017)	C	B	B	B
Off-mode (W) (UE 2019/2017)	0.5	0.5	0.5	0.5
Standby mode (W) (UE 2019/2017)	1	1	1	1
Delay start (W) (if applicable) (UE 2019/2017)	4	4	4	4
Networked standby (W) (if applicable) (UE 2019/2017)	–	–	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	2	2	2	2
This product has been designed to release silver ions during the washing cycle (UE 2019/2017)	–	–	–	–

Model	WDT 71040 WH	TKD 1510 WD S5 EXP	TKD 1510 WD EU EXP	TK5 1480 WD UAE	TK3 1490 WD	LSI5 1481 EU	LSI5 1481 EU EXP
Product information sheet (UE 2019/2017)							
Rated capacity for the wash and dry cycle (Kg) (UE 2019/2017)	10/6 kg	7	7	5	9/6 kg	5	5
Rated capacity for the eco 40-60 programme (kg) (UE 2019/2017)	10 kg	10	10	8	9 kg	8	8
Height (cm) (UE 2019/2017)	84.5	85	85	85	84.5	82	82
Width (cm) (UE 2019/2017)	59.7	89.5	89.5	60	59.7	60	60
Depth (cm) (UE 2019/2017)	58.2	56.5	56.5	57	58.2	53	53
Energy efficiency index							
Energy Efficiency Index EEIW for the eco 40-60 programme (UE 2019/2017)	69	60	60	91	69	52	52
Energy Efficiency Index EEIWD for the wash and dry cycle (UE 2019/2017)	82	67	67	82	82	67	67
Energy efficiency class							
Energy efficiency class EEIW for the eco 40-60 programme (UE 2019/2017)	C	B	B	E	C	A	A
Energy efficiency class EEIWD for the wash and dry cycle (UE 2019/2017)	E	D	D	E	E	D	D
Washing efficiency index							
Washing efficiency index for the eco 40-60 programme (UE 2019/2017)	1.04	1.04	1.04	1.04	1.04	1.04	1.04
Washing efficiency index JW for the wash and dry cycle (UE 2019/2017)	1.04	1.04	1.04	1.04	1.04	1.04	1.04
Rinsing effectiveness							
Rinsing effectiveness for the eco 40-60 programme (g/kg) (UE 2019/2017)	5.0	5	5	5	5.0	4.9	4.9
Rinsing effectiveness JR for the wash and dry cycle (g/kg) (UE 2019/2017)	5.0	5	5	5	5.0	4.9	4.9
Consumption							
Energy consumption per washing cycle, using the eco 40-60 programme at a combination of full and partial loads (kWh/ Kg) (UE 2019/2017)	0.682	0.593	0.593	0.827	0.656	0.472	0.472
Energy consumption per wash and dry cycle, using the eco 40-60 programme at a combination of full and partial loads (kWh/ Kg) (UE 2019/2017)	3.767	3.43	3.43	3.259	3.767	2.661	2.661
Water consumption per washing cycle, using the eco 40-60 programme at a combination of full and partial loads (L/Cycle) (UE 2019/2017)	52	52	52	48	50	44	44
Water consumption per wash and dry cycle, using the eco 40-60 programme at a combination of full and partial loads (L/ Cycle) (UE 2019/2017)	90	100	100	80	90	75	75
Maximum temperature inside the treated textile							
Maximum temperature inside the treated textile for the eco 40-60 programme at rated washing capacity (°C) (UE 2019/2017)	49	38	38	38	44	37	37
Maximum temperature inside the treated textile for the eco 40-60 programme at half capacity (°C) (UE 2019/2017)	28	36	36	33	30	30	30
Maximum temperature inside the treated textile for the eco 40-60 programme at quarter capacity (°C) (UE 2019/2017)	23	23	23	25	23	24	24
Remaining moisture content							
Remaining moisture content for the eco 40-60 programme at rated washing capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at half capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at quarter capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53
Spin speed							
Spin speed for the eco 40-60 programme at rated washing capacity (RPM) (UE 2019/2017)	1400	1500	1500	1400	1400	1351	1351

Model	WDT 71040 WH	TKD 1510 WD SS EXP	TKD 1510 WD EU EXP	TK5 1480 WD UAE	TK3 1490 WD	LSI5 1481 EU	LSI5 1481 EU EXP
Spin speed (rpm) for the eco 40-60 programme at half capacity (RPM) (UE 2019/2017)	1400	1500	1500	1400	1400	1351	1351
Spin speed (rpm) for the eco 40-60 programme at quarter capacity (RPM) (UE 2019/2017)	1400	1500	1500	1400	1400	1351	1351
Spin-drying efficiency class for the eco 40-60 programme (UE 2019/2017)	B	1500	1500	1400	B	B	B
Eco 40-60 programme duration							
Eco 40-60 programme duration at rated washing capacity (h:min) (UE 2019/2017)	3:59	3:59	3:59	3:38	3:49	3:38	3:38
Eco 40-60 programme duration at half capacity (h:min) (UE 2019/2017)	3:00	3:00	3:00	2:48	2:54	2:48	2:48
Eco 40-60 programme duration at quarter capacity (h:min) (UE 2019/2017)	3:00	3:00	3:00	2:48	2:54	2:48	2:48
Wash and dry cycle duration							
Wash and dry cycle duration at rated washing capacity (h:min) (UE 2019/2017)	9:00	9:40	9:40	7:30	9:00	9:10	9:10
Wash and dry cycle duration at half capacity (h:min) (UE 2019/2017)	5:00	7:00	7:00	5:30	5:00	5:10	5:10
Other							
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW) (UE 2019/2017)	77	80	80	80	77	75	75
Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity (UE 2019/2017)	C	C	C	C	C	B	B
Type (UE 2019/2017)	Free-standing	Free-standing	Free-standing	Free-standing	Free-standing	built-in	built-in
Off-mode (W) (UE 2019/2017)	1	1	1	1	1	1	1
Standby mode (W) (UE 2019/2017)	1	–	–	–	1	1	1
Delay start (W) (if applicable) (UE 2019/2017)	4	4	4	4	4	4	4
Networked standby (W) (if applicable) (UE 2019/2017)	2	–	–	–	2	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	2	2	2	2	2	2	2
This product has been designed to release silver ions during the washing cycle (UE 2019/2017)	–	–	–	–	–	–	–

Model	SCT 70810 WH	SHT 70820 WH	TKS 893 H	TKS 850 C
PRODUCT FICHE				
Drying capacity (kgs)	8	8	8	8
Drying technology	Condenser	CONDENSER HEAT PUMP	CONDESER HEAT PUMP	Condenser
Energy Efficiency Class (1)	B	A++	A+++	B
Energy consumption per year (kWh) (2)	561	235	176	561
Condensation efficiency (4)	B	B	B	B
BUILT IN DOOR MEASUREMENTS				
Height (mm)	–	–	–	–
Width (mm)	–	–	–	–
POWER SUPPLY				
Voltage (V)	220-240	220-240	220-240	220-240
Nominal Power heating element (W)	2.500	500	–	2.500