




IZC 64010 BK MSS 60cm Induction Hob with Direct Functions MultiSlider and 4 zones



MultiSlider



Autolock



Power



Power Plus



Easy
installation

DESCRIPTION

60cm Induction Hob with Direct Functions MultiSlider and 4 zones

LIFE STYLE

Easy

COLOURS



REFERENCE

REF. 112520015
EAN. 8434778012491




TEKA

IZC 64010 BK MSS

FEATURES

Induction hob
Touch control MultiSlider
Cooking timer
4 cooking zones:
2 induction Ø 185 mm
2 induction Ø 150 mm
Power Plus function
Stop & Go function
Residual heat indicators
Fast-Click easy installation
Maximum nominal power : 7.200 W



DIMENSIONS

Product height (mm): 58
Product width (mm): 600
Product depth (mm): 510
Product length (mm):
Net weight (Kg): 9,59

TECH SPECS

FITTING MEASURES

Built-in Width (mm): 560
Built-in Depth (mm): 490
Built-in Height (mm): 54

PARTICULAR CHARACTERISTICS

Number of electric power levels: 9
Power management function: Yes

ELECTRIC CONNECTION

Frequency (Hz): 50/60
Power rate (V): 220-240
Cable Connection Length (cm): 110
Maximum Nominal Power (W) (Electric hob): 7200

COOKING ZONES

Cooking Zones: 4
Left rear cooking zone - Diameter (mm): 185
Left rear cooking zone - Type: Single Zone
Left rear cooking zone - Consumption (W): 1700-2100
Left front cooking zone - Diameter (mm): 150

Left front cooking zone - Type: Single Zone
Left front cooking zone - Consumption (W): 1200-1500
Right rear cooking zone - Diameter (mm): 150
Right rear cooking zone - Type: Single Zone
Right rear cooking zone - Consumption (W): 1200-1500
Right front cooking zone - Diameter (mm): 185
Right front cooking zone - Type: Single Zone
Right front cooking zone - Consumption (W): 1700-2100

SECURITY SYSTEM

Residual heat indicator (Gas): Yes
Residual heat indicator (Electric hob): Yes
Automatic safety disconnection (Auto Lock) (Electric hob): Yes
Child lock: Yes

FINISH

Surface finishing: Front bevelled glass
Surface type: Ceramic Glass (4mm)
Easy installation system: Yes

ACCESSORIES

Junction Kit: Optional
Teppan Yaki: Optional

