



DVT Pro 98660 TBS 90cm Vertical Decorative Hood desain kaca penuh dan fungsi FreshAir



LED



Perimeter
extraction



Stop Delay
Timer



Fresh AIR

DESKRIPSI

90cm Vertical Decorative Hood desain kaca penuh dan fungsi FreshAir

GAYA HIDUP

Maestro

WARNA



REFERENSI

REF. 112930043
EAN. 8434778013252



DVT Pro 98660 TBS

FITUR

Edisi Urban Color
Kap hood vertikal dekoratif
Kontrol elektronik dengan layar
Fungsi FreshAir
Ekstraksi Rim
EcoPower Motor
3 kecepatan + 1 intensif
Kapasitas ekstraksi tanpa Outlet (m3/jam): 738
Kapasitas kecepatan ekstraksi intensif (m3/jam): 698
Kapasitas kecepatan ekstraksi maksimum (m3/jam): 584
Kapasitas kecepatan ekstraksi min (m3/jam): 307
Tingkat suara kecepatan intensif (dBA): 74
Tingkat suara kecepatan maksimal (dBA): 68
Tingkat suara kecepatan min (dBA): 52
2 lampu LED
2 Filter Aluminium
Penghentian waktu tunda
Indikator saturasi filter
Mengoperasikan lampu pilot
Katup anti-return disertakan
Pengurangan outlet termasuk
Kit resirkulasi opsional dengan instalasi penutup tabung: CFH 15200 L2C
Kit resirkulasi regeneratif opsional dengan instalasi penutup tabung: RFH 15200 L2C
Kit resirkulasi opsional tanpa instalasi penutup tabung: CFH 15200 O2C
Kit resirkulasi regeneratif opsional tanpa instalasi penutup tabung: FH 15200 O2C
Filter Arang Opsional: C1RTK
Filter regeneratif opsional: R1RTK

DIMENSI


Product height (mm): 800-1100

Product width (mm): 900

Product depth (mm): 412

Product length (mm):

Net weight (Kg): 16,2



SPESIFIKASI TEKNOLOGI

KARAKTERISTIK KHUSUS

Certificates: CE; CB; Rohs; Gmark

Ø Outlet (mm): 150

Removable oil collector: YA

Dual Aspiration System: YA

Type of inner light: LED

Inside light Consumption (W): 4,2

Plug type: Schuko plug

Cable Connection Length (cm): 100

Power rate (V): 220-240

Frequency (Hz): 50/60

Total hood power (W): 286

Number of motors: 1

Motor power (W): 280

Air flow (Qmin) m3/h: 307

Air flow (Qmax): 584

Air flow (Qboost): 698

AKSESORIS

Anti Return valve: YA

Outlet reduction: YA

MODEL

Outlet extension: Tidak.
Optional Charcoal Filter: C1RTK
Regenerative charcoal filter: R1RTK
Integration Frontal panel Code: Tidak.
Conventional recirculation kit (opt) - w/tube cover: CFH 15200 L2C
Regenerative recirculation kit (opt) - w/tube cover: RFH 15200 L2C
Conventional recirculation kit (opt) - w/o tube cover: CFH 15200 O2C
Regenerative recirculation kit (opt) - w/o tube cover: RFH 15200 O2C

Number of filters: 2
Filter description: Aluminum Filters
Opening system: Piston
Control panel: Touch Control w/display
Stop delay timer: YA
Filter saturation indicator: YA
Number of speeds: 3 + 1
Fresh air function: YA



DVT Pro 98660 TBS

LABEL ENERGI

